Bridge abutments
Allowable Bearing Pressures of Bridge Sills on GRS Abutments with Flexible Facing — Jonathan T. H. Wu, Kevin Z. Z. Lee, and Thang Pham; 132 (7), 830-41 (2006).

Building codes
Seismic Site Response for Near-Fault Forward Directivity Ground Motions — Adrian Rodriguez-Marek and Jonathan D. Bray; 132 (12), 1611-20 (2006).

Bulkheads
Thermohydromechanical Modeling of a Full-Scale Tunnel Sealing Clay Bulkhead — R. Guo, D. Dixon, and J. Martino; 132 (1), 12-23 (2006).

Buried pipes
Development of Real-Time Safety Control System for Urban Gas Supply Network — Yoshihisa Shimizu, Fumio Yamazaki, Susumu Yasuda, Ikuo Towhata, Takanobu Suzuki, Ryoji Isoyama, Eisuke Ishida, Iwao Suetomi, Kenichi Koganemaru, and Wataru Nakayama; 132 (2), 237-49 (2006).

Buried structures
Laboratory Study of Liquefaction due to Wave–Seabed Interaction — B. Chowdhury, G. R. Dasari, and T. Nogami; 132 (7), 842-51 (2006).

Calibration
Assessment of Variable Uncertainties for Reliability-Based Design of Foundations — K. C. Foye, R. Salgado, and B. Scott; 132 (9), 1197-207 (2006).

Resistance Factors for Use in Shallow Foundation LRFD — K. C. Foye, R. Salgado, and B. Scott; 132 (9), 1208-18 (2006).

California bearing ratio
Factors Affecting Portable Falling Weight Deflectometer Measurements — Deng-Fong Lin, Chi-Chou Liau, and Jyh-Dong Lin; 132 (6), 804-8 (2006).

Case reports
Seismic Response of a Composite Landfill Cover — Neven Matasovic and Edward Kavazanjian; 132 (4), 448-55 (2006).

In Situ Pore Pressure Responses of Native Peat and Soil under Train Load: A Case Study — R. C. K. Wong, P. R. Thomson, and E. S. C. Choi; 132 (10), 1360-9 (2006).

Sudden Failure of a Heavily Loaded Container Pavement — Brian C. Burman; 132 (11), 1455-64 (2006).

Liquefaction-Induced Lateral Spreading in Near-Fault Regions during the 1999 Chi-Chi, Taiwan Earthquake — Daniel B. Chu, Jonathan P. Stewart, T. Leslie Youd, and B. L. Chu; 132 (12), 1549-65 (2006).

Cavitation
Stress Zones Near Displacement Piers: I. Plastic and Liquefied Behavior — R. L. Handy and David J. White; 132 (1), 54-62 (2006).

Cement grouting
Factors Affecting the Creep Behavior of Grouted Sand — Estelle Delfosse-Ribay, Irini Djeran-Maigre, Richard Cabrillac, and Daniel Gouvenot; 132 (4), 488-500 (2006).

Cementation
Effect of Structure on the Geotechnical Properties of Bauxite Residue — Tim Newson, Tom Dyer, Chris Adam, and Sandra Sharp; 132 (2), 143-51 (2006).

Accounting for Soil Aging When Assessing Liquefaction Potential — Evangelia Leon, Sarah L. Gassman, and Pradeep Talwani; 132 (3), 363-77 (2006).

Small-Strain Behavior of Granular Soils. I: Model for Cemented and Uncemented Sands and Gravels — Juan M. Pestana and Lynn A. Salvati; 132 (8), 1071-81 (2006).

Cements
Small-Strain Shear Moduli of Chemically Stabilized Sulfate-Bearing Cohesive Soils — Anand J. Puppala, Rupesh Kadam, Raja S. Madhyannapu, and Laureano R. Hoyos; 132 (3), 322-36 (2006).

Centrifuge
DSC Model for Soil and Interface Including Liquefaction and Prediction of Centrifuge Test — Shashank K. Pradhan and Chandra S. Desai; 132 (2), 214-22 (2006).

Centrifuge model
Pile Behavior due to Excavation-Induced Soil Movement in Clay. I: Stable Wall — D. E. L. Ong, C. E. Leung, and Y. K. Chow; 132 (1), 36-44 (2006).

Pile Behavior Due to Excavation-Induced Soil Movement in Clay. II: Collapsed Wall — C. F. Leung, D. E. L. Ong, and Y. K. Chow; 132 (1), 45-53 (2006).

Centrifuge Model Studies of the Seismic Response of Reinforced Soil Slopes — Lili Nova-Roessig and Nicholas Sitar; 132 (3), 388-400 (2006).

Effect of Penetration Rate on Penetrometer Resistance in Clay — Shin Fun Chung, Mark F. Randolph, and James A. Schneider; 132 (9), 1188-96 (2006).

Chemical grouting
Factors Affecting the Creep Behavior of Grouted Sand — Estelle Delfosse-Ribay, Irini Djeran-Maigre, Richard Cabrillac, and Daniel Gouvenot; 132 (4), 488-500 (2006).

Chemical properties
Coupled Mechanical and Chemical Behavior of Bentonite Engineered with a Controlled Organic Phase — S. E. Burns, S. L. Bartelt-Hunt, J. A. Smith, and A. Z. Redding; 132 (11), 1404-12 (2006).

Chemical treatment
How Reliable is the Plasticity Index for Estimating the Liquefaction Potential of Clayey Sands? — Ivan B. Gratchev, Kyoji Sassa, and Hiroshi Fukuoka; 132 (1), 124-7 (2006).

Clay liners
Evaluating the Long-Term Performance of Geosynthetic Clay Liners Exposed to Freeze-Thaw — R. K. Podgorney and J. E. Bennett; 132 (2), 265-8 (2006).

Clays
Pile Behavior due to Excavation-Induced Soil Movement in Clay. I: Stable Wall — D. E. L. Ong, C. E. Leung, and Y. K. Chow; 132 (1), 36-44 (2006).

Pile Behavior Due to Excavation-Induced Soil Movement in Clay. II: Collapsed Wall — C. F. Leung, D. E. L. Ong, and Y. K. Chow; 132 (1), 45-53 (2006).

Practical Model of Frost Heave in Clay — S. J. Han and D. J. Goodings; 132 (1), 92-101 (2006).

How Reliable is the Plasticity Index for Estimating the Liquefaction Potential of Clayey Sands? — Ivan B. Gratchev, Kyoji Sassa, and Hiroshi Fukuoka; 132 (1), 124-7 (2006).

Drained and Undrained Strength Interpretation for Low-Plasticity Silts — Thomas L. Brandon, Andrew T. Rose, and J. Michael Duncan; 132 (2), 250-7 (2006).

Comparison in Undrained Shear Strength between Undisturbed and Remolded Ariake Clays — Zhenshun Hong, Songyu Liu, Shuilong Shen, and Takehito Negami; 132 (2), 272-5 (2006).

Small-Strain Shear Moduli of Chemically Stabilized Sulfate-Bearing Cohesive Soils — Anand J. Puppala, Rupesh Kadam, Raja S. Madhyannapu, and Laureano R. Hoyos; 132 (3), 322-36 (2006).

Laboratory Simulation of Field Sampling: Comparison With Ideal Sampling and Field Data — Marika Santagata, Joseph V. Sinfield, and John T. Germaine; 132 (3), 351-62 (2006).

Ground Movement Predictions for Braced Excavations in Undrained Clay — Ashraf S. Osman and Malcolm D. Bolton; 132 (4), 465-77 (2006).

Coupled Heat-Deformation-Flow Analysis for Clayey Soil — Krishna Murari Neaupane and Pruettha Nanakorn; 132 (4), 521-5 (2006).

Online Earthquake Response Test for Stratified Layers of Clay and Sand — Naoki Takahashi, Masayuki Hyodo, Adrian F. L. Hyde, Yoichi Yamamoto, and Shinya Kimura; 132 (5), 611-21 (2006).

Interpretation of Impact Penetration Measurements in Soft Clays — C. P. Aubeny and H. Shi; 132 (6), 770-7 (2006).

Experimental Evaluation of Engineering Behavior of Soft Bangkok Clay under Elevated Temperature — H. M. Abuel-Naga, D. T. Bergado, G. V. Ramana, L. Grino, P. Rujivipat, and Y. Thet; 132 (7), 902-10 (2006).

Comparison of Methods for Determining Specific Surface Area of Soils — Yeliz Yukselen and Abidin Kaya; 132 (7), 931-6 (2006).

Laboratory Evaluation of Smear Zone and Correlation between Permeability and Moisture Content — Iyathurai Sathananthan and Buddhima Indraratna; 132 (7), 942-5 (2006).

Parametric Study of One-Dimensional Solute Transport in Deformable Porous Media — Akram N. Alshawabkeh and Nima Rahbar; 132 (8), 1001-10 (2006).

Effect of Wet–Dry Cycles and Cation Exchange on Gas Permeability of Geosynthetic Clay Liners — Abdelmalek Bouazza, Thaveesak Vangpaisal, and Stephan Jefferis; 132 (8), 1011-8 (2006).

Predictive Model for the Water Retention Curve of Deformable Clayey Soils — M. Mbonimpa, M. Aubertin, A. Maqsoud, and B. Bussière; 132 (9), 1121-32 (2006).

Effect of Penetration Rate on Penetrometer Resistance in Clay — Shin Fun Chung, Mark F. Randolph, and James A. Schneider; 132 (9), 1188-96 (2006).

Threshold Shear Strain for Cyclic Pore-Water Pressure in Cohesive Soils — Chu-Chung Hsu and Mladen Vucetic; 132 (10), 1325-35 (2006).

Physical Response of Geomembrane Wrinkles Overlying Compacted Clay — S. Gudina and R. W. I. Brachman; 132 (10), 1346-53 (2006).

Coupled Mechanical and Chemical Behavior of Bentonite Engineered with a Controlled Organic Phase — S. E. Burns, S. L. Bartelt-Hunt, J. A. Smith, and A. Z. Redding; 132 (11), 1404-12 (2006).

Liquefaction Susceptibility Criteria for Silts and Clays — Ross W. Boulanger and I. M. Idriss; 132 (11), 1413-26 (2006).

Bearing Capacity of Piled Rafts on Soft Clay Soils — Luca de Sanctis and Alessandro Mandolini; 132 (12), 1600-10 (2006).

Clogging

Stress-Controlled Filtration with Compressible Particles — Julio R. Valdes and Shih-Hsun Liang; 132 (7), 861-8 (2006).

Cohesionless soils

Predicting End Bearing Capacity of Post-Grouted Drilled Shaft in Cohesionless Soils — Gray Mullins, Danny Winters, and Steven Dapp; 132 (4), 478-87 (2006).

Small-Strain Behavior of Granular Soils. II: Seismic Response Analyses and Model Evaluation — Lynn A. Salvati and Juan M. Pestana; 132 (8), 1082-90 (2006).

Cohesive soils

Threshold Shear Strain for Cyclic Pore-Water Pressure in Cohesive Soils — Chu-Chung Hsu and Mladen Vucetic; 132 (10), 1325-35 (2006).

Combined stress

Degradation of Sands due to Combined Sinusoidal Loading — M. Sherif Aggour and Jim X. Zhang; 132 (12), 1628-32 (2006).

Combustion

Field Evaluation of a Leachate Collection System Constructed with Scrap Tires — Ahmet H. Aydilek, Edward Tristram Madden, and M. Melih Demirkan; 132 (8), 990-1000 (2006).

Compacted soils

Design of Compacted Lateritic Soil Liners and Covers — Kolawole J. Osinubi and Charles M. O. Nwaiwu; 132 (2), 203-13 (2006).

Field Performance of a Compacted Clay Landfill Final Cover at a Humid Site — William H. Albright, Craig H. Benson, Glendon W. Gee, Tarek Abichou, Eric V. McDonald, Scott W. Tyler, and Steven A. Rock; 132 (11), 1393-403 (2006).

Comparative studies

Comparison in Undrained Shear Strength between Undisturbed and Remolded Ariake Clays — Zhenshun Hong, Songyu Liu, Shuilong Shen, and Takehito Negami; 132 (2), 272-5 (2006).

Comparison of Methods for Determining Specific Surface Area of Soils — Yeliz Yukselen and Abidin Kaya; 132 (7), 931-6 (2006).

Compressibilty

Experimental Study of Macro- and Microbehavior of Natural Diatomite — Zhenshun Hong, Yoshitaka Tateishi, and Jie Han; 132 (5), 603-10 (2006).

Compression

Particle Shape Effects on Packing Density, Stiffness, and Strength: Natural and Crushed Sands — Gye-Chun Cho, Jake Dodds, and J. Carlos Santamarina; 132 (5), 591-602 (2006).

Computer applications

ONDA: Computer Code for Nonlinear Seismic Response Analyses of Soil Deposits — Diego C. F. Lo Presti, Carlo G. Lai, and Ignazio Puci; 132 (2), 223-36 (2006).

Computer models

Prediction of Soil–Water Characteristic Curve Using Genetic Programming — A. Johari, G. Habibagahi, and A. Ghahramani; 132 (5), 661-5 (2006).

Concrete piles

Data Reduction of Horizontal Load Full-Scale Tests on Bored Concrete Piles and Pile Groups — António G. F. de Sousa Coutinho; 132 (6), 752-69 (2006).

Lateral Response Evaluation of Single Piles Using Inclinometer Data — San-Shyan Lin and Jen-Cheng Liao; 132 (12), 1566-73 (2006).

Cone penetration

Normalizing the CPT for Overburden Stress — R. E. S. Moss, R. B. Seed, and R. S. Olsen; 132 (3), 378-87 (2006).

Cone penetration tests

First-Order Reliability Method for Probabilistic Liquefaction Triggering Analysis Using CPT — C. Hsein Juang, Sunny Ye Fang, and Eng Hui Khor; 132 (3), 337-50 (2006).

Field Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Atwood F. Davis, Steven C. Sands, Michael Carnivale, Joseph Wartman, and Patricia M. Gallagher; 132 (5), 577-90 (2006).

CPT-Based Probabilistic and Deterministic Assessment of In Situ Seismic Soil Liquefaction Potential — R. E. S. Moss, R. B. Seed, R. E. Kayen, J. P. Stewart, A. Der Kiureghian, and K. O. Cetin; 132 (8), 1032-51 (2006).

Electronic Nose–Membrane Interface Probe for Geoenvironmental Site Characterization — Pradeep U. Kurup, Bobby Issac, and Erin P. Griffin; 132 (9), 1133-42 (2006).

Assessment of Variable Uncertainties for Reliability-Based Design of Foundations — K. C. Foye, R. Salgado, and B. Scott; 132 (9), 1197-207 (2006).

Resistance Factors for Use in Shallow Foundation LRFD — K. C. Foye, R. Salgado, and B. Scott; 132 (9), 1208-18 (2006).

Pore Pressure Response Following Undrained uCPT Sounding in a Dilating Soil — Derek Elsworth, Dae Sung Lee, Roman Hryciw, and Seungcheol Shin; 132 (11), 1485-95 (2006).

Connections

General Analytical Framework for Design of Flexible Reinforced Earth Structures — Jie Han and Dov Leshchinsky; 132 (11), 1427-35 (2006).

Consolidation

Vertical Drain Consolidation with Parabolic Distribution of Permeability in Smear Zone — Rohan Walker and Buddhima Indraratna; 132 (7), 937-41 (2006).

Constitutive models

Liquefaction Resistance of Undisturbed and Reconstituted Samples of a Natural Coarse Sand from Undrained Cyclic Triaxial Tests — Vito Nicola Ghionna and Daniela Porcino; 132 (2), 194-202 (2006).

DSC Model for Soil and Interface Including Liquefaction and Prediction of Centrifuge Test — Shashank K. Pradhan and Chandra S. Desai; 132 (2), 214-22 (2006).

Novel Approach to Integration of Numerical Modeling and Field Observations for Deep Excavations — Youssef M. A. Hashash, Camilo Marulanda, Jamshid Ghaboussi, and Sungmoon Jung; 132 (8), 1019-31 (2006).

Small-Strain Behavior of Granular Soils. I: Model for Cemented and Uncemented Sands and Gravels — Juan M. Pestana and Lynn A. Salvati; 132 (8), 1071-81 (2006).

Small-Strain Behavior of Granular Soils. II: Seismic Response Analyses and Model Evaluation — Lynn A. Salvati and Juan M. Pestana; 132 (8), 1082-90 (2006).

Seismic Site Response for Near-Fault Forward Directivity Ground Motions — Adrian Rodriguez-Marek and Jonathan D. Bray; 132 (12), 1611-20 (2006).

Constitutive relations

Pore Pressure Response Following Undrained uCPT Sounding in a Dilating Soil — Derek Elsworth, Dae Sung Lee, Roman Hryciw, and Seungcheol Shin; 132 (11), 1485-95 (2006).

Construction management

Enhanced Criterion for Base Soil Retention in Embankment Dam Filters — Buddhima Indraratna and Ashok K. Raut; 132 (12), 1621-7 (2006).

Control systems

Development of Real-Time Safety Control System for Urban Gas Supply Network — Yoshihisa Shimizu, Fumio Yamazaki, Susumu Yasuda, Ikuo Towhata, Takanobu Suzuki, Ryoji Isoyama, Eisuke Ishida, Iwao Suetomi, Kenichi Koganemaru, and Wataru Nakayama; 132 (2), 237-49 (2006).

Core walls

Slug Test Analysis in Vertical Cutoff Walls. I: Analysis Methods — Hangseok Choi and David E. Daniel; 132 (4), 429-38 (2006).

Slug Test Analysis in Vertical Cutoff Walls. II: Applications — Hangseok Choi and David E. Daniel; 132 (4), 439-47 (2006).

Membrane Behavior of Two Backfills from Field-Constructed Soil-Bentonite Cutoff Walls — John T. Henning, Jeffrey C. Evans, and Charles D. Shackelford; 132 (10), 1243-9 (2006).

Cost control

Design Considerations for Lysimeters Used to Evaluate Alternative Earthen Final Covers — Tarek Abichou, Xiaoli Liu, and Kamal Tawfiq; 132 (12), 1519-25 (2006).

Coupling

Coupled Heat-Deformation-Flow Analysis for Clayey Soil — Krishna Murari Neaupane and Pruettha Nanakorn; 132 (4), 521-5 (2006).

Cracking

Stress Zones near Displacement Piers: II. Radial Cracking and Wedging — R. L. Handy and David J. White; 132 (1), 63-71 (2006).

Evaluation of the Parameters Influencing Self-Healing in Earth Dams — Sai Kakuturu and Lakshmi N. Reddi; 132 (7), 879-89 (2006).

Mechanistic Model for Self-Healing of Core Cracks in Earth Dams — Sai Kakuturu and Lak-

shmi N. Reddi; 132 (7), 890-901 (2006).

Lateral Response Evaluation of Single Piles Using Inclinometer Data — San-Shyan Lin and Jen-Cheng Liao; 132 (12), 1566-73 (2006).

Creep

Factors Affecting the Creep Behavior of Grouted Sand — Estelle Delfosse-Ribay, Irini Djeran-Maigre, Richard Cabrillac, and Daniel Gouvenot; 132 (4), 488-500 (2006).

Curve fitting

Slug Test Analysis in Vertical Cutoff Walls. I: Analysis Methods — Hangseok Choi and David E. Daniel; 132 (4), 429-38 (2006).

Cyclic loads

CPT-Based Probabilistic and Deterministic Assessment of In Situ Seismic Soil Liquefaction Potential — R. E. S. Moss, R. B. Seed, R. E. Kayen, J. P. Stewart, A. Der Kiureghian, and K. O. Cetin; 132 (8), 1032-51 (2006).

Passive Earth Pressure Mobilization during Cyclic Loading — Ryan T. Cole and Kyle M. Rollins; 132 (9), 1154-64 (2006).

A Robust Macroelement Model for Soil–Pile Interaction under Cyclic Loads — Ertugrul Taciroglu, ChangSoon Rha, and John W. Wallace; 132 (10), 1304-14 (2006).

Threshold Shear Strain for Cyclic Pore-Water Pressure in Cohesive Soils — Chu-Chung Hsu and Mladen Vucetic; 132 (10), 1325-35 (2006).

Cyclic strength

Liquefaction, Cyclic Mobility, and Failure of Silt — Adrian F. L. Hyde, Toru Higuchi, and Kazuya Yasuhara; 132 (6), 716-35 (2006).

Influence of Nonplastic Fines on Shear Wave Velocity-Based Assessment of Liquefaction — Ning Liu and James K. Mitchell; 132 (8), 1091-7 (2006).

Assessment of the Liquefaction Susceptibility of Fine-Grained Soils — Jonathan D. Bray and Rodolfo B. Sancio; 132 (9), 1165-77 (2006).

Liquefaction Susceptibility Criteria for Silts and Clays — Ross W. Boulanger and I. M. Idriss; 132 (11), 1413-26 (2006).

Correlation between Cyclic Resistance Ratios of Intact and Reconstituted Offshore Saturated Sands and Silts with the Same Shear Wave Velocity — Jian-Hua Wang, Kathryn Moran, and Christopher D. P. Baxter; 132 (12), 1574-80 (2006).

Cyclic tests

How Reliable is the Plasticity Index for Estimating the Liquefaction Potential of Clayey Sands? — Ivan B. Gratchev, Kyoji Sassa, and Hiroshi Fukuoka; 132 (1), 124-7 (2006).

Use of Artificial Neural Networks in the Prediction of Liquefaction Resistance of Sands — Kim Young-Su and Kim Byung-Tak; 132 (11), 1502-4 (2006).

Dam safety

Evaluation of the Parameters Influencing Self-Healing in Earth Dams — Sai Kakuturu and Lakshmi N. Reddi; 132 (7), 879-89 (2006).

Mechanistic Model for Self-Healing of Core Cracks in Earth Dams — Sai Kakuturu and Lakshmi N. Reddi; 132 (7), 890-901 (2006).

Damage assessment

Development of Real-Time Safety Control System for Urban Gas Supply Network — Yoshihisa Shimizu, Fumio Yamazaki, Susumu Yasuda, Ikuo Towhata, Takanobu Suzuki, Ryoji Isoyama, Eisuke Ishida, Iwao Suetomi, Kenichi Koganemaru, and Wataru Nakayama; 132 (2), 237-49 (2006).

Damping

ONDA: Computer Code for Nonlinear Seismic Response Analyses of Soil Deposits — Diego C. F. Lo Presti, Carlo G. Lai, and Ignazio Puci; 132 (2), 223-36 (2006).

Thermoelastic Enhancement of Damping of Sand Using Synthetic Ground Rubber — Sibel Pamukcu and Suat Akbulut; 132 (4), 501-10 (2006).

Degradation of Sands due to Combined Sinusoidal Loading — M. Sherif Aggour and Jim X. Zhang; 132 (12), 1628-32 (2006).

Dams

Construction of Concrete-Faced Rockfill Dams with Weak Rocks — Hao-Feng Xing, Xiao-Nan Gong, Xiao-Guang Zhou, and Hai-Feng Fu; 132 (6), 778-85 (2006).

Dams, concrete

Structural Stability of Concrete Gravity Dams Strengthened by Rockfill Buttressing: Hydrostatic Load — Pierre Léger and Farrokh Javanmardi; 132 (12), 1592-9 (2006).

Dams, earth

Evaluation of the Parameters Influencing Self-Healing in Earth Dams — Sai Kakuturu and Lakshmi N. Reddi; 132 (7), 879-89 (2006).

Mechanistic Model for Self-Healing of Core Cracks in Earth Dams — Sai Kakuturu and Lakshmi N. Reddi; 132 (7), 890-901 (2006).

Estimating Slope Stability Reduction due to Rain Infiltration Mounding — John H. Schmertmann; 132 (9), 1219-28 (2006).

Dams, embankment

Enhanced Criterion for Base Soil Retention in Embankment Dam Filters — Buddhima Indraratna and Ashok K. Raut; 132 (12), 1621-7 (2006).

Dams, gravity

Structural Stability of Concrete Gravity Dams Strengthened by Rockfill Buttressing: Hydrostatic Load — Pierre Léger and Farrokh Javanmardi; 132 (12), 1592-9 (2006).

Data analysis

Laboratory Simulation of Field Sampling: Comparison With Ideal Sampling and Field Data — Marika Santagata, Joseph V. Sinfield, and John T. Germaine; 132 (3), 351-62 (2006).

Logistic Regression Model for Evaluating Soil Liquefaction Probability Using CPT Data — Sheng-Yao Lai, Wen-Jong Chang, and Ping-Sien Lin; 132 (6), 694-704 (2006).

Lateral Response Evaluation of Single Piles Using Inclinometer Data — San-Shyan Lin and Jen-Cheng Liao; 132 (12), 1566-73 (2006).

Debris

Impact of Routine Quality Assurance on Reliability of Bored Piles — L. M. Zhang, D. Q. Li, and W. H. Tang; 132 (5), 622-30 (2006).

Deflection

Pile Behavior due to Excavation-Induced Soil Movement in Clay. I: Stable Wall — D. E. L. Ong, C. E. Leung, and Y. K. Chow; 132 (1), 36-44 (2006).

Pile Behavior Due to Excavation-Induced Soil Movement in Clay. II: Collapsed Wall — C. F. Leung, D. E. L. Ong, and Y. K. Chow; 132 (1), 45-53 (2006).

Analytical Solution for Piles Supporting Combined Lateral Loads — Yun-Mei Hsiung, Shi-Shuenn Chen, and Yi-Chuan Chou; 132 (10), 1315-24 (2006).

Behavior of Buried Flexible Pipe under High Fills and Design Implications — Toshinori Kawabata, Hoe I. Ling, Yoshiyuki Mohri, and Daisuke Shoda; 132 (10), 1354-9 (2006).

Deformation

Microscopic Evaluation of Strain Distribution in Granular Materials during Shear — Khalid A. Alshibli and Bashar A. Alramahi; 132 (1), 80-91 (2006).

Coupled Heat-Deformation-Flow Analysis for Clayey Soil — Krishna Murari Neaupane and Pruettha Nanakorn; 132 (4), 521-5 (2006).

Seasonal Deterioration of Unsurfaced Roads — S. Shoop, R. Haehnel, V. Janoo, D. Harjes, and R. Liston; 132 (7), 852-60 (2006).

Predictive Model for the Water Retention Curve of Deformable Clayey Soils — M. Mbonimpa, M. Aubertin, A. Maqsoud, and B. Bussière; 132 (9), 1121-32 (2006).

Degradation

Degradation of Sands due to Combined Sinusoidal Loading — M. Sherif Aggour and Jim X. Zhang; 132 (12), 1628-32 (2006).

Density

Unit Weight of Municipal Solid Waste — Dimitrios Zekkos, Jonathan D. Bray, Edward Kavazanjian, Neven Matasovic, Ellen M. Rathje, Michael F. Riemer, and Kenneth H. Stokoe; 132 (10), 1250-61 (2006).

Design

Design Considerations for Lysimeters Used to Evaluate Alternative Earthen Final Covers — Tarek Abichou, Xiaoli Liu, and Kamal Tawfiq; 132 (12), 1519-25 (2006).

Design criteria

Predicting End Bearing Capacity of Post-Grouted Drilled Shaft in Cohesionless Soils — Gray Mullins, Danny Winters, and Steven Dapp; 132 (4), 478-87 (2006).

Deterioration

Seasonal Deterioration of Unsurfaced Roads — S. Shoop, R. Haehnel, V. Janoo, D. Harjes, and R. Liston; 132 (7), 852-60 (2006).

Dewatering

Field Performance of a Compacted Clay Landfill Final Cover at a Humid Site — William H. Albright, Craig H. Benson, Glendon W. Gee, Tarek Abichou, Eric V. McDonald, Scott W. Tyler, and Steven A. Rock; 132 (11), 1393-403 (2006).

Dilatancy

Drained and Undrained Strength Interpretation for Low-Plasticity Silts — Thomas L. Brandon, Andrew T. Rose, and J. Michael Duncan; 132 (2), 250-7 (2006).

Postpeak Strength of Interfaces in a Stress-Dilatancy Framework — Matthew S. Dietz and Martin L. Lings; 132 (11), 1474-84 (2006).

Pore Pressure Response Following Undrained

uCPT Sounding in a Dilating Soil — Derek Elsworth, Dae Sung Lee, Roman Hryciw, and Seungcheol Shin; 132 (11), 1485-95 (2006).

Displacement

Ground Movement Predictions for Braced Excavations in Undrained Clay — Ashraf S. Osman and Malcolm D. Bolton; 132 (4), 465-77 (2006).

Behavior of a Fiber-Reinforced Bentonite at Large Shear Displacements — Michéle Dal Toé Casagrande, Matthew Richard Coop, and Nilo Cesar Consoli; 132 (11), 1505-8 (2006).

Drain

Field Study to Investigate WIDE Technology for TCE Extraction — K. A. Warren, M. A. Gabr, and J. D. Quaranta; 132 (9), 1111-20 (2006).

Drainage

Stress-Controlled Filtration with Compressible Particles — Julio R. Valdes and Shih-Hsun Liang; 132 (7), 861-8 (2006).

Installation of Horizontal Wells in Landfilled Waste Using Directional Drilling — S. E. Cox, R. P. Beaven, W. Powrie, and D. J. Cole; 132 (7), 869-78 (2006).

Vertical Drain Consolidation with Parabolic Distribution of Permeability in Smear Zone — Rohan Walker and Buddhima Indraratna; 132 (7), 937-41 (2006).

Drawdown

Installation of Horizontal Wells in Landfilled Waste Using Directional Drilling — S. E. Cox, R. P. Beaven, W. Powrie, and D. J. Cole; 132 (7), 869-78 (2006).

Dredge spoils

Laboratory Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Patricia M. Gallagher, Joseph Wartman, Yigang Liu, and Michael Carnivale; 132 (5), 562-76 (2006).

Field Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Atwood F. Davis, Steven C. Sands, Michael Carnivale, Joseph Wartman, and Patricia M. Gallagher; 132 (5), 577-90 (2006).

Drilled shafts

Influence of Torque on Lateral Capacity of Drilled Shafts in Sands — Zhihong Hu, Michael McVay, David Bloomquist, Rodrigo Herrera, and Peter Lai; 132 (4), 456-64 (2006).

Predicting End Bearing Capacity of Post-Grouted Drilled Shaft in Cohesionless Soils — Gray Mullins, Danny Winters, and Steven Dapp; 132 (4), 478-87 (2006).

A Robust Macroelement Model for Soil–Pile Interaction under Cyclic Loads — Ertugrul Taciroglu, ChangSoon Rha, and John W. Wallace; 132 (10), 1304-14 (2006).

Drilling

Installation of Horizontal Wells in Landfilled Waste Using Directional Drilling — S. E. Cox, R. P. Beaven, W. Powrie, and D. J. Cole; 132 (7), 869-78 (2006).

Driven piles

Behavior of Axially Loaded Pile Groups Driven in Clayey Silt — B. A. McCabe and B. M. Lehane; 132 (3), 401-10 (2006).

Quality Control Method for Pile Driving — Robert Liang and Luo Yang; 132 (8), 1098-104 (2006).

Dynamic models

Simplified Model for Vertical Vibrations of Surface Foundations — Shi-Shuenn Chen and Jun-Yang Shi; 132 (5), 651-5 (2006).

Dynamic response

Investigation of Foundation Vibrations Resting on a Layered Soil System — D. K. Baidya, G. Muralikrishna, and P. K. Pradhan; 132 (1), 116-23 (2006).

Dynamic tests

Correlation between Cyclic Resistance Ratios of Intact and Reconstituted Offshore Saturated Sands and Silts with the Same Shear Wave Velocity — Jian-Hua Wang, Kathryn Moran, and Christopher D. P. Baxter; 132 (12), 1574-80 (2006).

Degradation of Sands due to Combined Sinusoidal Loading — M. Sherif Aggour and Jim X. Zhang; 132 (12), 1628-32 (2006).

Earth pressure

Performance of a Cantilever Retaining Wall — Joseph G. Bentler and Joseph F. Labuz; 132 (8), 1062-70 (2006).

Cyclic Lateral Load Behavior of a Pile Cap and Backfill — Kyle M. Rollins and Ryan T. Cole; 132 (9), 1143-53 (2006).

Passive Earth Pressure Mobilization during Cyclic Loading — Ryan T. Cole and Kyle M. Rollins; 132 (9), 1154-64 (2006).

Behavior of Buried Flexible Pipe under High Fills and Design Implications — Toshinori Kawabata, Hoe I. Ling, Yoshiyuki Mohri, and Daisuke Shoda; 132 (10), 1354-9 (2006).

Earthquake engineering

Liquefaction, Cyclic Mobility, and Failure of Silt — Adrian F. L. Hyde, Toru Higuchi, and Kazuya Yasuhara; 132 (6), 716-35 (2006).

Earthquake loads

Reliability of Shallow Foundations Subjected to Multidirectional Seismic Loading — Tam Larkin; 132 (6), 685-93 (2006).

Earthquakes

Development of Real-Time Safety Control System for Urban Gas Supply Network — Yoshihisa Shimizu, Fumio Yamazaki, Susumu Yasuda, Ikuo Towhata, Takanobu Suzuki, Ryoji Isoyama, Eisuke Ishida, Iwao Suetomi, Kenichi Koganemaru, and Wataru Nakayama; 132 (2), 237-49 (2006).

First-Order Reliability Method for Probabilistic Liquefaction Triggering Analysis Using CPT — C. Hsein Juang, Sunny Ye Fang, and Eng Hui Khor; 132 (3), 337-50 (2006).

Liquefaction Hazard Mapping—Statistical and Spatial Characterization of Susceptible Units — Laurie G. Baise, Rebecca B. Higgins, and Charles M. Brankman; 132 (6), 705-15 (2006).

Site-Specific Validation of Random Vibration Theory-Based Seismic Site Response Analysis — Ellen M. Rathje and M. Cem Ozbey; 132 (7), 911-22 (2006).

CPT-Based Probabilistic and Deterministic Assessment of In Situ Seismic Soil Liquefaction Potential — R. E. S. Moss, R. B. Seed, R. E. Kayen, J. P. Stewart, A. Der Kiureghian, and K. O. Cetin; 132 (8), 1032-51 (2006).

Assessment of the Liquefaction Susceptibility of Fine-Grained Soils — Jonathan D. Bray and Rodolfo B. Sancio; 132 (9), 1165-77 (2006).

Liquefaction Susceptibility Criteria for Silts and Clays — Ross W. Boulanger and I. M. Idriss; 132 (11), 1413-26 (2006).

Liquefaction-Induced Lateral Spreading in Near-Fault Regions during the 1999 Chi-Chi, Taiwan Earthquake — Daniel B. Chu, Jonathan P. Stewart, T. Leslie Youd, and B. L. Chu; 132 (12), 1549-65 (2006).

Structural Stability of Concrete Gravity Dams Strengthened by Rockfill Buttressing: Hydrostatic Load — Pierre Léger and Farrokh Javanmardi; 132 (12), 1592-9 (2006).

Effective stress

Online Earthquake Response Test for Stratified Layers of Clay and Sand — Naoki Takahashi, Masayuki Hyodo, Adrian F. L. Hyde, Yoichi Yamamoto, and Shinya Kimura; 132 (5), 611-21 (2006).

Elasticity

Active Thrust Due to Backfill Subject to Lines of Surcharge — Venanzio R. Greco; 132 (2), 269-71 (2006).

Anisotropic Nonlinear Elastic Model for Particulate Materials — P.-Y. Hicher and C. S. Chang; 132 (8), 1052-61 (2006).

Embankments

Field Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Atwood F. Davis, Steven C. Sands, Michael Carnivale, Joseph Wartman, and Patricia M. Gallagher; 132 (5), 577-90 (2006).

In Situ Pore Pressure Responses of Native Peat and Soil under Train Load: A Case Study — R. C. K. Wong, P. R. Thomson, and E. S. C. Choi; 132 (10), 1360-9 (2006).

Probabilistic Stability Analyses of Embankments Based on Finite-Element Method — B. Xu and B. K. Low; 132 (11), 1444-54 (2006).

Energy absorption

Loading of a Gravel-Buried Steel Pipe Subjected to Rockfall — Bernhard Pichler, Christian Hellmich, Herbert A. Mang, and Josef Eberhardsteiner; 132 (11), 1465-73 (2006).

Energy methods

Nonlinear Stress-Strain Relationship of Soil Reinforced with Flexible Geofibers — Duowen Ding and S. Keith Hargrove; 132 (6), 791-4 (2006).

Erosion

Evaluation of the Parameters Influencing Self-Healing in Earth Dams — Sai Kakuturu and Lakshmi N. Reddi; 132 (7), 879-89 (2006).

Mechanistic Model for Self-Healing of Core Cracks in Earth Dams — Sai Kakuturu and Lakshmi N. Reddi; 132 (7), 890-901 (2006).

Estuaries

Resistivity Survey of the Subsurface Conditions in the Estuary of the Rio de la Plata — Víctor Rinaldi, Martín Guichon, Víctor Ferrero, Carlos Serrano, and Norberto Ponti; 132 (1), 72-9 (2006).

Evaluation

Lateral Response Evaluation of Single Piles Using Inclinometer Data — San-Shyan Lin and Jen-Cheng Liao; 132 (12), 1566-73 (2006).

Excavation
Pile Behavior due to Excavation-Induced Soil Movement in Clay. I: Stable Wall — D. E. L. Ong, C. E. Leung, and Y. K. Chow; 132 (1), 36-44 (2006).
Pile Behavior Due to Excavation-Induced Soil Movement in Clay. II: Collapsed Wall — C. F. Leung, D. E. L. Ong, and Y. K. Chow; 132 (1), 45-53 (2006).
Ground Movement Predictions for Braced Excavations in Undrained Clay — Ashraf S. Osman and Malcolm D. Bolton; 132 (4), 465-77 (2006).
Lessons Learned for Ground Movements and Soil Stabilization from the Boston Central Artery — T. D. O'Rourke and A. J. McGinn; 132 (8), 966-89 (2006).
Novel Approach to Integration of Numerical Modeling and Field Observations for Deep Excavations — Youssef M. A. Hashash, Camilo Marulanda, Jamshid Ghaboussi, and Sungmoon Jung; 132 (8), 1019-31 (2006).

Expansive soils
Soil-Water Characteristic Curves of Stabilized Expansive Soils — Anand J. Puppala, Koonnamas Punthutaecha, and Sai K. Vanapalli; 132 (6), 736-51 (2006).

Experimentation
Soil–Pile Response to Blast-Induced Lateral Spreading. I: Field Test — Scott A. Ashford, Teerawut Juirnarongrit, Takahiro Sugano, and Masanori Hamada; 132 (2), 152-62 (2006).
Reduction of Vibrations due to Foundation Slabs — Shen-Haw Ju and Hung-Ta Lin; 132 (4), 511-20 (2006).
Experimental Evaluation of Engineering Behavior of Soft Bangkok Clay under Elevated Temperature — H. M. Abuel-Naga, D. T. Bergado, G. V. Ramana, L. Grino, P. Rujivipat, and Y. Thet; 132 (7), 902-10 (2006).

Failures
Pile Behavior due to Excavation-Induced Soil Movement in Clay. I: Stable Wall — D. E. L. Ong, C. E. Leung, and Y. K. Chow; 132 (1), 36-44 (2006).
Pile Behavior Due to Excavation-Induced Soil Movement in Clay. II: Collapsed Wall — C. F. Leung, D. E. L. Ong, and Y. K. Chow; 132 (1), 45-53 (2006).
Suction Stress Characteristic Curve for Unsaturated Soil — Ning Lu and William J. Likos; 132 (2), 131-42 (2006).
Material Spatial Variability and Slope Stability for Weak Rock Masses — Sung-Chi Hsu and Priscilla P. Nelson; 132 (2), 183-93 (2006).
Limitations in the Back-Analysis of Strength from Failures — Rick Deschamps and Greg Yankey; 132 (4), 532-6 (2006).
Assessment of the Liquefaction Susceptibility of Fine-Grained Soils — Jonathan D. Bray and Rodolfo B. Sancio; 132 (9), 1165-77 (2006).

Fiber reinforced materials
Nonlinear Stress-Strain Relationship of Soil Reinforced with Flexible Geofibers — Duowen Ding and S. Keith Hargrove; 132 (6), 791-4 (2006).
Behavior of a Fiber-Reinforced Bentonite at Large Shear Displacements — Michéle Dal Toé Casagrande, Matthew Richard Coop, and Nilo Cesar Consoli; 132 (11), 1505-8 (2006).

Fibers
Soil-Water Characteristic Curves of Stabilized Expansive Soils — Anand J. Puppala, Koonnamas Punthutaecha, and Sai K. Vanapalli; 132 (6), 736-51 (2006).

Field tests
Observed Performance of Long Steel H-Piles Jacked into Sandy Soils — J. Yang, L. G. Tham, P. K. K. Lee, and F. Yu; 132 (1), 24-35 (2006).
Field Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Atwood F. Davis, Steven C. Sands, Michael Carnivale, Joseph Wartman, and Patricia M. Gallagher; 132 (5), 577-90 (2006).
Construction of Concrete-Faced Rockfill Dams with Weak Rocks — Hao-Feng Xing, Xiao-Nan Gong, Xiao-Guang Zhou, and Hai-Feng Fu; 132 (6), 778-85 (2006).

Fills
Behavior of Buried Flexible Pipe under High Fills and Design Implications — Toshinori Kawabata, Hoe I. Ling, Yoshiyuki Mohri, and Daisuke Shoda; 132 (10), 1354-9 (2006).

Filters
Column Test Studies of Ochre Biofilm Formation in Geotextile Filters — Marcos Barreto de Mendonca and Maurício Ehrlich; 132 (10), 1284-92 (2006).
Enhanced Criterion for Base Soil Retention in Embankment Dam Filters — Buddhima Indraratna and Ashok K. Raut; 132 (12), 1621-7 (2006).

Filtration
Stress-Controlled Filtration with Compressible Particles — Julio R. Valdes and Shih-Hsun Liang; 132 (7), 861-8 (2006).
Enhanced Criterion for Base Soil Retention in Embankment Dam Filters — Buddhima Indraratna and Ashok K. Raut; 132 (12), 1621-7 (2006).

Fine-grained soils
Field Study to Investigate WIDE Technology for TCE Extraction — K. A. Warren, M. A. Gabr, and J. D. Quaranta; 132 (9), 1111-20 (2006).
Assessment of the Liquefaction Susceptibility of Fine-Grained Soils — Jonathan D. Bray and Rodolfo B. Sancio; 132 (9), 1165-77 (2006).
Liquefaction Susceptibility Criteria for Silts and Clays — Ross W. Boulanger and I. M. Idriss; 132 (11), 1413-26 (2006).

Finite element method
Thermohydromechanical Modeling of a Full-Scale Tunnel Sealing Clay Bulkhead — R. Guo, D. Dixon, and J. Martino; 132 (1), 12-23 (2006).
Reduction of Vibrations due to Foundation Slabs — Shen-Haw Ju and Hung-Ta Lin; 132 (4), 511-20 (2006).
Interpretation of Impact Penetration Measurements in Soft Clays — C. P. Aubeny and H. Shi; 132 (6), 770-7 (2006).
Construction of Concrete-Faced Rockfill Dams with Weak Rocks — Hao-Feng Xing, Xiao-Nan Gong, Xiao-Guang Zhou, and Hai-Feng Fu; 132 (6), 778-85 (2006).
Seasonal Deterioration of Unsurfaced Roads — S. Shoop, R. Haehnel, V. Janoo, D. Harjes, and R. Liston; 132 (7), 852-60 (2006).
Probabilistic Stability Analyses of Embankments Based on Finite-Element Method — B. Xu and B. K. Low; 132 (11), 1444-54 (2006).
Loading of a Gravel-Buried Steel Pipe Subjected to Rockfall — Bernhard Pichler, Christian Hellmich, Herbert A. Mang, and Josef Eberhardsteiner; 132 (11), 1465-73 (2006).

Flexible pipes
Behavior of Buried Flexible Pipe under High Fills and Design Implications — Toshinori Kawabata, Hoe I. Ling, Yoshiyuki Mohri, and Daisuke Shoda; 132 (10), 1354-9 (2006).

Floods
Structural Stability of Concrete Gravity Dams Strengthened by Rockfill Buttressing: Hydrostatic Load — Pierre Léger and Farrokh Javanmardi; 132 (12), 1592-9 (2006).

Fluid flow
Coupled Heat-Deformation-Flow Analysis for Clayey Soil — Krishna Murari Neaupane and Pruettha Nanakorn; 132 (4), 521-5 (2006).

Flushing
Stress-Controlled Filtration with Compressible Particles — Julio R. Valdes and Shih-Hsun Liang; 132 (7), 861-8 (2006).

Fly ash
Soil-Water Characteristic Curves of Stabilized Expansive Soils — Anand J. Puppala, Koonnamas Punthutaecha, and Sai K. Vanapalli; 132 (6), 736-51 (2006).

Foundation construction
Termination Criteria for Jacked Pile Construction and Load Transfer in Weathered Soils — L. M. Zhang, C. W. W. Ng, F. Chan, and H. W. Pang; 132 (7), 819-29 (2006).

Foundation design
Assessment of Variable Uncertainties for Reliability-Based Design of Foundations — K. C. Foye, R. Salgado, and B. Scott; 132 (9), 1197-207 (2006).

Foundation settlement
Raked Piles—Virtues and Drawbacks — Harry G. Poulos; 132 (6), 795-803 (2006).

Foundations
Investigation of Foundation Vibrations Resting on a Layered Soil System — D. K. Baidya, G. Muralikrishna, and P. K. Pradhan; 132 (1), 116-23 (2006).
Reduction of Vibrations due to Foundation Slabs — Shen-Haw Ju and Hung-Ta Lin; 132 (4), 511-20 (2006).
Liquefaction, Cyclic Mobility, and Failure of Silt — Adrian F. L. Hyde, Toru Higuchi, and Kazuya Yasuhara; 132 (6), 716-35 (2006).

Fractures
Stress Zones near Displacement Piers: II. Radial Cracking and Wedging — R. L. Handy and David J. White; 132 (1), 63-71 (2006).

Freeze-thaw
Evaluating the Long-Term Performance of Geosynthetic Clay Liners Exposed to Freeze-Thaw — R. K. Podgorney and J. E. Bennett; 132 (2), 265-8 (2006).
Compatibility with Jet A-1 of a GCL Subjected to Freeze–Thaw Cycles — R. Kerry Rowe, Toshifumi Mukunoki, and Richard J. Bathurst; 132 (12), 1526-37 (2006).

Freezing
Practical Model of Frost Heave in Clay — S. J. Han and D. J. Goodings; 132 (1), 92-101 (2006).

Frequency
Reduction of Vibrations due to Foundation Slabs — Shen-Haw Ju and Hung-Ta Lin; 132 (4), 511-20 (2006).

Frequency-Dependent Amplification of Unsaturated Surface Soil Layer — J. Yang; 132 (4), 526-31 (2006).

Friction
Particle Shape Effects on Packing Density, Stiffness, and Strength: Natural and Crushed Sands — Gye-Chun Cho, Jake Dodds, and J. Carlos Santamarina; 132 (5), 591-602 (2006).

Postpeak Strength of Interfaces in a Stress-Dilatancy Framework — Matthew S. Dietz and Martin L. Lings; 132 (11), 1474-84 (2006).

Frost heave
Practical Model of Frost Heave in Clay — S. J. Han and D. J. Goodings; 132 (1), 92-101 (2006).

Full-scale tests
Data Reduction of Horizontal Load Full-Scale Tests on Bored Concrete Piles and Pile Groups — António G. F. de Sousa Coutinho; 132 (6), 752-69 (2006).

Gas
Effect of Gas on Pore Pressures in Wet Landfills — Scott M. Merry, Wolfgang U. Fritz, Muniram Budhu, and Krzysztof Jesionek; 132 (5), 553-61 (2006).

Effect of Wet–Dry Cycles and Cation Exchange on Gas Permeability of Geosynthetic Clay Liners — Abdelmalek Bouazza, Thaveesak Vangpaisal, and Stephan Jefferis; 132 (8), 1011-8 (2006).

Gasoline
Electronic Nose–Membrane Interface Probe for Geoenvironmental Site Characterization — Pradeep U. Kurup, Bobby Issac, and Erin P. Griffin; 132 (9), 1133-42 (2006).

Geographic information systems
GIS-Based Implementation of Three-Dimensional Limit Equilibrium Approach of Slope Stability — Mowen Xie, Tetsuro Esaki, and Meifeng Cai; 132 (5), 656-60 (2006).

Geology
Development of Real-Time Safety Control System for Urban Gas Supply Network — Yoshihisa Shimizu, Fumio Yamazaki, Susumu Yasuda, Ikuo Towhata, Takanobu Suzuki, Ryoji Isoyama, Eisuke Ishida, Iwao Suetomi, Kenichi Koganemaru, and Wataru Nakayama; 132 (2), 237-49 (2006).

Geomaterials
Analysis of Factors Affecting Strain Distribution in Geosynthetics — M. Emin Kutay, Murat Guler, and Ahmet H. Aydilek; 132 (1), 1-11 (2006).

In Field Soil Characterization: Approach Based on Texture Image Analysis — Pierre Breul and Roland Gourves; 132 (1), 102-7 (2006).

Geomembranes
Physical Response of Geomembrane Wrinkles Overlying Compacted Clay — S. Gudina and R. W. I. Brachman; 132 (10), 1346-53 (2006).

Geophysical surveys
Resistivity Survey of the Subsurface Conditions in the Estuary of the Rio de la Plata — Víctor Rinaldi, Martín Guichon, Víctor Ferrero, Carlos Serrano, and Norberto Ponti; 132 (1), 72-9 (2006).

Geosynthetics
Analysis of Factors Affecting Strain Distribution in Geosynthetics — M. Emin Kutay, Murat Guler, and Ahmet H. Aydilek; 132 (1), 1-11 (2006).

Evaluating the Long-Term Performance of Geosynthetic Clay Liners Exposed to Freeze-Thaw — R. K. Podgorney and J. E. Bennett; 132 (2), 265-8 (2006).

Seismic Response of a Composite Landfill Cover — Neven Matasovic and Edward Kavazanjian; 132 (4), 448-55 (2006).

Allowable Bearing Pressures of Bridge Sills on GRS Abutments with Flexible Facing — Jonathan T. H. Wu, Kevin Z. Z. Lee, and Thang Pham; 132 (7), 830-41 (2006).

Effect of Wet–Dry Cycles and Cation Exchange on Gas Permeability of Geosynthetic Clay Liners — Abdelmalek Bouazza, Thaveesak Vangpaisal, and Stephan Jefferis; 132 (8), 1011-8 (2006).

Column Test Studies of Ochre Biofilm Formation in Geotextile Filters — Marcos Barreto de Mendonca and Maurício Ehrlich; 132 (10), 1284-92 (2006).

Lateral Resistance of Single Pile Located Near Geosynthetic Reinforced Slope — Mostafa El Sawwaf; 132 (10), 1336-45 (2006).

General Analytical Framework for Design of Flexible Reinforced Earth Structures — Jie Han and Dov Leshchinsky; 132 (11), 1427-35 (2006).

Compatibility with Jet A-1 of a GCL Subjected to Freeze–Thaw Cycles — R. Kerry Rowe, Toshifumi Mukunoki, and Richard J. Bathurst; 132 (12), 1526-37 (2006).

Case History of Geosynthetic Reinforced Segmental Retaining Wall Failure — Chungsik Yoo and Hye-Young Jung; 132 (12), 1538-48 (2006).

Geotechnical engineering
Unsaturated Soil Mechanics in Engineering Practice — Delwyn G. Fredlund; 132 (3), 286-321 (2006).

Reliability and Human Factors in Geotechnical Engineering — Robert Bea; 132 (5), 631-43 (2006).

Liquefaction, Cyclic Mobility, and Failure of Silt — Adrian F. L. Hyde, Toru Higuchi, and Kazuya Yasuhara; 132 (6), 716-35 (2006).

Geotechnical models
Prediction of Soil–Water Characteristic Curve Using Genetic Programming — A. Johari, G. Habibagahi, and A. Ghahramani; 132 (5), 661-5 (2006).

Glass
Laboratory Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Patricia M. Gallagher, Joseph Wartman, Yigang Liu, and Michael Carnivale; 132 (5), 562-76 (2006).

Granular materials
Microscopic Evaluation of Strain Distribution in Granular Materials during Shear — Khalid A. Alshibli and Bashar A. Alramahi; 132 (1), 80-91 (2006).

Limit-State Curve of Base-Course Material and Its Relevance for Resilient Modulus Testing — J. M. Konrad and O. Juneau; 132 (2), 173-82 (2006).

Small-Strain Behavior of Granular Soils. I: Model for Cemented and Uncemented Sands and Gravels — Juan M. Pestana and Lynn A. Salvati; 132 (8), 1071-81 (2006).

Gravel
Loading of a Gravel-Buried Steel Pipe Subjected to Rockfall — Bernhard Pichler, Christian Hellmich, Herbert A. Mang, and Josef Eberhardsteiner; 132 (11), 1465-73 (2006).

Ground motion
Frequency-Dependent Amplification of Unsaturated Surface Soil Layer — J. Yang; 132 (4), 526-31 (2006).

Lessons Learned for Ground Movements and Soil Stabilization from the Boston Central Artery — T. D. O'Rourke and A. J. McGinn; 132 (8), 966-89 (2006).

Microbially Induced Cementation to Control Sand Response to Undrained Shear — Jason T. DeJong, Michael B. Fritzges, and Klaus Nüsslein; 132 (11), 1381-92 (2006).

Seismic Site Response for Near-Fault Forward Directivity Ground Motions — Adrian Rodriguez-Marek and Jonathan D. Bray; 132 (12), 1611-20 (2006).

Grouting
Predicting End Bearing Capacity of Post-Grouted Drilled Shaft in Cohesionless Soils — Gray Mullins, Danny Winters, and Steven Dapp; 132 (4), 478-87 (2006).

Factors Affecting the Creep Behavior of Grouted Sand — Estelle Delfosse-Ribay, Irini Djeran-Maigre, Richard Cabrillac, and Daniel Gouvenot; 132 (4), 488-500 (2006).

Microbially Induced Cementation to Control Sand Response to Undrained Shear — Jason T. DeJong, Michael B. Fritzges, and Klaus Nüsslein; 132 (11), 1381-92 (2006).

Heaving
Small-Strain Shear Moduli of Chemically Stabilized Sulfate-Bearing Cohesive Soils — Anand J. Puppala, Rupesh Kadam, Raja S. Madhyannapu, and Laureano R. Hoyos; 132 (3), 322-36 (2006).

Holes
In Situ Pore Pressure Responses of Native Peat and Soil under Train Load: A Case Study — R. C. K. Wong, P. R. Thomson, and E. S. C. Choi; 132 (10), 1360-9 (2006).

Hong Kong
Laboratory Studies of Two Common Saprolitic Soils in Hong Kong — Y. H. Wang and W. M. Yan; 132 (7), 923-30 (2006).

Human factors
Reliability and Human Factors in Geotechnical Engineering — Robert Bea; 132 (5), 631-43 (2006).

Humidity
Field Performance of a Compacted Clay Landfill Final Cover at a Humid Site — William H. Albright, Craig H. Benson, Glendon W. Gee, Tarek Abichou, Eric V. McDonald, Scott W. Tyler, and Steven A. Rock; 132 (11), 1393-403 (2006).

Hydraulic conductivity
Evaluating the Long-Term Performance of Geosynthetic Clay Liners Exposed to Freeze-Thaw — R. K. Podgorney and J. E. Bennett; 132 (2), 265-8 (2006).

Slug Test Analysis in Vertical Cutoff Walls. I: Analysis Methods — Hangseok Choi and David E. Daniel; 132 (4), 429-38 (2006).

Slug Test Analysis in Vertical Cutoff Walls. II: Applications — Hangseok Choi and David E. Daniel; 132 (4), 439-47 (2006).

Membrane Behavior of Two Backfills from Field-Constructed Soil-Bentonite Cutoff Walls — John T. Henning, Jeffrey C. Evans, and Charles D. Shackelford; 132 (10), 1243-9 (2006).

Compatibility with Jet A-1 of a GCL Subjected to Freeze–Thaw Cycles — R. Kerry Rowe, Toshifumi Mukunoki, and Richard J. Bathurst; 132 (12), 1526-37 (2006).

Hydrocarbons
Compatibility with Jet A-1 of a GCL Subjected to Freeze–Thaw Cycles — R. Kerry Rowe, Toshifumi Mukunoki, and Richard J. Bathurst; 132 (12), 1526-37 (2006).

Hydrogeology
Field Performance of a Compacted Clay Landfill Final Cover at a Humid Site — William H. Albright, Craig H. Benson, Glendon W. Gee, Tarek Abichou, Eric V. McDonald, Scott W. Tyler, and Steven A. Rock; 132 (11), 1393-403 (2006).

Hydrostatic pressure
Structural Stability of Concrete Gravity Dams Strengthened by Rockfill Buttressing: Hydrostatic Load — Pierre Léger and Farrokh Javanmardi; 132 (12), 1592-9 (2006).

Imaging techniques
Analysis of Factors Affecting Strain Distribution in Geosynthetics — M. Emin Kutay, Murat Guler, and Ahmet H. Aydilek; 132 (1), 1-11 (2006).

In Field Soil Characterization: Approach Based on Texture Image Analysis — Pierre Breul and Roland Gourves; 132 (1), 102-7 (2006).

Impact
Loading of a Gravel-Buried Steel Pipe Subjected to Rockfall — Bernhard Pichler, Christian Hellmich, Herbert A. Mang, and Josef Eberhardsteiner; 132 (11), 1465-73 (2006).

In situ tests
CPT-Based Probabilistic and Deterministic Assessment of In Situ Seismic Soil Liquefaction Potential — R. E. S. Moss, R. B. Seed, R. E. Kayen, J. P. Stewart, A. Der Kiureghian, and K. O. Cetin; 132 (8), 1032-51 (2006).

Assessment of Variable Uncertainties for Reliability-Based Design of Foundations — K. C. Foye, R. Salgado, and B. Scott; 132 (9), 1197-207 (2006).

Resistance Factors for Use in Shallow Foundation LRFD — K. C. Foye, R. Salgado, and B. Scott; 132 (9), 1208-18 (2006).

In Situ Pore Pressure Responses of Native Peat and Soil under Train Load: A Case Study — R. C. K. Wong, P. R. Thomson, and E. S. C. Choi; 132 (10), 1360-9 (2006).

Infiltration
Estimating Slope Stability Reduction due to Rain Infiltration Mounding — John H. Schmertmann; 132 (9), 1219-28 (2006).

Case History of Geosynthetic Reinforced Segmental Retaining Wall Failure — Chungsik Yoo and Hye-Young Jung; 132 (12), 1538-48 (2006).

Injection wells
Field Study to Investigate WIDE Technology for TCE Extraction — K. A. Warren, M. A. Gabr, and J. D. Quaranta; 132 (9), 1111-20 (2006).

Inorganic chemicals
Comparison of Methods for Determining Specific Surface Area of Soils — Yeliz Yukselen and Abidin Kaya; 132 (7), 931-6 (2006).

Instrumentation
Performance of a Cantilever Retaining Wall — Joseph G. Bentler and Joseph F. Labuz; 132 (8), 1062-70 (2006).

Interactions
Observed Performance of Long Steel H-Piles Jacked into Sandy Soils — J. Yang, L. G. Tham, P. K. K. Lee, and F. Yu; 132 (1), 24-35 (2006).

Interface shear
Postpeak Strength of Interfaces in a Stress-Dilatancy Framework — Matthew S. Dietz and Martin L. Lings; 132 (11), 1474-84 (2006).

Interfaces
DSC Model for Soil and Interface Including Liquefaction and Prediction of Centrifuge Test — Shashank K. Pradhan and Chandra S. Desai; 132 (2), 214-22 (2006).

Internal forces
Suction Stress Characteristic Curve for Unsaturated Soil — Ning Lu and William J. Likos; 132 (2), 131-42 (2006).

Italy
Liquefaction Resistance of Undisturbed and Reconstituted Samples of a Natural Coarse Sand from Undrained Cyclic Triaxial Tests — Vito Nicola Ghionna and Daniela Porcino; 132 (2), 194-202 (2006).

Jacking
Termination Criteria for Jacked Pile Construction and Load Transfer in Weathered Soils — L. M. Zhang, C. W. W. Ng, F. Chan, and H. W. Pang; 132 (7), 819-29 (2006).

Japan
Soil–Pile Response to Blast-Induced Lateral Spreading. I: Field Test — Scott A. Ashford, Teerawut Juirnarongrit, Takahiro Sugano, and Masanori Hamada; 132 (2), 152-62 (2006).

Laboratory tests
Design of Compacted Lateritic Soil Liners and Covers — Kolawole J. Osinubi and Charles M. O. Nwaiwu; 132 (2), 203-13 (2006).

Drained and Undrained Strength Interpretation for Low-Plasticity Silts — Thomas L. Brandon, Andrew T. Rose, and J. Michael Duncan; 132 (2), 250-7 (2006).

Laboratory Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Patricia M. Gallagher, Joseph Wartman, Yigang Liu, and Michael Carnivale; 132 (5), 562-76 (2006).

Laboratory Study of Liquefaction due to Wave–Seabed Interaction — B. Chowdhury, G. R. Dasari, and T. Nogami; 132 (7), 842-51 (2006).

Laboratory Studies of Two Common Saprolitic Soils in Hong Kong — Y. H. Wang and W. M. Yan; 132 (7), 923-30 (2006).

Vertical Drain Consolidation with Parabolic Distribution of Permeability in Smear Zone — Rohan Walker and Buddhima Indraratna; 132 (7), 937-41 (2006).

Laboratory Evaluation of Smear Zone and Correlation between Permeability and Moisture Content — Iyathurai Sathananthan and Buddhima Indraratna; 132 (7), 942-5 (2006).

Threshold Shear Strain for Cyclic Pore-Water Pressure in Cohesive Soils — Chu-Chung Hsu and Mladen Vucetic; 132 (10), 1325-35 (2006).

Land reclamation
Liquefaction, Cyclic Mobility, and Failure of Silt — Adrian F. L. Hyde, Toru Higuchi, and Kazuya Yasuhara; 132 (6), 716-35 (2006).

Landfills
Seismic Response of a Composite Landfill Cover — Neven Matasovic and Edward Kavazanjian; 132 (4), 448-55 (2006).

Effect of Gas on Pore Pressures in Wet Landfills — Scott M. Merry, Wolfgang U. Fritz, Muniram Budhu, and Krzysztof Jesionek; 132 (5), 553-61 (2006).

Estimate of Landfill Settlements Due to Mechanical and Decompositional Processes — Issa S. Oweis; 132 (5), 644-50 (2006).

Installation of Horizontal Wells in Landfilled Waste Using Directional Drilling — S. E. Cox, R. P. Beaven, W. Powrie, and D. J. Cole; 132 (7), 869-78 (2006).

Field Evaluation of a Leachate Collection System Constructed with Scrap Tires — Ahmet H. Aydilek, Edward Tristram Madden, and M. Melih Demirkan; 132 (8), 990-1000 (2006).

Unit Weight of Municipal Solid Waste — Dimitrios Zekkos, Jonathan D. Bray, Edward Kavazanjian, Neven Matasovic, Ellen M. Rathje, Michael F. Riemer, and Kenneth H. Stokoe; 132 (10), 1250-61 (2006).

Physical Response of Geomembrane Wrinkles Overlying Compacted Clay — S. Gudina and R. W. I. Brachman; 132 (10), 1346-53 (2006).

Field Performance of a Compacted Clay Landfill Final Cover at a Humid Site — William H. Albright, Craig H. Benson, Glendon W. Gee, Tarek Abichou, Eric V. McDonald, Scott W. Tyler, and Steven A. Rock; 132 (11), 1393-403 (2006).

Field Performance of a Compacted Clay Landfill Final Cover at a Humid Site — William H. Albright, Craig H. Benson, Glendon W. Gee, Tarek Abichou, Eric V. McDonald, Scott W. Tyler, and Steven A. Rock; 132 (11), 1393-403 (2006).

Design Considerations for Lysimeters Used to Evaluate Alternative Earthen Final Covers — Tarek Abichou, Xiaoli Liu, and Kamal Tawfiq; 132 (12), 1519-25 (2006).

Lateral displacement
Liquefaction-Induced Lateral Spreading in Near-Fault Regions during the 1999 Chi-Chi, Taiwan Earthquake — Daniel B. Chu, Jonathan P. Stewart, T. Leslie Youd, and B. L. Chu; 132 (12), 1549-65 (2006).

Lateral loads
Influence of Torque on Lateral Capacity of Drilled Shafts in Sands — Zhihong Hu, Michael McVay, David Bloomquist, Rodrigo Herrera, and Peter Lai; 132 (4), 456-64 (2006).

Data Reduction of Horizontal Load Full-Scale Tests on Bored Concrete Piles and Pile Groups — António G. F. de Sousa Coutinho; 132 (6), 752-69 (2006).

Raked Piles—Virtues and Drawbacks — Harry G. Poulos; 132 (6), 795-803 (2006).

Cyclic Lateral Load Behavior of a Pile Cap and Backfill — Kyle M. Rollins and Ryan T. Cole; 132 (9), 1143-53 (2006).

Analytical Solution for Piles Supporting Combined Lateral Loads — Yun-Mei Hsiung, Shi-Shuenn Chen, and Yi-Chuan Chou; 132 (10), 1315-24 (2006).

Lateral Resistance of Single Pile Located Near Geosynthetic Reinforced Slope — Mostafa El Sawwaf; 132 (10), 1336-45 (2006).

Numerical Solution for Laterally Loaded Piles in a Two-Layer Soil Profile — Ke Yang and Robert Liang; 132 (11), 1436-43 (2006).

Lateral Response Evaluation of Single Piles Using Inclinometer Data — San-Shyan Lin and Jen-Cheng Liao; 132 (12), 1566-73 (2006).

Lateral pressure

Passive Earth Pressure Mobilization during Cyclic Loading — Ryan T. Cole and Kyle M. Rollins; 132 (9), 1154-64 (2006).

Lateral stress

Stress Zones Near Displacement Piers: I. Plastic and Liquefied Behavior — R. L. Handy and David J. White; 132 (1), 54-62 (2006).

Stress Zones near Displacement Piers: II. Radial Cracking and Wedging — R. L. Handy and David J. White; 132 (1), 63-71 (2006).

Layered soils

Investigation of Foundation Vibrations Resting on a Layered Soil System — D. K. Baidya, G. Muralikrishna, and P. K. Pradhan; 132 (1), 116-23 (2006).

Frequency-Dependent Amplification of Unsaturated Surface Soil Layer — J. Yang; 132 (4), 526-31 (2006).

Online Earthquake Response Test for Stratified Layers of Clay and Sand — Naoki Takahashi, Masayuki Hyodo, Adrian F. L. Hyde, Yoichi Yamamoto, and Shinya Kimura; 132 (5), 611-21 (2006).

Numerical Solution for Laterally Loaded Piles in a Two-Layer Soil Profile — Ke Yang and Robert Liang; 132 (11), 1436-43 (2006).

Bearing Capacity of Square and Circular Footings on a Finite Layer of Granular Soil Underlain by a Rigid Base — A. B. Cerato and A. J. Lutenegger; 132 (11), 1496-501 (2006).

Leaching

Field Evaluation of a Leachate Collection System Constructed with Scrap Tires — Ahmet H. Aydilek, Edward Tristram Madden, and M. Melih Demirkan; 132 (8), 990-1000 (2006).

Lime

Small-Strain Shear Moduli of Chemically Stabilized Sulfate-Bearing Cohesive Soils — Anand J. Puppala, Rupesh Kadam, Raja S. Madhyannapu, and Laureano R. Hoyos; 132 (3), 322-36 (2006).

Limit equilibrium

General Analytical Framework for Design of Flexible Reinforced Earth Structures — Jie Han and Dov Leshchinsky; 132 (11), 1427-35 (2006).

Case History of Geosynthetic Reinforced Segmental Retaining Wall Failure — Chungsik Yoo and Hye-Young Jung; 132 (12), 1538-48 (2006).

Limit equilibrium equation

GIS-Based Implementation of Three-Dimensional Limit Equilibrium Approach of Slope Stability — Mowen Xie, Tetsuro Esaki, and Meifeng Cai; 132 (5), 656-60 (2006).

Limit states

Limit-State Curve of Base-Course Material and Its Relevance for Resilient Modulus Testing — J. M. Konrad and O. Juneau; 132 (2), 173-82 (2006).

Assessment of Variable Uncertainties for Reliability-Based Design of Foundations — K. C. Foye, R. Salgado, and B. Scott; 132 (9), 1197-207 (2006).

Resistance Factors for Use in Shallow Foundation LRFD — K. C. Foye, R. Salgado, and B. Scott; 132 (9), 1208-18 (2006).

Liners

Design of Compacted Lateritic Soil Liners and Covers — Kolawole J. Osinubi and Charles M. O. Nwaiwu; 132 (2), 203-13 (2006).

Lining

Physical Response of Geomembrane Wrinkles Overlying Compacted Clay — S. Gudina and R. W. I. Brachman; 132 (10), 1346-53 (2006).

Linings

Effect of Wet–Dry Cycles and Cation Exchange on Gas Permeability of Geosynthetic Clay Liners — Abdelmalek Bouazza, Thaveesak Vangpaisal, and Stephan Jefferis; 132 (8), 1011-8 (2006).

Liquefaction

Stress Zones Near Displacement Piers: I. Plastic and Liquefied Behavior — R. L. Handy and David J. White; 132 (1), 54-62 (2006).

Stress Zones near Displacement Piers: II. Radial Cracking and Wedging — R. L. Handy and David J. White; 132 (1), 63-71 (2006).

How Reliable is the Plasticity Index for Estimating the Liquefaction Potential of Clayey Sands? — Ivan B. Gratchev, Kyoji Sassa, and Hiroshi Fukuoka; 132 (1), 124-7 (2006).

Soil–Pile Response to Blast-Induced Lateral Spreading. I: Field Test — Scott A. Ashford, Teerawut Juirnarongrit, Takahiro Sugano, and Masanori Hamada; 132 (2), 152-62 (2006).

Soil-Pile Response to Blast-Induced Lateral Spreading. II: Analysis and Assessment of the p–y Method — Teerawut Juirnarongrit and Scott A. Ashford; 132 (2), 163-72 (2006).

Liquefaction Resistance of Undisturbed and Reconstituted Samples of a Natural Coarse Sand from Undrained Cyclic Triaxial Tests — Vito Nicola Ghionna and Daniela Porcino; 132 (2), 194-202 (2006).

DSC Model for Soil and Interface Including Liquefaction and Prediction of Centrifuge Test — Shashank K. Pradhan and Chandra S. Desai; 132 (2), 214-22 (2006).

Development of Real-Time Safety Control System for Urban Gas Supply Network — Yoshihisa Shimizu, Fumio Yamazaki, Susumu Yasuda, Ikuo Towhata, Takanobu Suzuki, Ryoji Isoyama, Eisuke Ishida, Iwao Suetomi, Kenichi Koganemaru, and Wataru Nakayama; 132 (2), 237-49 (2006).

Degree of Saturation and Liquefaction Resistances of Sand Improved with Sand Compaction Pile — Mitsu Okamura, Masanori Ishihara, and Keiichi Tamura; 132 (2), 258-64 (2006).

First-Order Reliability Method for Probabilistic Liquefaction Triggering Analysis Using CPT — C. Hsein Juang, Sunny Ye Fang, and Eng Hui Khor; 132 (3), 337-50 (2006).

Accounting for Soil Aging When Assessing Liquefaction Potential — Evangelia Leon, Sarah L. Gassman, and Pradeep Talwani; 132 (3), 363-77 (2006).

Logistic Regression Model for Evaluating Soil Liquefaction Probability Using CPT Data — Sheng-Yao Lai, Wen-Jong Chang, and Ping-Sien Lin; 132 (6), 694-704 (2006).

Liquefaction Hazard Mapping—Statistical and Spatial Characterization of Susceptible Units — Laurie G. Baise, Rebecca B. Higgins, and Charles M. Brankman; 132 (6), 705-15 (2006).

Liquefaction, Cyclic Mobility, and Failure of Silt — Adrian F. L. Hyde, Toru Higuchi, and Kazuya Yasuhara; 132 (6), 716-35 (2006).

Laboratory Study of Liquefaction due to Wave–Seabed Interaction — B. Chowdhury, G. R. Dasari, and T. Nogami; 132 (7), 842-51 (2006).

CPT-Based Probabilistic and Deterministic Assessment of In Situ Seismic Soil Liquefaction Potential — R. E. S. Moss, R. B. Seed, R. E. Kayen, J. P. Stewart, A. Der Kiureghian, and K. O. Cetin; 132 (8), 1032-51 (2006).

Influence of Nonplastic Fines on Shear Wave Velocity-Based Assessment of Liquefaction — Ning Liu and James K. Mitchell; 132 (8), 1091-7 (2006).

Assessment of the Liquefaction Susceptibility of Fine-Grained Soils — Jonathan D. Bray and Rodolfo B. Sancio; 132 (9), 1165-77 (2006).

Mapping Liquefaction Potential Considering Spatial Correlations of CPT Measurements — Chia-Nan Liu and Chien-Hsun Chen; 132 (9), 1178-87 (2006).

Shear Localization Due to Liquefaction-Induced Void Redistribution in a Layered Infinite Slope — Erik J. Malvick, Bruce L. Kutter, Ross W. Boulanger, and R. Kulasingam; 132 (10), 1293-303 (2006).

Microbially Induced Cementation to Control Sand Response to Undrained Shear — Jason T. DeJong, Michael B. Fritzges, and Klaus Nüsslein; 132 (11), 1381-92 (2006).

Liquefaction Susceptibility Criteria for Silts and Clays — Ross W. Boulanger and I. M. Idriss; 132 (11), 1413-26 (2006).

Sudden Failure of a Heavily Loaded Container Pavement — Brian C. Burman; 132 (11), 1455-64 (2006).

Use of Artificial Neural Networks in the Prediction of Liquefaction Resistance of Sands — Kim Young-Su and Kim Byung-Tak; 132 (11), 1502-4 (2006).

Liquefaction-Induced Lateral Spreading in Near-Fault Regions during the 1999 Chi-Chi, Taiwan Earthquake — Daniel B. Chu, Jonathan P. Stewart, T. Leslie Youd, and B. L. Chu; 132 (12),

1549-65 (2006).

Load and resistance factor design

Assessment of Variable Uncertainties for Reliability-Based Design of Foundations — K. C. Foye, R. Salgado, and B. Scott; 132 (9), 1197-207 (2006).

Resistance Factors for Use in Shallow Foundation LRFD — K. C. Foye, R. Salgado, and B. Scott; 132 (9), 1208-18 (2006).

Load distribution

Loading of a Gravel-Buried Steel Pipe Subjected to Rockfall — Bernhard Pichler, Christian Hellmich, Herbert A. Mang, and Josef Eberhardsteiner; 132 (11), 1465-73 (2006).

Load factor

Resistance Factors for Use in Shallow Foundation LRFD — K. C. Foye, R. Salgado, and B. Scott; 132 (9), 1208-18 (2006).

Load tests

Behavior of Axially Loaded Pile Groups Driven in Clayey Silt — B. A. McCabe and B. M. Lehane; 132 (3), 401-10 (2006).

Termination Criteria for Jacked Pile Construction and Load Transfer in Weathered Soils — L. M. Zhang, C. W. W. Ng, F. Chan, and H. W. Pang; 132 (7), 819-29 (2006).

Quality Control Method for Pile Driving — Robert Liang and Luo Yang; 132 (8), 1098-104 (2006).

Cyclic Lateral Load Behavior of a Pile Cap and Backfill — Kyle M. Rollins and Ryan T. Cole; 132 (9), 1143-53 (2006).

Passive Earth Pressure Mobilization during Cyclic Loading — Ryan T. Cole and Kyle M. Rollins; 132 (9), 1154-64 (2006).

Load transfer

Termination Criteria for Jacked Pile Construction and Load Transfer in Weathered Soils — L. M. Zhang, C. W. W. Ng, F. Chan, and H. W. Pang; 132 (7), 819-29 (2006).

Loading rate

Effect of Penetration Rate on Penetrometer Resistance in Clay — Shin Fun Chung, Mark F. Randolph, and James A. Schneider; 132 (9), 1188-96 (2006).

Loads

Numerical Model for Reinforced Soil Segmental Walls under Surcharge Loading — Kianoosh Hatami and Richard J. Bathurst; 132 (6), 673-84 (2006).

Lysimeters

Field Performance of a Compacted Clay Landfill Final Cover at a Humid Site — William H. Albright, Craig H. Benson, Glendon W. Gee, Tarek Abichou, Eric V. McDonald, Scott W. Tyler, and Steven A. Rock; 132 (11), 1393-403 (2006).

Design Considerations for Lysimeters Used to Evaluate Alternative Earthen Final Covers — Tarek Abichou, Xiaoli Liu, and Kamal Tawfiq; 132 (12), 1519-25 (2006).

Machine foundations

Simplified Model for Vertical Vibrations of Surface Foundations — Shi-Shuenn Chen and Jun-Yang Shi; 132 (5), 651-5 (2006).

Mapping

Liquefaction Hazard Mapping—Statistical and Spatial Characterization of Susceptible Units — Laurie G. Baise, Rebecca B. Higgins, and Charles M. Brankman; 132 (6), 705-15 (2006).

Mapping Liquefaction Potential Considering Spatial Correlations of CPT Measurements — Chia-Nan Liu and Chien-Hsun Chen; 132 (9), 1178-87 (2006).

Material properties

Construction of Concrete-Faced Rockfill Dams with Weak Rocks — Hao-Feng Xing, Xiao-Nan Gong, Xiao-Guang Zhou, and Hai-Feng Fu; 132 (6), 778-85 (2006).

Measurement

Normalizing the CPT for Overburden Stress — R. E. S. Moss, R. B. Seed, and R. S. Olsen; 132 (3), 378-87 (2006).

Interpretation of Impact Penetration Measurements in Soft Clays — C. P. Aubeny and H. Shi; 132 (6), 770-7 (2006).

Membranes

Membrane Behavior of Two Backfills from Field-Constructed Soil-Bentonite Cutoff Walls — John T. Henning, Jeffrey C. Evans, and Charles D. Shackelford; 132 (10), 1243-9 (2006).

Microbe

Microbially Induced Cementation to Control Sand Response to Undrained Shear — Jason T. DeJong, Michael B. Fritzges, and Klaus Nüsslein; 132 (11), 1381-92 (2006).

Micromechanics

Microscopic Evaluation of Strain Distribution in Granular Materials during Shear — Khalid A. Alshibli and Bashar A. Alramahi; 132 (1), 80-91 (2006).

Anisotropic Nonlinear Elastic Model for Particulate Materials — P.-Y. Hicher and C. S. Chang; 132 (8), 1052-61 (2006).

Microscopy

Microscopic Evaluation of Strain Distribution in Granular Materials during Shear — Khalid A. Alshibli and Bashar A. Alramahi; 132 (1), 80-91 (2006).

Microstructure

Experimental Study of Macro- and Microbehavior of Natural Diatomite — Zhenshun Hong, Yoshitaka Tateishi, and Jie Han; 132 (5), 603-10 (2006).

Models

Material Spatial Variability and Slope Stability for Weak Rock Masses — Sung-Chi Hsu and Priscilla P. Nelson; 132 (2), 183-93 (2006).

Moisture

Design of Compacted Lateritic Soil Liners and Covers — Kolawole J. Osinubi and Charles M. O. Nwaiwu; 132 (2), 203-13 (2006).

Effect of Wet–Dry Cycles and Cation Exchange on Gas Permeability of Geosynthetic Clay Liners — Abdelmalek Bouazza, Thaveesak Vangpaisal, and Stephan Jefferis; 132 (8), 1011-8 (2006).

Monte Carlo method

Material Spatial Variability and Slope Stability for Weak Rock Masses — Sung-Chi Hsu and Priscilla P. Nelson; 132 (2), 183-93 (2006).

Probabilistic Stability Analyses of Embankments Based on Finite-Element Method — B. Xu and B. K. Low; 132 (11), 1444-54 (2006).

Municipal wastes

Effect of Gas on Pore Pressures in Wet Landfills — Scott M. Merry, Wolfgang U. Fritz, Muniram Budhu, and Krzysztof Jesionek; 132 (5), 553-61 (2006).

Unit Weight of Municipal Solid Waste — Dimitrios Zekkos, Jonathan D. Bray, Edward Kavazanjian, Neven Matasovic, Ellen M. Rathje, Michael F. Riemer, and Kenneth H. Stokoe; 132 (10), 1250-61 (2006).

Natural frequency

Investigation of Foundation Vibrations Resting on a Layered Soil System — D. K. Baidya, G. Muralikrishna, and P. K. Pradhan; 132 (1), 116-23 (2006).

Neural networks

Novel Approach to Integration of Numerical Modeling and Field Observations for Deep Excavations — Youssef M. A. Hashash, Camilo Marulanda, Jamshid Ghaboussi, and Sungmoon Jung; 132 (8), 1019-31 (2006).

Electronic Nose–Membrane Interface Probe for Geoenvironmental Site Characterization — Pradeep U. Kurup, Bobby Issac, and Erin P. Griffin; 132 (9), 1133-42 (2006).

Use of Artificial Neural Networks in the Prediction of Liquefaction Resistance of Sands — Kim Young-Su and Kim Byung-Tak; 132 (11), 1502-4 (2006).

Nondestructive tests

Sudden Failure of a Heavily Loaded Container Pavement — Brian C. Burman; 132 (11), 1455-64 (2006).

Nonlinear analysis

Small-Strain Behavior of Granular Soils. II: Seismic Response Analyses and Model Evaluation — Lynn A. Salvati and Juan M. Pestana; 132 (8), 1082-90 (2006).

Nonlinear response

Data Reduction of Horizontal Load Full-Scale Tests on Bored Concrete Piles and Pile Groups — António G. F. de Sousa Coutinho; 132 (6), 752-69 (2006).

Nuclear wastes

Thermohydromechanical Modeling of a Full-Scale Tunnel Sealing Clay Bulkhead — R. Guo, D. Dixon, and J. Martino; 132 (1), 12-23 (2006).

Numerical analysis

Thermohydromechanical Modeling of a Full-Scale Tunnel Sealing Clay Bulkhead — R. Guo, D. Dixon, and J. Martino; 132 (1), 12-23 (2006).

Numerical Model for Reinforced Soil Segmental Walls under Surcharge Loading — Kianoosh Hatami and Richard J. Bathurst; 132 (6), 673-84 (2006).

Numerical Solution for Laterally Loaded Piles in a Two-Layer Soil Profile — Ke Yang and Robert Liang; 132 (11), 1436-43 (2006).

Numerical models

Prediction of Soil–Water Characteristic Curve Using Genetic Programming — A. Johari, G. Habibagahi, and A. Ghahramani; 132 (5), 661-5 (2006).

Numerical Model for Reinforced Soil Segmental Walls under Surcharge Loading — Kianoosh Hatami and Richard J. Bathurst; 132 (6), 673-84 (2006).

Lessons Learned for Ground Movements and Soil Stabilization from the Boston Central Artery — T. D. O'Rourke and A. J. McGinn; 132 (8),

966-89 (2006).

Novel Approach to Integration of Numerical Modeling and Field Observations for Deep Excavations — Youssef M. A. Hashash, Camilo Marulanda, Jamshid Ghaboussi, and Sungmoon Jung; 132 (8), 1019-31 (2006).

Numerical simulation

Material Spatial Variability and Slope Stability for Weak Rock Masses — Sung-Chi Hsu and Priscilla P. Nelson; 132 (2), 183-93 (2006).

Odors

Electronic Nose–Membrane Interface Probe for Geoenvironmental Site Characterization — Pradeep U. Kurup, Bobby Issac, and Erin P. Griffin; 132 (9), 1133-42 (2006).

Optimization

Use of Artificial Neural Networks in the Prediction of Liquefaction Resistance of Sands — Kim Young-Su and Kim Byung-Tak; 132 (11), 1502-4 (2006).

Organic compounds

Coupled Mechanical and Chemical Behavior of Bentonite Engineered with a Controlled Organic Phase — S. E. Burns, S. L. Bartelt-Hunt, J. A. Smith, and A. Z. Redding; 132 (11), 1404-12 (2006).

Organic matter

Comparison of Methods for Determining Specific Surface Area of Soils — Yeliz Yukselen and Abidin Kaya; 132 (7), 931-6 (2006).

Organizations

Reliability and Human Factors in Geotechnical Engineering — Robert Bea; 132 (5), 631-43 (2006).

Osmosis

Membrane Behavior of Two Backfills from Field-Constructed Soil-Bentonite Cutoff Walls — John T. Henning, Jeffrey C. Evans, and Charles D. Shackelford; 132 (10), 1243-9 (2006).

Overconsolidated soils

Pore Pressure Response Following Undrained uCPT Sounding in a Dilating Soil — Derek Elsworth, Dae Sung Lee, Roman Hryciw, and Seungcheol Shin; 132 (11), 1485-95 (2006).

Parameters

DSC Model for Soil and Interface Including Liquefaction and Prediction of Centrifuge Test — Shashank K. Pradhan and Chandra S. Desai; 132 (2), 214-22 (2006).

Parametric Study of One-Dimensional Solute Transport in Deformable Porous Media — Akram N. Alshawabkeh and Nima Rahbar; 132 (8), 1001-10 (2006).

Particles

Particle Shape Effects on Packing Density, Stiffness, and Strength: Natural and Crushed Sands — Gye-Chun Cho, Jake Dodds, and J. Carlos Santamarina; 132 (5), 591-602 (2006).

Passive pressure

Cyclic Lateral Load Behavior of a Pile Cap and Backfill — Kyle M. Rollins and Ryan T. Cole; 132 (9), 1143-53 (2006).

Passive Earth Pressure Mobilization during Cyclic Loading — Ryan T. Cole and Kyle M. Rollins; 132 (9), 1154-64 (2006).

Pavements

Factors Affecting Portable Falling Weight Deflectometer Measurements — Deng-Fong Lin, Chi-Chou Liau, and Jyh-Dong Lin; 132 (6), 804-8 (2006).

Seasonal Deterioration of Unsurfaced Roads — S. Shoop, R. Haehnel, V. Janoo, D. Harjes, and R. Liston; 132 (7), 852-60 (2006).

Sudden Failure of a Heavily Loaded Container Pavement — Brian C. Burman; 132 (11), 1455-64 (2006).

Peat

In Situ Pore Pressure Responses of Native Peat and Soil under Train Load: A Case Study — R. C. K. Wong, P. R. Thomson, and E. S. C. Choi; 132 (10), 1360-9 (2006).

Penetration resistance

Effect of Penetration Rate on Penetrometer Resistance in Clay — Shin Fun Chung, Mark F. Randolph, and James A. Schneider; 132 (9), 1188-96 (2006).

Penetration tests

Interpretation of Impact Penetration Measurements in Soft Clays — C. P. Aubeny and H. Shi; 132 (6), 770-7 (2006).

Effect of Penetration Rate on Penetrometer Resistance in Clay — Shin Fun Chung, Mark F. Randolph, and James A. Schneider; 132 (9), 1188-96 (2006).

Permeability

Construction of Concrete-Faced Rockfill Dams with Weak Rocks — Hao-Feng Xing, Xiao-Nan Gong, Xiao-Guang Zhou, and Hai-Feng Fu; 132 (6), 778-85 (2006).

Vertical Drain Consolidation with Parabolic Distribution of Permeability in Smear Zone — Rohan Walker and Buddhima Indraratna; 132 (7), 937-41 (2006).

Laboratory Evaluation of Smear Zone and Correlation between Permeability and Moisture Content — Iyathurai Sathananthan and Buddhima Indraratna; 132 (7), 942-5 (2006).

Effect of Wet–Dry Cycles and Cation Exchange on Gas Permeability of Geosynthetic Clay Liners — Abdelmalek Bouazza, Thaveesak Vangpaisal, and Stephan Jefferis; 132 (8), 1011-8 (2006).

Estimating Slope Stability Reduction due to Rain Infiltration Mounding — John H. Schmertmann; 132 (9), 1219-28 (2006).

Compatibility with Jet A-1 of a GCL Subjected to Freeze–Thaw Cycles — R. Kerry Rowe, Toshifumi Mukunoki, and Richard J. Bathurst; 132 (12), 1526-37 (2006).

Physical properties

Laboratory Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Patricia M. Gallagher, Joseph Wartman, Yigang Liu, and Michael Carnivale; 132 (5), 562-76 (2006).

Field Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Atwood F. Davis, Steven C. Sands, Michael Carnivale, Joseph Wartman, and Patricia M. Gallagher; 132 (5), 577-90 (2006).

Coupled Mechanical and Chemical Behavior of Bentonite Engineered with a Controlled Organic Phase — S. E. Burns, S. L. Bartelt-Hunt, J. A. Smith, and A. Z. Redding; 132 (11), 1404-12 (2006).

Piers

Stress Zones Near Displacement Piers: I. Plastic and Liquefied Behavior — R. L. Handy and David J. White; 132 (1), 54-62 (2006).

Stress Zones near Displacement Piers: II. Radial Cracking and Wedging — R. L. Handy and David J. White; 132 (1), 63-71 (2006).

A Robust Macroelement Model for Soil–Pile Interaction under Cyclic Loads — Ertugrul Taciroglu, ChangSoon Rha, and John W. Wallace; 132 (10), 1304-14 (2006).

Pile foundations

Impact of Routine Quality Assurance on Reliability of Bored Piles — L. M. Zhang, D. Q. Li, and W. H. Tang; 132 (5), 622-30 (2006).

Termination Criteria for Jacked Pile Construction and Load Transfer in Weathered Soils — L. M. Zhang, C. W. W. Ng, F. Chan, and H. W. Pang; 132 (7), 819-29 (2006).

Pile groups

Soil–Pile Response to Blast-Induced Lateral Spreading. I: Field Test — Scott A. Ashford, Teerawut Juirnarongrit, Takahiro Sugano, and Masanori Hamada; 132 (2), 152-62 (2006).

Soil-Pile Response to Blast-Induced Lateral Spreading. II: Analysis and Assessment of the *p–y* Method — Teerawut Juirnarongrit and Scott A. Ashford; 132 (2), 163-72 (2006).

Behavior of Axially Loaded Pile Groups Driven in Clayey Silt — B. A. McCabe and B. M. Lehane; 132 (3), 401-10 (2006).

Data Reduction of Horizontal Load Full-Scale Tests on Bored Concrete Piles and Pile Groups — António G. F. de Sousa Coutinho; 132 (6), 752-69 (2006).

Raked Piles—Virtues and Drawbacks — Harry G. Poulos; 132 (6), 795-803 (2006).

Passive Earth Pressure Mobilization during Cyclic Loading — Ryan T. Cole and Kyle M. Rollins; 132 (9), 1154-64 (2006).

Pile Spacing Effects on Lateral Pile Group Behavior: Load Tests — Kyle M. Rollins, Ryan J. Olsen, Jeffery J. Egbert, Derek H. Jensen, Kimball G. Olsen, and Brian H. Garrett; 132 (10), 1262-71 (2006).

Pile Spacing Effects on Lateral Pile Group Behavior: Analysis — Kyle M. Rollins, Kimball G. Olsen, Derek H. Jensen, Brian H. Garrett, Ryan J. Olsen, and Jeffery J. Egbert; 132 (10), 1272-83 (2006).

Bearing Capacity of Piled Rafts on Soft Clay Soils — Luca de Sanctis and Alessandro Mandolini; 132 (12), 1600-10 (2006).

Pile load tests

Pile Spacing Effects on Lateral Pile Group Behavior: Load Tests — Kyle M. Rollins, Ryan J. Olsen, Jeffery J. Egbert, Derek H. Jensen, Kimball G. Olsen, and Brian H. Garrett; 132 (10), 1262-71 (2006).

Pile tests

Impact of Routine Quality Assurance on Reliability of Bored Piles — L. M. Zhang, D. Q. Li, and W. H. Tang; 132 (5), 622-30 (2006).

Piles

Observed Performance of Long Steel H-Piles Jacked into Sandy Soils — J. Yang, L. G. Tham, P. K. K. Lee, and F. Yu; 132 (1), 24-35 (2006).

Soil–Pile Response to Blast-Induced Lateral Spreading. I: Field Test — Scott A. Ashford, Teerawut Juirnarongrit, Takahiro Sugano, and Masanori Hamada; 132 (2), 152-62 (2006).

Soil-Pile Response to Blast-Induced Lateral Spreading. II: Analysis and Assessment of the *p–y* Method — Teerawut Juirnarongrit and Scott A. Ashford; 132 (2), 163-72 (2006).

DSC Model for Soil and Interface Including Liquefaction and Prediction of Centrifuge Test — Shashank K. Pradhan and Chandra S. Desai; 132 (2), 214-22 (2006).

Raked Piles—Virtues and Drawbacks — Harry G. Poulos; 132 (6), 795-803 (2006).

Cyclic Lateral Load Behavior of a Pile Cap and Backfill — Kyle M. Rollins and Ryan T. Cole; 132 (9), 1143-53 (2006).

Influence Zone for End Bearing of Piles in Sand — J. Yang; 132 (9), 1229-37 (2006).

Pile Spacing Effects on Lateral Pile Group Behavior: Load Tests — Kyle M. Rollins, Ryan J. Olsen, Jeffery J. Egbert, Derek H. Jensen, Kimball G. Olsen, and Brian H. Garrett; 132 (10), 1262-71 (2006).

Pile Spacing Effects on Lateral Pile Group Behavior: Analysis — Kyle M. Rollins, Kimball G. Olsen, Derek H. Jensen, Brian H. Garrett, Ryan J. Olsen, and Jeffery J. Egbert; 132 (10), 1272-83 (2006).

A Robust Macroelement Model for Soil–Pile Interaction under Cyclic Loads — Ertugrul Taciroglu, ChangSoon Rha, and John W. Wallace; 132 (10), 1304-14 (2006).

Analytical Solution for Piles Supporting Combined Lateral Loads — Yun-Mei Hsiung, Shi-Shuenn Chen, and Yi-Chuan Chou; 132 (10), 1315-24 (2006).

Lateral Resistance of Single Pile Located Near Geosynthetic Reinforced Slope — Mostafa El Sawwaf; 132 (10), 1336-45 (2006).

Numerical Solution for Laterally Loaded Piles in a Two-Layer Soil Profile — Ke Yang and Robert Liang; 132 (11), 1436-43 (2006).

Pipelines

Behavior of Buried Flexible Pipe under High Fills and Design Implications — Toshinori Kawabata, Hoe I. Ling, Yoshiyuki Mohri, and Daisuke Shoda; 132 (10), 1354-9 (2006).

Pipes

Evaluation of the Parameters Influencing Self-Healing in Earth Dams — Sai Kakuturu and Lakshmi N. Reddi; 132 (7), 879-89 (2006).

Mechanistic Model for Self-Healing of Core Cracks in Earth Dams — Sai Kakuturu and Lakshmi N. Reddi; 132 (7), 890-901 (2006).

In Situ Pore Pressure Responses of Native Peat and Soil under Train Load: A Case Study — R. C. K. Wong, P. R. Thomson, and E. S. C. Choi; 132 (10), 1360-9 (2006).

Plasticity

Stress Zones Near Displacement Piers: I. Plastic and Liquefied Behavior — R. L. Handy and David J. White; 132 (1), 54-62 (2006).

How Reliable is the Plasticity Index for Estimating the Liquefaction Potential of Clayey Sands? — Ivan B. Gratchev, Kyoji Sassa, and Hiroshi Fukuoka; 132 (1), 124-7 (2006).

Drained and Undrained Strength Interpretation for Low-Plasticity Silts — Thomas L. Brandon, Andrew T. Rose, and J. Michael Duncan; 132 (2), 250-7 (2006).

Ground Movement Predictions for Braced Excavations in Undrained Clay — Ashraf S. Osman and Malcolm D. Bolton; 132 (4), 465-77 (2006).

Interpretation of Impact Penetration Measurements in Soft Clays — C. P. Aubeny and H. Shi; 132 (6), 770-7 (2006).

Pore pressure

Observed Performance of Long Steel H-Piles Jacked into Sandy Soils — J. Yang, L. G. Tham, P. K. K. Lee, and F. Yu; 132 (1), 24-35 (2006).

Effect of Gas on Pore Pressures in Wet Landfills — Scott M. Merry, Wolfgang U. Fritz, Muniram Budhu, and Krzysztof Jesionek; 132 (5), 553-61 (2006).

Laboratory Study of Liquefaction due to Wave–Seabed Interaction — B. Chowdhury, G. R. Dasari, and T. Nogami; 132 (7), 842-51 (2006).

In Situ Pore Pressure Responses of Native Peat and Soil under Train Load: A Case Study — R. C. K. Wong, P. R. Thomson, and E. S. C. Choi; 132 (10), 1360-9 (2006).

Pore water

Compatibility with Jet A-1 of a GCL Subjected to Freeze–Thaw Cycles — R. Kerry Rowe, Toshifumi Mukunoki, and Richard J. Bathurst; 132 (12), 1526-37 (2006).

Pore water pressure

Thermohydromechanical Modeling of a Full-Scale Tunnel Sealing Clay Bulkhead — R. Guo, D. Dixon, and J. Martino; 132 (1), 12-23 (2006).

Stress Zones near Displacement Piers: II. Radial Cracking and Wedging — R. L. Handy and David J. White; 132 (1), 63-71 (2006).

Shear Strength and Pore-Water Pressure Characteristics during Constant Water Content Triaxial Tests — Trinh Minh Thu, Harianto Rahardjo, and Eng-Choon Leong; 132 (3), 411-9 (2006).

Vertical Drain Consolidation with Parabolic Distribution of Permeability in Smear Zone — Rohan Walker and Buddhima Indraratna; 132 (7), 937-41 (2006).

Sudden Failure of a Heavily Loaded Container Pavement — Brian C. Burman; 132 (11), 1455-64 (2006).

Pore Pressure Response Following Undrained uCPT Sounding in a Dilating Soil — Derek Elsworth, Dae Sung Lee, Roman Hryciw, and Seungcheol Shin; 132 (11), 1485-95 (2006).

Poroelasticity

Pore Pressure Response Following Undrained uCPT Sounding in a Dilating Soil — Derek Elsworth, Dae Sung Lee, Roman Hryciw, and Seungcheol Shin; 132 (11), 1485-95 (2006).

Porous media

Parametric Study of One-Dimensional Solute Transport in Deformable Porous Media — Akram N. Alshawabkeh and Nima Rahbar; 132 (8), 1001-10 (2006).

Predictions

DSC Model for Soil and Interface Including Liquefaction and Prediction of Centrifuge Test — Shashank K. Pradhan and Chandra S. Desai; 132 (2), 214-22 (2006).

Predicting End Bearing Capacity of Post-Grouted Drilled Shaft in Cohesionless Soils — Gray Mullins, Danny Winters, and Steven Dapp; 132 (4), 478-87 (2006).

Predictive Model for the Water Retention Curve of Deformable Clayey Soils — M. Mbonimpa, M. Aubertin, A. Maqsoud, and B. Bussière; 132 (9), 1121-32 (2006).

Pressures

Allowable Bearing Pressures of Bridge Sills on GRS Abutments with Flexible Facing — Jonathan T. H. Wu, Kevin Z. Z. Lee, and Thang Pham; 132 (7), 830-41 (2006).

Probabilistic methods

Reliability and Human Factors in Geotechnical Engineering — Robert Bea; 132 (5), 631-43 (2006).

CPT-Based Probabilistic and Deterministic Assessment of In Situ Seismic Soil Liquefaction Potential — R. E. S. Moss, R. B. Seed, R. E. Kayen, J. P. Stewart, A. Der Kiureghian, and K. O. Cetin; 132 (8), 1032-51 (2006).

Probability

First-Order Reliability Method for Probabilistic Liquefaction Triggering Analysis Using CPT — C. Hsein Juang, Sunny Ye Fang, and Eng Hui Khor; 132 (3), 337-50 (2006).

Reliability of Shallow Foundations Subjected to Multidirectional Seismic Loading — Tam Larkin; 132 (6), 685-93 (2006).

Logistic Regression Model for Evaluating Soil Liquefaction Probability Using CPT Data — Sheng-Yao Lai, Wen-Jong Chang, and Ping-Sien Lin; 132 (6), 694-704 (2006).

Protective structures

Loading of a Gravel-Buried Steel Pipe Subjected to Rockfall — Bernhard Pichler, Christian Hellmich, Herbert A. Mang, and Josef Eberhardsteiner; 132 (11), 1465-73 (2006).

Pumping tests

Installation of Horizontal Wells in Landfilled Waste Using Directional Drilling — S. E. Cox, R. P. Beaven, W. Powrie, and D. J. Cole; 132 (7), 869-78 (2006).

Pumps

Field Study to Investigate WIDE Technology for TCE Extraction — K. A. Warren, M. A. Gabr, and J. D. Quaranta; 132 (9), 1111-20 (2006).

Quality control

Determination of Atterberg Limits: Uncertainty and Implications — Alvaro Gutiérrez; 132 (3), 420-4 (2006).

Impact of Routine Quality Assurance on Reliability of Bored Piles — L. M. Zhang, D. Q. Li, and W. H. Tang; 132 (5), 622-30 (2006).

Quality Control Method for Pile Driving — Robert Liang and Luo Yang; 132 (8), 1098-104 (2006).

Radiography

Microscopic Evaluation of Strain Distribution in Granular Materials during Shear — Khalid A. Alshibli and Bashar A. Alramahi; 132 (1), 80-91 (2006).

Raft foundations

Bearing Capacity of Piled Rafts on Soft Clay Soils — Luca de Sanctis and Alessandro Mandolini; 132 (12), 1600-10 (2006).

Rainfall
Estimating Slope Stability Reduction due to Rain Infiltration Mounding — John H. Schmertmann; 132 (9), 1219-28 (2006).

Random processes
Mapping Liquefaction Potential Considering Spatial Correlations of CPT Measurements — Chia-Nan Liu and Chien-Hsun Chen; 132 (9), 1178-87 (2006).

Recycling
Laboratory Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Patricia M. Gallagher, Joseph Wartman, Yigang Liu, and Michael Carnivale; 132 (5), 562-76 (2006).

Field Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Atwood F. Davis, Steven C. Sands, Michael Carnivale, Joseph Wartman, and Patricia M. Gallagher; 132 (5), 577-90 (2006).

Regression models
Logistic Regression Model for Evaluating Soil Liquefaction Probability Using CPT Data — Sheng-Yao Lai, Wen-Jong Chang, and Ping-Sien Lin; 132 (6), 694-704 (2006).

Rehabilitation
Structural Stability of Concrete Gravity Dams Strengthened by Rockfill Buttressing: Hydrostatic Load — Pierre Léger and Farrokh Javanmardi; 132 (12), 1592-9 (2006).

Reliability
First-Order Reliability Method for Probabilistic Liquefaction Triggering Analysis Using CPT — C. Hsein Juang, Sunny Ye Fang, and Eng Hui Khor; 132 (3), 337-50 (2006).

Impact of Routine Quality Assurance on Reliability of Bored Piles — L. M. Zhang, D. Q. Li, and W. H. Tang; 132 (5), 622-30 (2006).

Reliability and Human Factors in Geotechnical Engineering — Robert Bea; 132 (5), 631-43 (2006).

Quality Control Method for Pile Driving — Robert Liang and Luo Yang; 132 (8), 1098-104 (2006).

Reliability analysis
Assessment of Variable Uncertainties for Reliability-Based Design of Foundations — K. C. Foye, R. Salgado, and B. Scott; 132 (9), 1197-207 (2006).

Remedial action
Field Study to Investigate WIDE Technology for TCE Extraction — K. A. Warren, M. A. Gabr, and J. D. Quaranta; 132 (9), 1111-20 (2006).

Repeated loads
Sudden Failure of a Heavily Loaded Container Pavement — Brian C. Burman; 132 (11), 1455-64 (2006).

Monotonic and Cyclic Behavior of Two Calcareous Soils of Different Origins — Shambhu S. Sharma and Mostafa A. Ismail; 132 (12), 1581-91 (2006).

Research
Unsaturated Soil Mechanics in Engineering Practice — Delwyn G. Fredlund; 132 (3), 286-321 (2006).

Residual soils
Termination Criteria for Jacked Pile Construction and Load Transfer in Weathered Soils — L. M. Zhang, C. W. W. Ng, F. Chan, and H. W. Pang; 132 (7), 819-29 (2006).

Laboratory Studies of Two Common Saprolitic Soils in Hong Kong — Y. H. Wang and W. M. Yan; 132 (7), 923-30 (2006).

Resonance
Degradation of Sands due to Combined Sinusoidal Loading — M. Sherif Aggour and Jim X. Zhang; 132 (12), 1628-32 (2006).

Response spectra
Small-Strain Behavior of Granular Soils. II: Seismic Response Analyses and Model Evaluation — Lynn A. Salvati and Juan M. Pestana; 132 (8), 1082-90 (2006).

Retaining walls
Pile Behavior due to Excavation-Induced Soil Movement in Clay. I: Stable Wall — D. E. L. Ong, C. E. Leung, and Y. K. Chow; 132 (1), 36-44 (2006).

Pile Behavior Due to Excavation-Induced Soil Movement in Clay. II: Collapsed Wall — C. F. Leung, D. E. L. Ong, and Y. K. Chow; 132 (1), 45-53 (2006).

Active Thrust Due to Backfill Subject to Lines of Surcharge — Venanzio R. Greco; 132 (2), 269-71 (2006).

Numerical Model for Reinforced Soil Segmental Walls under Surcharge Loading — Kianoosh Hatami and Richard J. Bathurst; 132 (6), 673-84 (2006).

Allowable Bearing Pressures of Bridge Sills on GRS Abutments with Flexible Facing — Jonathan T. H. Wu, Kevin Z. Z. Lee, and Thang Pham; 132 (7), 830-41 (2006).

Performance of a Cantilever Retaining Wall — Joseph G. Bentler and Joseph F. Labuz; 132 (8), 1062-70 (2006).

General Analytical Framework for Design of Flexible Reinforced Earth Structures — Jie Han and Dov Leshchinsky; 132 (11), 1427-35 (2006).

Case History of Geosynthetic Reinforced Segmental Retaining Wall Failure — Chungsik Yoo and Hye-Young Jung; 132 (12), 1538-48 (2006).

Risk management
Reliability and Human Factors in Geotechnical Engineering — Robert Bea; 132 (5), 631-43 (2006).

Rock masses
Material Spatial Variability and Slope Stability for Weak Rock Masses — Sung-Chi Hsu and Priscilla P. Nelson; 132 (2), 183-93 (2006).

Rockfill structures
Loading of a Gravel-Buried Steel Pipe Subjected to Rockfall — Bernhard Pichler, Christian Hellmich, Herbert A. Mang, and Josef Eberhardsteiner; 132 (11), 1465-73 (2006).

Rocks
Limitations in the Back-Analysis of Strength from Failures — Rick Deschamps and Greg Yankey; 132 (4), 532-6 (2006).

Construction of Concrete-Faced Rockfill Dams with Weak Rocks — Hao-Feng Xing, Xiao-Nan Gong, Xiao-Guang Zhou, and Hai-Feng Fu; 132 (6), 778-85 (2006).

Application of Weibull Statistics to the Tensile Strength of Rock Aggregates — Sebastian Lobo-Guerrero and Luis E. Vallejo; 132 (6), 786-90 (2006).

Numerical Solution for Laterally Loaded Piles in a Two-Layer Soil Profile — Ke Yang and Robert Liang; 132 (11), 1436-43 (2006).

Rotation
Microscopic Evaluation of Strain Distribution in Granular Materials during Shear — Khalid A. Alshibli and Bashar A. Alramahi; 132 (1), 80-91 (2006).

Roughness
Postpeak Strength of Interfaces in a Stress-Dilatancy Framework — Matthew S. Dietz and Martin L. Lings; 132 (11), 1474-84 (2006).

Rubber
Thermoelastic Enhancement of Damping of Sand Using Synthetic Ground Rubber — Sibel Pamukcu and Suat Akbulut; 132 (4), 501-10 (2006).

Stress-Controlled Filtration with Compressible Particles — Julio R. Valdes and Shih-Hsun Liang; 132 (7), 861-8 (2006).

Safety factors
General Analytical Framework for Design of Flexible Reinforced Earth Structures — Jie Han and Dov Leshchinsky; 132 (11), 1427-35 (2006).

Sampling
Laboratory Simulation of Field Sampling: Comparison With Ideal Sampling and Field Data — Marika Santagata, Joseph V. Sinfield, and John T. Germaine; 132 (3), 351-62 (2006).

Quality Control Method for Pile Driving — Robert Liang and Luo Yang; 132 (8), 1098-104 (2006).

Sand
Observed Performance of Long Steel H-Piles Jacked into Sandy Soils — J. Yang, L. G. Tham, P. K. K. Lee, and F. Yu; 132 (1), 24-35 (2006).

How Reliable is the Plasticity Index for Estimating the Liquefaction Potential of Clayey Sands? — Ivan B. Gratchev, Kyoji Sassa, and Hiroshi Fukuoka; 132 (1), 124-7 (2006).

Liquefaction Resistance of Undisturbed and Reconstituted Samples of a Natural Coarse Sand from Undrained Cyclic Triaxial Tests — Vito Nicola Ghionna and Daniela Porcino; 132 (2), 194-202 (2006).

DSC Model for Soil and Interface Including Liquefaction and Prediction of Centrifuge Test — Shashank K. Pradhan and Chandra S. Desai; 132 (2), 214-22 (2006).

Drained and Undrained Strength Interpretation for Low-Plasticity Silts — Thomas L. Brandon, Andrew T. Rose, and J. Michael Duncan; 132 (2), 250-7 (2006).

Degree of Saturation and Liquefaction Resistances of Sand Improved with Sand Compaction Pile — Mitsu Okamura, Masanori Ishihara, and Keiichi Tamura; 132 (2), 258-64 (2006).

Accounting for Soil Aging When Assessing Liquefaction Potential — Evangelia Leon, Sarah L. Gassman, and Pradeep Talwani; 132 (3), 363-77 (2006).

Influence of Torque on Lateral Capacity of Drilled Shafts in Sands — Zhihong Hu, Michael McVay, David Bloomquist, Rodrigo Herrera, and Peter Lai; 132 (4), 456-64 (2006).

Factors Affecting the Creep Behavior of Grouted Sand — Estelle Delfosse-Ribay, Irini Djeran-Maigre, Richard Cabrillac, and Daniel Gouvenot; 132 (4), 488-500 (2006).

Thermoelastic Enhancement of Damping of Sand Using Synthetic Ground Rubber — Sibel Pamukcu and Suat Akbulut; 132 (4), 501-10 (2006).

Particle Shape Effects on Packing Density, Stiffness, and Strength: Natural and Crushed Sands — Gye-Chun Cho, Jake Dodds, and J. Carlos Santamarina; 132 (5), 591-602 (2006).

Influence of Nonplastic Fines on Shear Wave Velocity-Based Assessment of Liquefaction — Ning Liu and James K. Mitchell; 132 (8), 1091-7 (2006).

Influence Zone for End Bearing of Piles in Sand — J. Yang; 132 (9), 1229-37 (2006).

Lateral Resistance of Single Pile Located Near Geosynthetic Reinforced Slope — Mostafa El Sawwaf; 132 (10), 1336-45 (2006).

Microbially Induced Cementation to Control Sand Response to Undrained Shear — Jason T. DeJong, Michael B. Fritzges, and Klaus Nüsslein; 132 (11), 1381-92 (2006).

Postpeak Strength of Interfaces in a Stress-Dilatancy Framework — Matthew S. Dietz and Martin L. Lings; 132 (11), 1474-84 (2006).

Bearing Capacity of Square and Circular Footings on a Finite Layer of Granular Soil Underlain by a Rigid Base — A. B. Cerato and A. J. Lutenegger; 132 (11), 1496-501 (2006).

Use of Artificial Neural Networks in the Prediction of Liquefaction Resistance of Sands — Kim Young-Su and Kim Byung-Tak; 132 (11), 1502-4 (2006).

Correlation between Cyclic Resistance Ratios of Intact and Reconstituted Offshore Saturated Sands and Silts with the Same Shear Wave Velocity — Jian-Hua Wang, Kathryn Moran, and Christopher D. P. Baxter; 132 (12), 1574-80 (2006).

Degradation of Sands due to Combined Sinusoidal Loading — M. Sherif Aggour and Jim X. Zhang; 132 (12), 1628-32 (2006).

Sands

Online Earthquake Response Test for Stratified Layers of Clay and Sand — Naoki Takahashi, Masayuki Hyodo, Adrian F. L. Hyde, Yoichi Yamamoto, and Shinya Kimura; 132 (5), 611-21 (2006).

Sandstone

Sudden Failure of a Heavily Loaded Container Pavement — Brian C. Burman; 132 (11), 1455-64 (2006).

Saturated soils

Degree of Saturation and Liquefaction Resistances of Sand Improved with Sand Compaction Pile — Mitsu Okamura, Masanori Ishihara, and Keiichi Tamura; 132 (2), 258-64 (2006).

Scale effect

Bearing Capacity of Square and Circular Footings on a Finite Layer of Granular Soil Underlain by a Rigid Base — A. B. Cerato and A. J. Lutenegger; 132 (11), 1496-501 (2006).

Sealing

Thermohydromechanical Modeling of a Full-Scale Tunnel Sealing Clay Bulkhead — R. Guo, D. Dixon, and J. Martino; 132 (1), 12-23 (2006).

Seismic analysis

Online Earthquake Response Test for Stratified Layers of Clay and Sand — Naoki Takahashi, Masayuki Hyodo, Adrian F. L. Hyde, Yoichi Yamamoto, and Shinya Kimura; 132 (5), 611-21 (2006).

Seismic design

Reliability of Shallow Foundations Subjected to Multidirectional Seismic Loading — Tam Larkin; 132 (6), 685-93 (2006).

Seismic Site Response for Near-Fault Forward Directivity Ground Motions — Adrian Rodriguez-Marek and Jonathan D. Bray; 132 (12), 1611-20 (2006).

Seismic effects

ONDA: Computer Code for Nonlinear Seismic Response Analyses of Soil Deposits — Diego C. F. Lo Presti, Carlo G. Lai, and Ignazio Puci; 132 (2), 223-36 (2006).

Centrifuge Model Studies of the Seismic Response of Reinforced Soil Slopes — Lili Nova-Roessig and Nicholas Sitar; 132 (3), 388-400 (2006).

Seismic Response of a Composite Landfill Cover — Neven Matasovic and Edward Kavazanjian; 132 (4), 448-55 (2006).

Frequency-Dependent Amplification of Unsaturated Surface Soil Layer — J. Yang; 132 (4), 526-31 (2006).

Liquefaction Hazard Mapping—Statistical and Spatial Characterization of Susceptible Units — Laurie G. Baise, Rebecca B. Higgins, and Charles M. Brankman; 132 (6), 705-15 (2006).

Site-Specific Validation of Random Vibration Theory-Based Seismic Site Response Analysis — Ellen M. Rathje and M. Cem Ozbey; 132 (7), 911-22 (2006).

CPT-Based Probabilistic and Deterministic Assessment of In Situ Seismic Soil Liquefaction Potential — R. E. S. Moss, R. B. Seed, R. E. Kayen, J. P. Stewart, A. Der Kiureghian, and K. O. Cetin; 132 (8), 1032-51 (2006).

Small-Strain Behavior of Granular Soils. II: Seismic Response Analyses and Model Evaluation — Lynn A. Salvati and Juan M. Pestana; 132 (8), 1082-90 (2006).

Sensitivity analysis

Slug Test Analysis in Vertical Cutoff Walls. II: Applications — Hangseok Choi and David E. Daniel; 132 (4), 439-47 (2006).

Sensors

Electronic Nose–Membrane Interface Probe for Geoenvironmental Site Characterization — Pradeep U. Kurup, Bobby Issac, and Erin P. Griffin; 132 (9), 1133-42 (2006).

Settlement

Estimate of Landfill Settlements Due to Mechanical and Decompositional Processes — Issa S. Oweis; 132 (5), 644-50 (2006).

Construction of Concrete-Faced Rockfill Dams with Weak Rocks — Hao-Feng Xing, Xiao-Nan Gong, Xiao-Guang Zhou, and Hai-Feng Fu; 132 (6), 778-85 (2006).

In Situ Pore Pressure Responses of Native Peat and Soil under Train Load: A Case Study — R. C. K. Wong, P. R. Thomson, and E. S. C. Choi; 132 (10), 1360-9 (2006).

Shallow foundations

Reliability of Shallow Foundations Subjected to Multidirectional Seismic Loading — Tam Larkin; 132 (6), 685-93 (2006).

Resistance Factors for Use in Shallow Foundation LRFD — K. C. Foye, R. Salgado, and B. Scott; 132 (9), 1208-18 (2006).

Shallow waters

Resistivity Survey of the Subsurface Conditions in the Estuary of the Rio de la Plata — Víctor Rinaldi, Martín Guichon, Víctor Ferrero, Carlos Serrano, and Norberto Ponti; 132 (1), 72-9 (2006).

Shape

Particle Shape Effects on Packing Density, Stiffness, and Strength: Natural and Crushed Sands — Gye-Chun Cho, Jake Dodds, and J. Carlos Santamarina; 132 (5), 591-602 (2006).

Bearing Capacity of Square and Circular Footings on a Finite Layer of Granular Soil Underlain by a Rigid Base — A. B. Cerato and A. J. Lutenegger; 132 (11), 1496-501 (2006).

Shear

Microscopic Evaluation of Strain Distribution in Granular Materials during Shear — Khalid A. Alshibli and Bashar A. Alramahi; 132 (1), 80-91 (2006).

Microbially Induced Cementation to Control Sand Response to Undrained Shear — Jason T. DeJong, Michael B. Fritzges, and Klaus Nüsslein; 132 (11), 1381-92 (2006).

Behavior of a Fiber-Reinforced Bentonite at Large Shear Displacements — Michéle Dal Toé Casagrande, Matthew Richard Coop, and Nilo Cesar Consoli; 132 (11), 1505-8 (2006).

Shear deformation

Shear Localization Due to Liquefaction-Induced Void Redistribution in a Layered Infinite Slope — Erik J. Malvick, Bruce L. Kutter, Ross W. Boulanger, and R. Kulasingam; 132 (10), 1293-303 (2006).

Shear modulus

Small-Strain Shear Moduli of Chemically Stabilized Sulfate-Bearing Cohesive Soils — Anand J. Puppala, Rupesh Kadam, Raja S. Madhyannapu, and Laureano R. Hoyos; 132 (3), 322-36 (2006).

Small-Strain Behavior of Granular Soils. I: Model for Cemented and Uncemented Sands and Gravels — Juan M. Pestana and Lynn A. Salvati; 132 (8), 1071-81 (2006).

Degradation of Sands due to Combined Sinusoidal Loading — M. Sherif Aggour and Jim X. Zhang; 132 (12), 1628-32 (2006).

Shear strain

Online Earthquake Response Test for Stratified Layers of Clay and Sand — Naoki Takahashi, Masayuki Hyodo, Adrian F. L. Hyde, Yoichi Yamamoto, and Shinya Kimura; 132 (5), 611-21 (2006).

Threshold Shear Strain for Cyclic Pore-Water Pressure in Cohesive Soils — Chu-Chung Hsu and Mladen Vucetic; 132 (10), 1325-35 (2006).

Shear strength

Suction Stress Characteristic Curve for Unsaturated Soil — Ning Lu and William J. Likos; 132 (2), 131-42 (2006).

Drained and Undrained Strength Interpretation for Low-Plasticity Silts — Thomas L. Brandon, Andrew T. Rose, and J. Michael Duncan; 132 (2),

250-7 (2006).

Comparison in Undrained Shear Strength between Undisturbed and Remolded Ariake Clays — Zhenshun Hong, Songyu Liu, Shuilong Shen, and Takehito Negami; 132 (2), 272-5 (2006).

Laboratory Simulation of Field Sampling: Comparison With Ideal Sampling and Field Data — Marika Santagata, Joseph V. Sinfield, and John T. Germaine; 132 (3), 351-62 (2006).

Shear Strength and Pore-Water Pressure Characteristics during Constant Water Content Triaxial Tests — Trinh Minh Thu, Harianto Rahardjo, and Eng-Choon Leong; 132 (3), 411-9 (2006).

Limitations in the Back-Analysis of Strength from Failures — Rick Deschamps and Greg Yankey; 132 (4), 532-6 (2006).

Experimental Study of Macro- and Microbehavior of Natural Diatomite — Zhenshun Hong, Yoshitaka Tateishi, and Jie Han; 132 (5), 603-10 (2006).

Reliability of Shallow Foundations Subjected to Multidirectional Seismic Loading — Tam Larkin; 132 (6), 685-93 (2006).

Interpretation of Impact Penetration Measurements in Soft Clays — C. P. Aubeny and H. Shi; 132 (6), 770-7 (2006).

Shear tests

Threshold Shear Strain for Cyclic Pore-Water Pressure in Cohesive Soils — Chu-Chung Hsu and Mladen Vucetic; 132 (10), 1325-35 (2006).

Shear waves

Influence of Nonplastic Fines on Shear Wave Velocity-Based Assessment of Liquefaction — Ning Liu and James K. Mitchell; 132 (8), 1091-7 (2006).

Correlation between Cyclic Resistance Ratios of Intact and Reconstituted Offshore Saturated Sands and Silts with the Same Shear Wave Velocity — Jian-Hua Wang, Kathryn Moran, and Christopher D. P. Baxter; 132 (12), 1574-80 (2006).

Shrinkage

Predictive Model for the Water Retention Curve of Deformable Clayey Soils — M. Mbonimpa, M. Aubertin, A. Maqsoud, and B. Bussière; 132 (9), 1121-32 (2006).

Silts

Practical Model of Frost Heave in Clay — S. J. Han and D. J. Goodings; 132 (1), 92-101 (2006).

Drained and Undrained Strength Interpretation for Low-Plasticity Silts — Thomas L. Brandon, Andrew T. Rose, and J. Michael Duncan; 132 (2), 250-7 (2006).

Liquefaction, Cyclic Mobility, and Failure of Silt — Adrian F. L. Hyde, Toru Higuchi, and Kazuya Yasuhara; 132 (6), 716-35 (2006).

Liquefaction Susceptibility Criteria for Silts and Clays — Ross W. Boulanger and I. M. Idriss; 132 (11), 1413-26 (2006).

Correlation between Cyclic Resistance Ratios of Intact and Reconstituted Offshore Saturated Sands and Silts with the Same Shear Wave Velocity — Jian-Hua Wang, Kathryn Moran, and Christopher D. P. Baxter; 132 (12), 1574-80 (2006).

Simulation

Laboratory Simulation of Field Sampling: Comparison With Ideal Sampling and Field Data — Marika Santagata, Joseph V. Sinfield, and John T. Germaine; 132 (3), 351-62 (2006).

Lessons Learned for Ground Movements and Soil Stabilization from the Boston Central Artery — T. D. O'Rourke and A. J. McGinn; 132 (8), 966-89 (2006).

Probabilistic Stability Analyses of Embankments Based on Finite-Element Method — B. Xu and B. K. Low; 132 (11), 1444-54 (2006).

Site evaluation

Frequency-Dependent Amplification of Unsaturated Surface Soil Layer — J. Yang; 132 (4), 526-31 (2006).

Site investigation

Electronic Nose–Membrane Interface Probe for Geoenvironmental Site Characterization — Pradeep U. Kurup, Bobby Issac, and Erin P. Griffin; 132 (9), 1133-42 (2006).

Size

Particle Shape Effects on Packing Density, Stiffness, and Strength: Natural and Crushed Sands — Gye-Chun Cho, Jake Dodds, and J. Carlos Santamarina; 132 (5), 591-602 (2006).

Slabs

Reduction of Vibrations due to Foundation Slabs — Shen-Haw Ju and Hung-Ta Lin; 132 (4), 511-20 (2006).

Slope stability

Material Spatial Variability and Slope Stability for Weak Rock Masses — Sung-Chi Hsu and Priscilla P. Nelson; 132 (2), 183-93 (2006).

Centrifuge Model Studies of the Seismic Response of Reinforced Soil Slopes — Lili Nova-Roessig and Nicholas Sitar; 132 (3), 388-400 (2006).

GIS-Based Implementation of Three-Dimensional Limit Equilibrium Approach of Slope Stability — Mowen Xie, Tetsuro Esaki, and Meifeng Cai; 132 (5), 656-60 (2006).

Estimating Slope Stability Reduction due to Rain Infiltration Mounding — John H. Schmertmann; 132 (9), 1219-28 (2006).

General Analytical Framework for Design of Flexible Reinforced Earth Structures — Jie Han and Dov Leshchinsky; 132 (11), 1427-35 (2006).

Case History of Geosynthetic Reinforced Segmental Retaining Wall Failure — Chungsik Yoo and Hye-Young Jung; 132 (12), 1538-48 (2006).

Slopes

Shear Localization Due to Liquefaction-Induced Void Redistribution in a Layered Infinite Slope — Erik J. Malvick, Bruce L. Kutter, Ross W. Boulanger, and R. Kulasingam; 132 (10), 1293-303 (2006).

Lateral Resistance of Single Pile Located Near Geosynthetic Reinforced Slope — Mostafa El Sawwaf; 132 (10), 1336-45 (2006).

Slurries

Influence of Torque on Lateral Capacity of Drilled Shafts in Sands — Zhihong Hu, Michael McVay, David Bloomquist, Rodrigo Herrera, and Peter Lai; 132 (4), 456-64 (2006).

Slurry walls

Membrane Behavior of Two Backfills from Field-Constructed Soil-Bentonite Cutoff Walls — John T. Henning, Jeffrey C. Evans, and Charles D. Shackelford; 132 (10), 1243-9 (2006).

Soft soils

Experimental Evaluation of Engineering Behavior of Soft Bangkok Clay under Elevated Temperature — H. M. Abuel-Naga, D. T. Bergado, G. V. Ramana, L. Grino, P. Rujivipat, and Y. Thet; 132 (7), 902-10 (2006).

Bearing Capacity of Piled Rafts on Soft Clay Soils — Luca de Sanctis and Alessandro Mandolini; 132 (12), 1600-10 (2006).

Seismic Site Response for Near-Fault Forward Directivity Ground Motions — Adrian Rodriguez-Marek and Jonathan D. Bray; 132 (12), 1611-20 (2006).

Soil analysis

In Field Soil Characterization: Approach Based on Texture Image Analysis — Pierre Breul and Roland Gourves; 132 (1), 102-7 (2006).

Soil cements

Lessons Learned for Ground Movements and Soil Stabilization from the Boston Central Artery — T. D. O'Rourke and A. J. McGinn; 132 (8), 966-89 (2006).

Soil classification

Determination of Atterberg Limits: Uncertainty and Implications — Alvaro Gutiérrez; 132 (3), 420-4 (2006).

Soil compaction

Stress Zones Near Displacement Piers: I. Plastic and Liquefied Behavior — R. L. Handy and David J. White; 132 (1), 54-62 (2006).

BCD: A Soil Modulus Device for Compaction Control — Jean-Louis Briaud, Yanfeng Li, and Keunyoung Rhee; 132 (1), 108-15 (2006).

Factors Affecting Portable Falling Weight Deflectometer Measurements — Deng-Fong Lin, Chi-Chou Liau, and Jyh-Dong Lin; 132 (6), 804-8 (2006).

Performance of a Cantilever Retaining Wall — Joseph G. Bentler and Joseph F. Labuz; 132 (8), 1062-70 (2006).

Soil compression

Comparison in Undrained Shear Strength between Undisturbed and Remolded Ariake Clays — Zhenshun Hong, Songyu Liu, Shuilong Shen, and Takehito Negami; 132 (2), 272-5 (2006).

Soil consolidation

Membrane Behavior of Two Backfills from Field-Constructed Soil-Bentonite Cutoff Walls — John T. Henning, Jeffrey C. Evans, and Charles D. Shackelford; 132 (10), 1243-9 (2006).

Soil deformation

Pile Behavior due to Excavation-Induced Soil Movement in Clay. I: Stable Wall — D. E. L. Ong, C. E. Leung, and Y. K. Chow; 132 (1), 36-44 (2006).

Pile Behavior Due to Excavation-Induced Soil Movement in Clay. II: Collapsed Wall — C. F. Leung, D. E. L. Ong, and Y. K. Chow; 132 (1), 45-53 (2006).

Soil dynamics

ONDA: Computer Code for Nonlinear Seismic Response Analyses of Soil Deposits — Diego C. F. Lo Presti, Carlo G. Lai, and Ignazio Puci; 132 (2), 223-36 (2006).

Seismic Site Response for Near-Fault Forward Di-

rectivity Ground Motions — Adrian Rodriguez-Marek and Jonathan D. Bray; 132 (12), 1611-20 (2006).

Soil improvement

Degree of Saturation and Liquefaction Resistances of Sand Improved with Sand Compaction Pile — Mitsu Okamura, Masanori Ishihara, and Keiichi Tamura; 132 (2), 258-64 (2006).

Soil liquefaction

Online Earthquake Response Test for Stratified Layers of Clay and Sand — Naoki Takahashi, Masayuki Hyodo, Adrian F. L. Hyde, Yoichi Yamamoto, and Shinya Kimura; 132 (5), 611-21 (2006).

Soil mechanics

Unsaturated Soil Mechanics in Engineering Practice — Delwyn G. Fredlund; 132 (3), 286-321 (2006).

Soil mixing

Laboratory Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Patricia M. Gallagher, Joseph Wartman, Yigang Liu, and Michael Carnivale; 132 (5), 562-76 (2006).

Field Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Atwood F. Davis, Steven C. Sands, Michael Carnivale, Joseph Wartman, and Patricia M. Gallagher; 132 (5), 577-90 (2006).

Soil modulus

BCD: A Soil Modulus Device for Compaction Control — Jean-Louis Briaud, Yanfeng Li, and Keunyoung Rhee; 132 (1), 108-15 (2006).

ONDA: Computer Code for Nonlinear Seismic Response Analyses of Soil Deposits — Diego C. F. Lo Presti, Carlo G. Lai, and Ignazio Puci; 132 (2), 223-36 (2006).

Soil penetration tests

Liquefaction Hazard Mapping—Statistical and Spatial Characterization of Susceptible Units — Laurie G. Baise, Rebecca B. Higgins, and Charles M. Brankman; 132 (6), 705-15 (2006).

Soil pressure

Pile Behavior due to Excavation-Induced Soil Movement in Clay. I: Stable Wall — D. E. L. Ong, C. E. Leung, and Y. K. Chow; 132 (1), 36-44 (2006).

Pile Behavior Due to Excavation-Induced Soil Movement in Clay. II: Collapsed Wall — C. F. Leung, D. E. L. Ong, and Y. K. Chow; 132 (1), 45-53 (2006).

Soil properties

In Field Soil Characterization: Approach Based on Texture Image Analysis — Pierre Breul and Roland Gourves; 132 (1), 102-7 (2006).

Effect of Structure on the Geotechnical Properties of Bauxite Residue — Tim Newson, Tom Dyer, Chris Adam, and Sandra Sharp; 132 (2), 143-51 (2006).

Lessons Learned for Ground Movements and Soil Stabilization from the Boston Central Artery — T. D. O'Rourke and A. J. McGinn; 132 (8), 966-89 (2006).

Soil sampling

Liquefaction Resistance of Undisturbed and Reconstituted Samples of a Natural Coarse Sand from Undrained Cyclic Triaxial Tests — Vito Nicola Ghionna and Daniela Porcino; 132 (2), 194-202 (2006).

Design of Compacted Lateritic Soil Liners and Covers — Kolawole J. Osinubi and Charles M. O. Nwaiwu; 132 (2), 203-13 (2006).

Soil stabilization

Centrifuge Model Studies of the Seismic Response of Reinforced Soil Slopes — Lili Nova-Roessig and Nicholas Sitar; 132 (3), 388-400 (2006).

Numerical Model for Reinforced Soil Segmental Walls under Surcharge Loading — Kianoosh Hatami and Richard J. Bathurst; 132 (6), 673-84 (2006).

Lessons Learned for Ground Movements and Soil Stabilization from the Boston Central Artery — T. D. O'Rourke and A. J. McGinn; 132 (8), 966-89 (2006).

General Analytical Framework for Design of Flexible Reinforced Earth Structures — Jie Han and Dov Leshchinsky; 132 (11), 1427-35 (2006).

Case History of Geosynthetic Reinforced Segmental Retaining Wall Failure — Chungsik Yoo and Hye-Young Jung; 132 (12), 1538-48 (2006).

Enhanced Criterion for Base Soil Retention in Embankment Dam Filters — Buddhima Indraratna and Ashok K. Raut; 132 (12), 1621-7 (2006).

Soil strength

Liquefaction Susceptibility Criteria for Silts and Clays — Ross W. Boulanger and I. M. Idriss; 132 (11), 1413-26 (2006).

Soil structure

Thermoelastic Enhancement of Damping of Sand Using Synthetic Ground Rubber — Sibel Pamukcu and Suat Akbulut; 132 (4), 501-10 (2006).

Evaluation of the Parameters Influencing Self-Healing in Earth Dams — Sai Kakuturu and Lakshmi N. Reddi; 132 (7), 879-89 (2006).

General Analytical Framework for Design of Flexible Reinforced Earth Structures — Jie Han and Dov Leshchinsky; 132 (11), 1427-35 (2006).

Soil suction

Shear Strength and Pore-Water Pressure Characteristics during Constant Water Content Triaxial Tests — Trinh Minh Thu, Harianto Rahardjo, and Eng-Choon Leong; 132 (3), 411-9 (2006).

Prediction of Soil–Water Characteristic Curve Using Genetic Programming — A. Johari, G. Habibagahi, and A. Ghahramani; 132 (5), 661-5 (2006).

Soil tests

Monotonic and Cyclic Behavior of Two Calcareous Soils of Different Origins — Shambhu S. Sharma and Mostafa A. Ismail; 132 (12), 1581-91 (2006).

Soil water

BCD: A Soil Modulus Device for Compaction Control — Jean-Louis Briaud, Yanfeng Li, and Keunyoung Rhee; 132 (1), 108-15 (2006).

Prediction of Soil–Water Characteristic Curve Using Genetic Programming — A. Johari, G. Habibagahi, and A. Ghahramani; 132 (5), 661-5 (2006).

Soil-Water Characteristic Curves of Stabilized Expansive Soils — Anand J. Puppala, Koonnamas Punthutaecha, and Sai K. Vanapalli; 132 (6), 736-51 (2006).

Soil-pile interaction

Soil–Pile Response to Blast-Induced Lateral Spreading. I: Field Test — Scott A. Ashford, Teerawut Juirnarongrit, Takahiro Sugano, and Masanori Hamada; 132 (2), 152-62 (2006).

Soil-Pile Response to Blast-Induced Lateral Spreading. II: Analysis and Assessment of the p–y Method — Teerawut Juirnarongrit and Scott A. Ashford; 132 (2), 163-72 (2006).

Soil-structure interaction

Simplified Model for Vertical Vibrations of Surface Foundations — Shi-Shuenn Chen and Jun-Yang Shi; 132 (5), 651-5 (2006).

A Robust Macroelement Model for Soil–Pile Interaction under Cyclic Loads — Ertugrul Taciroglu, ChangSoon Rha, and John W. Wallace; 132 (10), 1304-14 (2006).

Soils

Accounting for Soil Aging When Assessing Liquefaction Potential — Evangelia Leon, Sarah L. Gassman, and Pradeep Talwani; 132 (3), 363-77 (2006).

Limitations in the Back-Analysis of Strength from Failures — Rick Deschamps and Greg Yankey; 132 (4), 532-6 (2006).

Nonlinear Stress-Strain Relationship of Soil Reinforced with Flexible Geofibers — Duowen Ding and S. Keith Hargrove; 132 (6), 791-4 (2006).

Solid wastes

Seismic Response of a Composite Landfill Cover — Neven Matasovic and Edward Kavazanjian; 132 (4), 448-55 (2006).

Estimate of Landfill Settlements Due to Mechanical and Decompositional Processes — Issa S. Oweis; 132 (5), 644-50 (2006).

Solutes

Parametric Study of One-Dimensional Solute Transport in Deformable Porous Media — Akram N. Alshawabkeh and Nima Rahbar; 132 (8), 1001-10 (2006).

Sorption

Coupled Mechanical and Chemical Behavior of Bentonite Engineered with a Controlled Organic Phase — S. E. Burns, S. L. Bartelt-Hunt, J. A. Smith, and A. Z. Redding; 132 (11), 1404-12 (2006).

Spacing

Pile Spacing Effects on Lateral Pile Group Behavior: Load Tests — Kyle M. Rollins, Ryan J. Olsen, Jeffery J. Egbert, Derek H. Jensen, Kimball G. Olsen, and Brian H. Garrett; 132 (10), 1262-71 (2006).

Pile Spacing Effects on Lateral Pile Group Behavior: Analysis — Kyle M. Rollins, Kimball G. Olsen, Derek H. Jensen, Brian H. Garrett, Ryan J. Olsen, and Jeffery J. Egbert; 132 (10), 1272-83 (2006).

Spatial analysis

Mapping Liquefaction Potential Considering Spatial Correlations of CPT Measurements — Chia-Nan Liu and Chien-Hsun Chen; 132 (9), 1178-87 (2006).

Spatial data

Mapping Liquefaction Potential Considering Spatial Correlations of CPT Measurements — Chia-Nan Liu and Chien-Hsun Chen; 132 (9), 1178-87 (2006).

Spread foundations
Bearing Capacity of Square and Circular Footings on a Finite Layer of Granular Soil Underlain by a Rigid Base — A. B. Cerato and A. J. Lutenegger; 132 (11), 1496-501 (2006).

Liquefaction-Induced Lateral Spreading in Near-Fault Regions during the 1999 Chi-Chi, Taiwan Earthquake — Daniel B. Chu, Jonathan P. Stewart, T. Leslie Youd, and B. L. Chu; 132 (12), 1549-65 (2006).

Stability
Limitations in the Back-Analysis of Strength from Failures — Rick Deschamps and Greg Yankey; 132 (4), 532-6 (2006).

Stabilization
Small-Strain Shear Moduli of Chemically Stabilized Sulfate-Bearing Cohesive Soils — Anand J. Puppala, Rupesh Kadam, Raja S. Madhyannapu, and Laureano R. Hoyos; 132 (3), 322-36 (2006).

Standards
Determination of Atterberg Limits: Uncertainty and Implications — Alvaro Gutiérrez; 132 (3), 420-4 (2006).

Static loads
Behavior of Axially Loaded Pile Groups Driven in Clayey Silt — B. A. McCabe and B. M. Lehane; 132 (3), 401-10 (2006).

Statistics
Evaluating the Long-Term Performance of Geosynthetic Clay Liners Exposed to Freeze-Thaw — R. K. Podgorney and J. E. Bennett; 132 (2), 265-8 (2006).

First-Order Reliability Method for Probabilistic Liquefaction Triggering Analysis Using CPT — C. Hsein Juang, Sunny Ye Fang, and Eng Hui Khor; 132 (3), 337-50 (2006).

Determination of Atterberg Limits: Uncertainty and Implications — Alvaro Gutiérrez; 132 (3), 420-4 (2006).

Logistic Regression Model for Evaluating Soil Liquefaction Probability Using CPT Data — Sheng-Yao Lai, Wen-Jong Chang, and Ping-Sien Lin; 132 (6), 694-704 (2006).

Liquefaction Hazard Mapping—Statistical and Spatial Characterization of Susceptible Units — Laurie G. Baise, Rebecca B. Higgins, and Charles M. Brankman; 132 (6), 705-15 (2006).

Application of Weibull Statistics to the Tensile Strength of Rock Aggregates — Sebastian Lobo-Guerrero and Luis E. Vallejo; 132 (6), 786-90 (2006).

Site-Specific Validation of Random Vibration Theory-Based Seismic Site Response Analysis — Ellen M. Rathje and M. Cem Ozbey; 132 (7), 911-22 (2006).

Steel
Postpeak Strength of Interfaces in a Stress-Dilatancy Framework — Matthew S. Dietz and Martin L. Lings; 132 (11), 1474-84 (2006).

Steel pipes
Loading of a Gravel-Buried Steel Pipe Subjected to Rockfall — Bernhard Pichler, Christian Hellmich, Herbert A. Mang, and Josef Eberhardsteiner; 132 (11), 1465-73 (2006).

Stiffness
Investigation of Foundation Vibrations Resting on a Layered Soil System — D. K. Baidya, G. Muralikrishna, and P. K. Pradhan; 132 (1), 116-23 (2006).

Small-Strain Shear Moduli of Chemically Stabilized Sulfate-Bearing Cohesive Soils — Anand J. Puppala, Rupesh Kadam, Raja S. Madhyannapu, and Laureano R. Hoyos; 132 (3), 322-36 (2006).

Behavior of Axially Loaded Pile Groups Driven in Clayey Silt — B. A. McCabe and B. M. Lehane; 132 (3), 401-10 (2006).

Particle Shape Effects on Packing Density, Stiffness, and Strength: Natural and Crushed Sands — Gye-Chun Cho, Jake Dodds, and J. Carlos Santamarina; 132 (5), 591-602 (2006).

Factors Affecting Portable Falling Weight Deflectometer Measurements — Deng-Fong Lin, Chi-Chou Liau, and Jyh-Dong Lin; 132 (6), 804-8 (2006).

Influence Zone for End Bearing of Piles in Sand — J. Yang; 132 (9), 1229-37 (2006).

Sudden Failure of a Heavily Loaded Container Pavement — Brian C. Burman; 132 (11), 1455-64 (2006).

Monotonic and Cyclic Behavior of Two Calcareous Soils of Different Origins — Shambhu S. Sharma and Mostafa A. Ismail; 132 (12), 1581-91 (2006).

Strain
Interpretation of Impact Penetration Measurements in Soft Clays — C. P. Aubeny and H. Shi; 132 (6), 770-7 (2006).

Strain distribution
Analysis of Factors Affecting Strain Distribution in Geosynthetics — M. Emin Kutay, Murat Guler, and Ahmet H. Aydilek; 132 (1), 1-11 (2006).

Microscopic Evaluation of Strain Distribution in Granular Materials during Shear — Khalid A. Alshibli and Bashar A. Alramahi; 132 (1), 80-91 (2006).

Strength
Particle Shape Effects on Packing Density, Stiffness, and Strength: Natural and Crushed Sands — Gye-Chun Cho, Jake Dodds, and J. Carlos Santamarina; 132 (5), 591-602 (2006).

Stress
Suction Stress Characteristic Curve for Unsaturated Soil — Ning Lu and William J. Likos; 132 (2), 131-42 (2006).

Normalizing the CPT for Overburden Stress — R. E. S. Moss, R. B. Seed, and R. S. Olsen; 132 (3), 378-87 (2006).

Effect of Gas on Pore Pressures in Wet Landfills — Scott M. Merry, Wolfgang U. Fritz, Muniram Budhu, and Krzysztof Jesionek; 132 (5), 553-61 (2006).

Stress analysis
Threshold Shear Strain for Cyclic Pore-Water Pressure in Cohesive Soils — Chu-Chung Hsu and Mladen Vucetic; 132 (10), 1325-35 (2006).

Stress measurement
Performance of a Cantilever Retaining Wall — Joseph G. Bentler and Joseph F. Labuz; 132 (8), 1062-70 (2006).

Stress strain relations
Nonlinear Stress-Strain Relationship of Soil Reinforced with Flexible Geofibers — Duowen Ding and S. Keith Hargrove; 132 (6), 791-4 (2006).

Anisotropic Nonlinear Elastic Model for Particulate Materials — P.-Y. Hicher and C. S. Chang; 132 (8), 1052-61 (2006).

Structural stability
Probabilistic Stability Analyses of Embankments Based on Finite-Element Method — B. Xu and B. K. Low; 132 (11), 1444-54 (2006).

Subgrades
Factors Affecting Portable Falling Weight Deflectometer Measurements — Deng-Fong Lin, Chi-Chou Liau, and Jyh-Dong Lin; 132 (6), 804-8 (2006).

Subsurface environment
Resistivity Survey of the Subsurface Conditions in the Estuary of the Rio de la Plata — Víctor Rinaldi, Martín Guichon, Víctor Ferrero, Carlos Serrano, and Norberto Ponti; 132 (1), 72-9 (2006).

Suction
Suction Stress Characteristic Curve for Unsaturated Soil — Ning Lu and William J. Likos; 132 (2), 131-42 (2006).

Soil-Water Characteristic Curves of Stabilized Expansive Soils — Anand J. Puppala, Koonnamas Punthutaecha, and Sai K. Vanapalli; 132 (6), 736-51 (2006).

Case History of Geosynthetic Reinforced Segmental Retaining Wall Failure — Chungsik Yoo and Hye-Young Jung; 132 (12), 1538-48 (2006).

Sulfates
Small-Strain Shear Moduli of Chemically Stabilized Sulfate-Bearing Cohesive Soils — Anand J. Puppala, Rupesh Kadam, Raja S. Madhyannapu, and Laureano R. Hoyos; 132 (3), 322-36 (2006).

Supports
Lessons Learned for Ground Movements and Soil Stabilization from the Boston Central Artery — T. D. O'Rourke and A. J. McGinn; 132 (8), 966-89 (2006).

Surcharge
Numerical Model for Reinforced Soil Segmental Walls under Surcharge Loading — Kianoosh Hatami and Richard J. Bathurst; 132 (6), 673-84 (2006).

Swelling
Soil-Water Characteristic Curves of Stabilized Expansive Soils — Anand J. Puppala, Koonnamas Punthutaecha, and Sai K. Vanapalli; 132 (6), 736-51 (2006).

Synthetic materials
Thermoelastic Enhancement of Damping of Sand Using Synthetic Ground Rubber — Sibel Pamukcu and Suat Akbulut; 132 (4), 501-10 (2006).

Tailings
Effect of Structure on the Geotechnical Properties of Bauxite Residue — Tim Newson, Tom Dyer, Chris Adam, and Sandra Sharp; 132 (2), 143-51 (2006).

Taiwan
Liquefaction-Induced Lateral Spreading in Near-Fault Regions during the 1999 Chi-Chi, Taiwan Earthquake — Daniel B. Chu, Jonathan P. Stewart, T. Leslie Youd, and B. L. Chu; 132 (12), 1549-65 (2006).

Temperature effects
Experimental Evaluation of Engineering Behavior of Soft Bangkok Clay under Elevated Temperature — H. M. Abuel-Naga, D. T. Bergado, G. V. Ramana, L. Grino, P. Rujivipat, and Y. Thet; 132 (7), 902-10 (2006).

Tensile strength
Application of Weibull Statistics to the Tensile Strength of Rock Aggregates — Sebastian Lobo-Guerrero and Luis E. Vallejo; 132 (6), 786-90 (2006).

General Analytical Framework for Design of Flexible Reinforced Earth Structures — Jie Han and Dov Leshchinsky; 132 (11), 1427-35 (2006).

Tests
Soil-Pile Response to Blast-Induced Lateral Spreading. II: Analysis and Assessment of the *p–y* Method — Teerawut Juirnarongrit and Scott A. Ashford; 132 (2), 163-72 (2006).

Thermal stresses
Coupled Heat-Deformation-Flow Analysis for Clayey Soil — Krishna Murari Neaupane and Pruettha Nanakorn; 132 (4), 521-5 (2006).

Thermodynamics
Coupled Heat-Deformation-Flow Analysis for Clayey Soil — Krishna Murari Neaupane and Pruettha Nanakorn; 132 (4), 521-5 (2006).

Three-dimensional analysis
GIS-Based Implementation of Three-Dimensional Limit Equilibrium Approach of Slope Stability — Mowen Xie, Tetsuro Esaki, and Meifeng Cai; 132 (5), 656-60 (2006).

Thrust
Active Thrust Due to Backfill Subject to Lines of Surcharge — Venanzio R. Greco; 132 (2), 269-71 (2006).

Tires
Field Evaluation of a Leachate Collection System Constructed with Scrap Tires — Ahmet H. Aydilek, Edward Tristram Madden, and M. Melih Demirkan; 132 (8), 990-1000 (2006).

Torsion
Influence of Torque on Lateral Capacity of Drilled Shafts in Sands — Zhihong Hu, Michael McVay, David Bloomquist, Rodrigo Herrera, and Peter Lai; 132 (4), 456-64 (2006).

Triaxial compression
Laboratory Studies of Two Common Saprolitic Soils in Hong Kong — Y. H. Wang and W. M. Yan; 132 (7), 923-30 (2006).

Triaxial shear
Drained and Undrained Strength Interpretation for Low-Plasticity Silts — Thomas L. Brandon, Andrew T. Rose, and J. Michael Duncan; 132 (2), 250-7 (2006).

Triaxial tests
Effect of Structure on the Geotechnical Properties of Bauxite Residue — Tim Newson, Tom Dyer, Chris Adam, and Sandra Sharp; 132 (2), 143-51 (2006).

Limit-State Curve of Base-Course Material and Its Relevance for Resilient Modulus Testing — J. M. Konrad and O. Juneau; 132 (2), 173-82 (2006).

Liquefaction Resistance of Undisturbed and Reconstituted Samples of a Natural Coarse Sand from Undrained Cyclic Triaxial Tests — Vito Nicola Ghionna and Daniela Porcino; 132 (2), 194-202 (2006).

Shear Strength and Pore-Water Pressure Characteristics during Constant Water Content Triaxial Tests — Trinh Minh Thu, Harianto Rahardjo, and Eng-Choon Leong; 132 (3), 411-9 (2006).

Experimental Evaluation of Engineering Behavior of Soft Bangkok Clay under Elevated Temperature — H. M. Abuel-Naga, D. T. Bergado, G. V. Ramana, L. Grino, P. Rujivipat, and Y. Thet; 132 (7), 902-10 (2006).

Monotonic and Cyclic Behavior of Two Calcareous Soils of Different Origins — Shambhu S. Sharma and Mostafa A. Ismail; 132 (12), 1581-91 (2006).

Tropical soils
Design of Compacted Lateritic Soil Liners and Covers — Kolawole J. Osinubi and Charles M. O. Nwaiwu; 132 (2), 203-13 (2006).

Tunnels
Material Spatial Variability and Slope Stability for Weak Rock Masses — Sung-Chi Hsu and Priscilla P. Nelson; 132 (2), 183-93 (2006).

Uncertainty principles
Determination of Atterberg Limits: Uncertainty and Implications — Alvaro Gutiérrez; 132 (3), 420-4 (2006).

United Kingdom
Effect of Structure on the Geotechnical Properties of Bauxite Residue — Tim Newson, Tom Dyer, Chris Adam, and Sandra Sharp; 132 (2), 143-51 (2006).

Unsaturated flow
Case History of Geosynthetic Reinforced Segmental Retaining Wall Failure — Chungsik Yoo and Hye-Young Jung; 132 (12), 1538-48 (2006).

Unsaturated soils
Suction Stress Characteristic Curve for Unsaturated Soil — Ning Lu and William J. Likos; 132 (2), 131-42 (2006).

Unsaturated Soil Mechanics in Engineering Practice — Delwyn G. Fredlund; 132 (3), 286-321 (2006).

Frequency-Dependent Amplification of Unsaturated Surface Soil Layer — J. Yang; 132 (4), 526-31 (2006).

Prediction of Soil–Water Characteristic Curve Using Genetic Programming — A. Johari, G. Habibagahi, and A. Ghahramani; 132 (5), 661-5 (2006).

Soil-Water Characteristic Curves of Stabilized Expansive Soils — Anand J. Puppala, Koonnamas Punthutaecha, and Sai K. Vanapalli; 132 (6), 736-51 (2006).

Validation
DSC Model for Soil and Interface Including Liquefaction and Prediction of Centrifuge Test — Shashank K. Pradhan and Chandra S. Desai; 132 (2), 214-22 (2006).

Loading of a Gravel-Buried Steel Pipe Subjected to Rockfall — Bernhard Pichler, Christian Hellmich, Herbert A. Mang, and Josef Eberhardsteiner; 132 (11), 1465-73 (2006).

Velocity
Seismic Response of a Composite Landfill Cover — Neven Matasovic and Edward Kavazanjian; 132 (4), 448-55 (2006).

Influence of Nonplastic Fines on Shear Wave Velocity-Based Assessment of Liquefaction — Ning Liu and James K. Mitchell; 132 (8), 1091-7 (2006).

Vibration
Investigation of Foundation Vibrations Resting on a Layered Soil System — D. K. Baidya, G. Muralikrishna, and P. K. Pradhan; 132 (1), 116-23 (2006).

Thermoelastic Enhancement of Damping of Sand Using Synthetic Ground Rubber — Sibel Pamukcu and Suat Akbulut; 132 (4), 501-10 (2006).

Reduction of Vibrations due to Foundation Slabs — Shen-Haw Ju and Hung-Ta Lin; 132 (4), 511-20 (2006).

Simplified Model for Vertical Vibrations of Surface Foundations — Shi-Shuenn Chen and Jun-Yang Shi; 132 (5), 651-5 (2006).

Site-Specific Validation of Random Vibration Theory-Based Seismic Site Response Analysis — Ellen M. Rathje and M. Cem Ozbey; 132 (7), 911-22 (2006).

Viscosity
Effect of Penetration Rate on Penetrometer Resistance in Clay — Shin Fun Chung, Mark F. Randolph, and James A. Schneider; 132 (9), 1188-96 (2006).

Voids
Shear Localization Due to Liquefaction-Induced Void Redistribution in a Layered Infinite Slope — Erik J. Malvick, Bruce L. Kutter, Ross W. Boulanger, and R. Kulasingam; 132 (10), 1293-303 (2006).

Volatile organic chemicals
Electronic Nose–Membrane Interface Probe for Geoenvironmental Site Characterization — Pradeep U. Kurup, Bobby Issac, and Erin P. Griffin; 132 (9), 1133-42 (2006).

Volume change
Shear Strength and Pore-Water Pressure Characteristics during Constant Water Content Triaxial Tests — Trinh Minh Thu, Harianto Rahardjo, and Eng-Choon Leong; 132 (3), 411-9 (2006).

Predictive Model for the Water Retention Curve of Deformable Clayey Soils — M. Mbonimpa, M. Aubertin, A. Maqsoud, and B. Bussière; 132 (9), 1121-32 (2006).

Waste management
Estimate of Landfill Settlements Due to Mechanical and Decompositional Processes — Issa S. Oweis; 132 (5), 644-50 (2006).

Field Evaluation of a Leachate Collection System Constructed with Scrap Tires — Ahmet H. Aydilek, Edward Tristram Madden, and M. Melih Demirkan; 132 (8), 990-1000 (2006).

Unit Weight of Municipal Solid Waste — Dimitrios Zekkos, Jonathan D. Bray, Edward Kavazanjian, Neven Matasovic, Ellen M. Rathje, Michael F. Riemer, and Kenneth H. Stokoe; 132 (10), 1250-61 (2006).

Waste sites
Installation of Horizontal Wells in Landfilled Waste Using Directional Drilling — S. E. Cox, R. P. Beaven, W. Powrie, and D. J. Cole; 132 (7), 869-78 (2006).

Unit Weight of Municipal Solid Waste — Dimitrios

Zekkos, Jonathan D. Bray, Edward Kavazanjian, Neven Matasovic, Ellen M. Rathje, Michael F. Riemer, and Kenneth H. Stokoe; 132 (10), 1250-61 (2006).

Wastewater

Stress-Controlled Filtration with Compressible Particles — Julio R. Valdes and Shih-Hsun Liang; 132 (7), 861-8 (2006).

Water content

BCD: A Soil Modulus Device for Compaction Control — Jean-Louis Briaud, Yanfeng Li, and Keunyoung Rhee; 132 (1), 108-15 (2006).

Design of Compacted Lateritic Soil Liners and Covers — Kolawole J. Osinubi and Charles M. O. Nwaiwu; 132 (2), 203-13 (2006).

Comparison in Undrained Shear Strength between Undisturbed and Remolded Ariake Clays — Zhenshun Hong, Songyu Liu, Shuilong Shen, and Takehito Negami; 132 (2), 272-5 (2006).

Shear Strength and Pore-Water Pressure Characteristics during Constant Water Content Triaxial Tests — Trinh Minh Thu, Harianto Rahardjo, and Eng-Choon Leong; 132 (3), 411-9 (2006).

Laboratory Evaluation of Smear Zone and Correlation between Permeability and Moisture Content — Iyathurai Sathananthan and Buddhima Indraratna; 132 (7), 942-5 (2006).

Sudden Failure of a Heavily Loaded Container Pavement — Brian C. Burman; 132 (11), 1455-64 (2006).

Water pressure

Parametric Study of One-Dimensional Solute Transport in Deformable Porous Media — Akram N. Alshawabkeh and Nima Rahbar; 132 (8), 1001-10 (2006).

Water treatment

Field Study to Investigate WIDE Technology for TCE Extraction — K. A. Warren, M. A. Gabr, and J. D. Quaranta; 132 (9), 1111-20 (2006).

Wave velocity

Correlation between Cyclic Resistance Ratios of Intact and Reconstituted Offshore Saturated Sands and Silts with the Same Shear Wave Velocity — Jian-Hua Wang, Kathryn Moran, and Christopher D. P. Baxter; 132 (12), 1574-80 (2006).

Waves

Laboratory Study of Liquefaction due to Wave–Seabed Interaction — B. Chowdhury, G. R. Dasari, and T. Nogami; 132 (7), 842-51 (2006).

Wedges

Stress Zones near Displacement Piers: II. Radial Cracking and Wedging — R. L. Handy and David J. White; 132 (1), 63-71 (2006).

Weight

Unit Weight of Municipal Solid Waste — Dimitrios Zekkos, Jonathan D. Bray, Edward Kavazanjian, Neven Matasovic, Ellen M. Rathje, Michael F. Riemer, and Kenneth H. Stokoe; 132 (10), 1250-61 (2006).

Wells

Installation of Horizontal Wells in Landfilled Waste Using Directional Drilling — S. E. Cox, R. P. Beaven, W. Powrie, and D. J. Cole; 132 (7), 869-78 (2006).

Yield stress

Comparison in Undrained Shear Strength between Undisturbed and Remolded Ariake Clays — Zhenshun Hong, Songyu Liu, Shuilong Shen, and Takehito Negami; 132 (2), 272-5 (2006).

Experimental Study of Macro- and Microbehavior of Natural Diatomite — Zhenshun Hong, Yoshitaka Tateishi, and Jie Han; 132 (5), 603-10 (2006).

Zeolite

Effect of Structure on the Geotechnical Properties of Bauxite Residue — Tim Newson, Tom Dyer, Chris Adam, and Sandra Sharp; 132 (2), 143-51 (2006).

Author Index

Abichou, Tarek
Field Performance of a Compacted Clay Landfill Final Cover at a Humid Site — William H. Albright, Craig H. Benson, Glendon W. Gee, Tarek Abichou, Eric V. McDonald, Scott W. Tyler, and Steven A. Rock; 132 (11), 1393-403 (2006).
Design Considerations for Lysimeters Used to Evaluate Alternative Earthen Final Covers — Tarek Abichou, Xiaoli Liu, and Kamal Tawfiq; 132 (12), 1519-25 (2006).

Abuel-Naga, H. M.
Experimental Evaluation of Engineering Behavior of Soft Bangkok Clay under Elevated Temperature — H. M. Abuel-Naga, D. T. Bergado, G. V. Ramana, L. Grino, P. Rujivipat, and Y. Thet; 132 (7), 902-10 (2006).

Adam, Chris
Effect of Structure on the Geotechnical Properties of Bauxite Residue — Tim Newson, Tom Dyer, Chris Adam, and Sandra Sharp; 132 (2), 143-51 (2006).

Adams, Tiffany
Closure to "Stability of Long Trenches in Sand Supported by Bentonite-Water Slurry" by George M. Filz, Tiffany Adams, and Richard R. Davidson — George M. Filz, Tiffany Adams, and Richard R. Davidson; 132 (5), 666-7 (2006).

Aggour, M. Sherif
Degradation of Sands due to Combined Sinusoidal Loading — M. Sherif Aggour and Jim X. Zhang; 132 (12), 1628-32 (2006).

Agus, Setianto Samingan
Discussion of "Parameters Affecting Soil–Water Characteristic Curves of Fine-Grained Soils" by Vikas K. S. Thakur, S. Sreedeep, and Devendra N. Singh — Setianto Samingan Agus and Tom Schanz; 132 (11), 1509-10 (2006).

Akbulut, Suat
Thermoelastic Enhancement of Damping of Sand Using Synthetic Ground Rubber — Sibel Pamukcu and Suat Akbulut; 132 (4), 501-10 (2006).

Albright, William H.
Field Performance of a Compacted Clay Landfill Final Cover at a Humid Site — William H. Albright, Craig H. Benson, Glendon W. Gee, Tarek Abichou, Eric V. McDonald, Scott W. Tyler, and Steven A. Rock; 132 (11), 1393-403 (2006).

Alramahi, Bashar A.
Microscopic Evaluation of Strain Distribution in Granular Materials during Shear — Khalid A. Alshibli and Bashar A. Alramahi; 132 (1), 80-91 (2006).

Alshawabkeh, Akram N.
Parametric Study of One-Dimensional Solute Transport in Deformable Porous Media — Akram N. Alshawabkeh and Nima Rahbar; 132 (8), 1001-10 (2006).

Alshibli, Khalid A.
Microscopic Evaluation of Strain Distribution in Granular Materials during Shear — Khalid A. Alshibli and Bashar A. Alramahi; 132 (1), 80-91 (2006).

AnhDan, LeQuang
Discussion of "Stress Diffusion Experiment in Sand" by John H. Schmertmann — LeQuang AnhDan and Lynn A. Salvati; 132 (8), 1105 (2006).

Ashford, Scott A.
Soil–Pile Response to Blast-Induced Lateral Spreading. I: Field Test — Scott A. Ashford, Teerawut Juirnarongrit, Takahiro Sugano, and Masanori Hamada; 132 (2), 152-62 (2006).
Soil-Pile Response to Blast-Induced Lateral Spreading. II: Analysis and Assessment of the *p–y* Method — Teerawut Juirnarongrit and Scott A. Ashford; 132 (2), 163-72 (2006).
Closure to "Response of 0.6 m Cast-in-Steel-Shell Pile in Liquefied Soil under Lateral Loading" by Thomas J. Weaver, S. A. Ashford, and Kyle M. Rollins — Thomas J. Weaver, S. A. Ashford, and Kyle M. Rollins; 132 (9), 1239 (2006).

Ashour, Mohamed
Discussion of "Response of 0.6 m Cast-in-Steel-Shell Pile in Liquefied Soil under Lateral Loading" by Thomas J. Weaver, Scott A. Ashford, and Kyle M. Rollins — Mohamed Ashour and Gary Norris; 132 (9), 1238 (2006).
Discussion of "Lateral Resistance of a Full-Scale Pile Group in Liquefied Sand" by Kyle M. Rollins, Travis M. Gerber, J. Dusty Lane, and Scott A. Ashford — Mohamed Ashour and Gary Norris; 132 (9), 1240 (2006).
Discussion of "Measured and Computed Lateral Response of a Pile Group in Sand" by Kyle M. Rollins, J. Dusty Lane, and Travis M. Gerber — Mohamed Ashour and Gary Norris; 132 (9), 1241 (2006).

Aubeny, C. P.
Interpretation of Impact Penetration Measurements in Soft Clays — C. P. Aubeny and H. Shi; 132 (6), 770-7 (2006).

Aubertin, M.
Predictive Model for the Water Retention Curve of Deformable Clayey Soils — M. Mbonimpa, M. Aubertin, A. Maqsoud, and B. Bussière; 132 (9), 1121-32 (2006).

Aydilek, Ahmet H.
Analysis of Factors Affecting Strain Distribution in Geosynthetics — M. Emin Kutay, Murat Guler, and Ahmet H. Aydilek; 132 (1), 1-11 (2006).
Field Evaluation of a Leachate Collection System Constructed with Scrap Tires — Ahmet H. Aydilek, Edward Tristram Madden, and M. Melih Demirkan; 132 (8), 990-1000 (2006).

Baidya, D. K.
Investigation of Foundation Vibrations Resting on a Layered Soil System — D. K. Baidya, G. Muralikrishna, and P. K. Pradhan; 132 (1), 116-23 (2006).

Baise, Laurie G.
Liquefaction Hazard Mapping—Statistical and Spatial Characterization of Susceptible Units — Laurie G. Baise, Rebecca B. Higgins, and Charles M. Brankman; 132 (6), 705-15 (2006).

Baker, R.
Closure to "Nonlinear Mohr Envelopes Based on Triaxial Data" by R. Baker — R. Baker; 132 (1), 130 (2006).

Bakır, B. Sadık
Discussion of "High-Modulus Columns for Liquefaction Mitigation" by James R. Martin II, C. Guney Olgun, James K. Mitchell, and H. Turan Durgunoğlu — B. Sadık Bakır and M. Tolga Yılmaz; 132 (7), 946-7 (2006).
Discussion of "Liquefaction-Induced Lateral Spreading at Izmit Bay during the Kocaeli (Izmit)-Turkey Earthquake" by K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoğlu, W. Lettis, and M. Tolga Yılmaz — B. Sadık Bakır and Selman Sağlam; 132 (7), 953-5 (2006).

Barley, A. D.
Discussion of "Three-Dimensional Responses of a Tied-Back Excavation through Clay" by Richard J. Finno and Jill F. Roboski — A. D. Barley; 132 (10), 1370 (2006).

Bartelt-Hunt, S. L.
Coupled Mechanical and Chemical Behavior of Bentonite Engineered with a Controlled Organic Phase — S. E. Burns, S. L. Bartelt-Hunt, J. A. Smith, and A. Z. Redding; 132 (11), 1404-12 (2006).

Bathurst, Richard J.
Numerical Model for Reinforced Soil Segmental Walls under Surcharge Loading — Kianoosh Hatami and Richard J. Bathurst; 132 (6), 673-84 (2006).
Compatibility with Jet A-1 of a GCL Subjected to Freeze–Thaw Cycles — R. Kerry Rowe, Toshifumi Mukunoki, and Richard J. Bathurst; 132 (12), 1526-37 (2006).

Baturay, M. B.
Closure to "Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey" by Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar — Jonathan D. Bray, Rodolfo B. Sancio, Thaleia Travasarou, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 132 (4), 541-7 (2006).

Baxter, Christopher D. P.
Correlation between Cyclic Resistance Ratios of Intact and Reconstituted Offshore Saturated Sands and Silts with the Same Shear Wave Velocity — Jian-Hua Wang, Kathryn Moran, and Christopher D. P. Baxter; 132 (12), 1574-80 (2006).

Bea, Robert
Reliability and Human Factors in Geotechnical Engineering — Robert Bea; 132 (5), 631-43 (2006).
Beaven, R. P.
Installation of Horizontal Wells in Landfilled Waste Using Directional Drilling — S. E. Cox, R. P. Beaven, W. Powrie, and D. J. Cole; 132 (7), 869-78 (2006).
Bennett, J. E.
Evaluating the Long-Term Performance of Geosynthetic Clay Liners Exposed to Freeze-Thaw — R. K. Podgorney and J. E. Bennett; 132 (2), 265-8 (2006).
Benson, Craig H.
Errata for "Hydraulic Conductivity and Swell of Nonprehydrated Geosynthetic Clay Liners Permeated with Multispecies Inorganic Solutions" by D. Kolstad, C. Benson, and T. Edil — Dale C. Kolstad, Craig H. Benson, and Tuncer B. Edil; 132 (7), 962 (2006).
Field Performance of a Compacted Clay Landfill Final Cover at a Humid Site — William H. Albright, Craig H. Benson, Glendon W. Gee, Tarek Abichou, Eric V. McDonald, Scott W. Tyler, and Steven A. Rock; 132 (11), 1393-403 (2006).
Bentler, Joseph G.
Performance of a Cantilever Retaining Wall — Joseph G. Bentler and Joseph F. Labuz; 132 (8), 1062-70 (2006).
Bergado, D. T.
Experimental Evaluation of Engineering Behavior of Soft Bangkok Clay under Elevated Temperature — H. M. Abuel-Naga, D. T. Bergado, G. V. Ramana, L. Grino, P. Rujivipat, and Y. Thet; 132 (7), 902-10 (2006).
Bloomquist, David
Influence of Torque on Lateral Capacity of Drilled Shafts in Sands — Zhihong Hu, Michael McVay, David Bloomquist, Rodrigo Herrera, and Peter Lai; 132 (4), 456-64 (2006).
Bol, Ertan
Closure to "Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey" by Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar — Jonathan D. Bray, Rodolfo B. Sancio, Thaleia Travasarou, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 132 (4), 541-7 (2006).
Bolton, Malcolm D.
Ground Movement Predictions for Braced Excavations in Undrained Clay — Ashraf S. Osman and Malcolm D. Bolton; 132 (4), 465-77 (2006).
Bouazza, Abdelmalek
Effect of Wet–Dry Cycles and Cation Exchange on Gas Permeability of Geosynthetic Clay Liners — Abdelmalek Bouazza, Thaveesak Vangpaisal, and Stephan Jefferis; 132 (8), 1011-8 (2006).
Boulanger, Ross W.
Shear Localization Due to Liquefaction-Induced Void Redistribution in a Layered Infinite Slope — Erik J. Malvick, Bruce L. Kutter, Ross W. Boulanger, and R. Kulasingam; 132 (10), 1293-303 (2006).
Liquefaction Susceptibility Criteria for Silts and Clays — Ross W. Boulanger and I. M. Idriss; 132 (11), 1413-26 (2006).
Bozbey, Ilknur
Discussion of "Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey" by Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar — S. Feyza Cinicioglu, Ilknur Bozbey, and Sadik Oztoprak; 132 (4), 539-41 (2006).
Brachman, R. W. I.
Physical Response of Geomembrane Wrinkles Overlying Compacted Clay — S. Gudina and R. W. I. Brachman; 132 (10), 1346-53 (2006).
Brandon, Thomas L.
Drained and Undrained Strength Interpretation for Low-Plasticity Silts — Thomas L. Brandon, Andrew T. Rose, and J. Michael Duncan; 132 (2), 250-7 (2006).
Brankman, Charles M.
Liquefaction Hazard Mapping—Statistical and Spatial Characterization of Susceptible Units — Laurie G. Baise, Rebecca B. Higgins, and Charles M. Brankman; 132 (6), 705-15 (2006).
Bray, Jonathan D.
Closure to "Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey" by Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar — Jonathan D. Bray, Rodolfo B. Sancio, Thaleia Travasarou, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 132 (4), 541-7 (2006).
Closure to "Liquefaction-Induced Lateral Spreading at Izmit Bay during the Kocaeli (Izmit)-Turkey Earthquake" by K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoğlu, W. Lettis, and M. Tolga Yilmaz — Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoğlu, W. Lettis, and M. Tolga Yılmaz; 132 (7), 956-9 (2006).
Assessment of the Liquefaction Susceptibility of Fine-Grained Soils — Jonathan D. Bray and Rodolfo B. Sancio; 132 (9), 1165-77 (2006).
Unit Weight of Municipal Solid Waste — Dimitrios Zekkos, Jonathan D. Bray, Edward Kavazanjian, Jr., Neven Matasovic, Ellen M. Rathje, Michael F. Riemer, and Kenneth H. Stokoe, II; 132 (10), 1250-61 (2006).
Seismic Site Response for Near-Fault Forward Directivity Ground Motions — Adrian Rodriguez-Marek and Jonathan D. Bray; 132 (12), 1611-20 (2006).
Breul, Pierre
In Field Soil Characterization: Approach Based on Texture Image Analysis — Pierre Breul and Roland Gourves; 132 (1), 102-7 (2006).
Briaud, Jean-Louis
BCD: A Soil Modulus Device for Compaction Control — Jean-Louis Briaud, Yanfeng Li, and Keunyoung Rhee; 132 (1), 108-15 (2006).
Britton, Jeremy P.
Closure to "Measuring the Hydraulic Conductivity of Soil–Bentonite Backfill" by Jeremy P. Britton, George M. Filz, and Wayne E. Herring — Jeremy P. Britton and George M. Filz; 132 (6), 812-4 (2006).
Budhu, Muniram
Effect of Gas on Pore Pressures in Wet Landfills — Scott M. Merry, Wolfgang U. Fritz, Muniram Budhu, and Krzysztof Jesionek; 132 (5), 553-61 (2006).
Burman, Brian C.
Discussion of "Modeling Expansive Soil Movements beneath Structures" by Mark J. Masia, Yuri Z. Totoev, and Peter W. Kleeman — Brian C. Burman; 132 (1), 128 (2006).
Sudden Failure of a Heavily Loaded Container Pavement — Brian C. Burman; 132 (11), 1455-64 (2006).
Burns, S. E.
Coupled Mechanical and Chemical Behavior of Bentonite Engineered with a Controlled Organic Phase — S. E. Burns, S. L. Bartelt-Hunt, J. A. Smith, and A. Z. Redding; 132 (11), 1404-12 (2006).
Bussière, B.
Predictive Model for the Water Retention Curve of Deformable Clayey Soils — M. Mbonimpa, M. Aubertin, A. Maqsoud, and B. Bussière; 132 (9), 1121-32 (2006).
Byung-Tak, Kim
Use of Artificial Neural Networks in the Prediction of Liquefaction Resistance of Sands — Kim Young-Su and Kim Byung-Tak; 132 (11), 1502-4 (2006).
Cabrillac, Richard
Factors Affecting the Creep Behavior of Grouted Sand — Estelle Delfosse-Ribay, Irini Djeran-Maigre, Richard Cabrillac, and Daniel Gouvenot; 132 (4), 488-500 (2006).
Cai, Meifeng
GIS-Based Implementation of Three-Dimensional Limit Equilibrium Approach of Slope Stability — Mowen Xie, Tetsuro Esaki, and Meifeng Cai; 132 (5), 656-60 (2006).
Carnivale, Michael, III
Laboratory Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Patricia M. Gallagher, Joseph Wartman, Yigang Liu, and Michael Carnivale, III; 132 (5), 562-76 (2006).
Field Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Atwood F. Davis, Steven C. Sands, Michael Carnivale, III, Joseph Wartman, and Patricia M. Gallagher; 132 (5), 577-90 (2006).
Casagrande, Michéle Dal Toé
Behavior of a Fiber-Reinforced Bentonite at Large Shear Displacements — Michéle Dal Toé Casagrande, Matthew Richard Coop, and Nilo Cesar Consoli; 132 (11), 1505-8 (2006).
Castro, Gonzalo
Discussion of "High-Modulus Columns for Liquefaction Mitigation" by James R. Martin II, C. Guney Olgun, James K. Mitchell, and H. Turan Durgunoğlu — Gonzalo Castro; 132 (7), 948-50 (2006).

Cavalcante, Erinaldo H.
Discussion of "Review of Standard Penetration Test Short Rod Corrections" by Chris R. Daniel, John A. Howie, R. Scott Jackson, and Brian Walker — Fernando A. B. Danziger, Bernadete R. Danziger, and Erinaldo H. Cavalcante; 132 (12), 1634-7 (2006).

Cerato, A. B.
Bearing Capacity of Square and Circular Footings on a Finite Layer of Granular Soil Underlain by a Rigid Base — A. B. Cerato and A. J. Lutenegger; 132 (11), 1496-501 (2006).

Cetin, K. Onder
Closure to "Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey" by Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar — Jonathan D. Bray, Rodolfo B. Sancio, Thaleia Travasarou, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 132 (4), 541-7 (2006).
Closure to "Standard Penetration Test-Based Probabilistic and Deterministic Assessment of Seismic Soil Liquefaction Potential" by K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder Jr., Robert E. Kayen, and Robert E. S. Moss — K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder, Jr., Robert E. Kayen, and Robb E. S. Moss; 132 (5), 667-9 (2006).
Closure to "Liquefaction-Induced Lateral Spreading at Izmit Bay during the Kocaeli (Izmit)-Turkey Earthquake" by K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoğlu, W. Lettis, and M. Tolga Yilmaz — Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoğlu, W. Lettis, and M. Tolga Yılmaz; 132 (7), 956-9 (2006).
CPT-Based Probabilistic and Deterministic Assessment of In Situ Seismic Soil Liquefaction Potential — R. E. S. Moss, R. B. Seed, R. E. Kayen, J. P. Stewart, A. Der Kiureghian, and K. O. Cetin; 132 (8), 1032-51 (2006).

Chan, F.
Termination Criteria for Jacked Pile Construction and Load Transfer in Weathered Soils — L. M. Zhang, C. W. W. Ng, F. Chan, and H. W. Pang; 132 (7), 819-29 (2006).

Chang, C. S.
Anisotropic Nonlinear Elastic Model for Particulate Materials — P.-Y. Hicher and C. S. Chang; 132 (8), 1052-61 (2006).

Chang, Wen-Jong
Logistic Regression Model for Evaluating Soil Liquefaction Probability Using CPT Data — Sheng-Yao Lai, Wen-Jong Chang, and Ping-Sien Lin; 132 (6), 694-704 (2006).

Chapuis, Robert P.
Discussion of "Measuring the Hydraulic Conductivity of Soil–Bentonite Backfill" by Jeremy P. Britton, George M. Filz, and Wayne E. Herring — Robert P. Chapuis; 132 (6), 809-12 (2006).

Chen, Chien-Hsun
Mapping Liquefaction Potential Considering Spatial Correlations of CPT Measurements — Chia-Nan Liu and Chien-Hsun Chen; 132 (9), 1178-87 (2006).

Chen, Shi-Shuenn
Simplified Model for Vertical Vibrations of Surface Foundations — Shi-Shuenn Chen and Jun-Yang Shi; 132 (5), 651-5 (2006).
Analytical Solution for Piles Supporting Combined Lateral Loads — Yun-Mei Hsiung, Shi-Shuenn Chen, and Yi-Chuan Chou; 132 (10), 1315-24 (2006).

Cho, Gye-Chun
Particle Shape Effects on Packing Density, Stiffness, and Strength: Natural and Crushed Sands — Gye-Chun Cho, Jake Dodds, and J. Carlos Santamarina; 132 (5), 591-602 (2006).

Choi, E. S. C.
In Situ Pore Pressure Responses of Native Peat and Soil under Train Load: A Case Study — R. C. K. Wong, P. R. Thomson, and E. S. C. Choi; 132 (10), 1360-9 (2006).

Choi, Hangseok
Slug Test Analysis in Vertical Cutoff Walls. I: Analysis Methods — Hangseok Choi and David E. Daniel; 132 (4), 429-38 (2006).
Slug Test Analysis in Vertical Cutoff Walls. II: Applications — Hangseok Choi and David E. Daniel; 132 (4), 439-47 (2006).

Chou, Yi-Chuan
Analytical Solution for Piles Supporting Combined Lateral Loads — Yun-Mei Hsiung, Shi-Shuenn Chen, and Yi-Chuan Chou; 132 (10), 1315-24 (2006).

Chow, Y. K.
Pile Behavior due to Excavation-Induced Soil Movement in Clay. I: Stable Wall — D. E. L. Ong, C. E. Leung, and Y. K. Chow; 132 (1), 36-44 (2006).
Pile Behavior Due to Excavation-Induced Soil Movement in Clay. II: Collapsed Wall — C. F. Leung, D. E. L. Ong, and Y. K. Chow; 132 (1), 45-53 (2006).

Chowdhury, B.
Laboratory Study of Liquefaction due to Wave–Seabed Interaction — B. Chowdhury, G. R. Dasari, and T. Nogami; 132 (7), 842-51 (2006).

Christensen, C.
Closure to "Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey" by Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar — Jonathan D. Bray, Rodolfo B. Sancio, Thaleia Travasarou, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 132 (4), 541-7 (2006).

Chu, B. L.
Liquefaction-Induced Lateral Spreading in Near-Fault Regions during the 1999 Chi-Chi, Taiwan Earthquake — Daniel B. Chu, Jonathan P. Stewart, T. Leslie Youd, and B. L. Chu; 132 (12), 1549-65 (2006).

Chu, Daniel B.
Liquefaction-Induced Lateral Spreading in Near-Fault Regions during the 1999 Chi-Chi, Taiwan Earthquake — Daniel B. Chu, Jonathan P. Stewart, T. Leslie Youd, and B. L. Chu; 132 (12), 1549-65 (2006).

Chu, J.
Discussion of "Possibility of Postliquefaction Flow Failure due to Seepage" by Noriaki Sento, Motoki Kazama, Ryosuke Uzuoka, Hirofumi Ohmura, and Makato Ishimaru — J. Chu; 132 (3), 425-6 (2006).

Chung, Shin Fun
Effect of Penetration Rate on Penetrometer Resistance in Clay — Shin Fun Chung, Mark F. Randolph, and James A. Schneider; 132 (9), 1188-96 (2006).

Cinicioglu, S. Feyza
Discussion of "Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey" by Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar — S. Feyza Cinicioglu, Ilknur Bozbey, and Sadik Oztoprak; 132 (4), 539-41 (2006).

Clemente, Frank M., Jr.
Discussion of "Development of Downdrag on Piles and Pile Groups in Consolidating Soil" by C. J. Lee and Charles W. W. Ng — Frank M. Clemente, Jr.; 132 (4), 547 (2006).

Cole, D. J.
Installation of Horizontal Wells in Landfilled Waste Using Directional Drilling — S. E. Cox, R. P. Beaven, W. Powrie, and D. J. Cole; 132 (7), 869-78 (2006).

Cole, Ryan T.
Cyclic Lateral Load Behavior of a Pile Cap and Backfill — Kyle M. Rollins and Ryan T. Cole; 132 (9), 1143-53 (2006).
Passive Earth Pressure Mobilization during Cyclic Loading — Ryan T. Cole and Kyle M. Rollins; 132 (9), 1154-64 (2006).

Consoli, Nilo Cesar
Behavior of a Fiber-Reinforced Bentonite at Large Shear Displacements — Michéle Dal Toé Casagrande, Matthew Richard Coop, and Nilo Cesar Consoli; 132 (11), 1505-8 (2006).

Coop, Matthew Richard
Behavior of a Fiber-Reinforced Bentonite at Large Shear Displacements — Michéle Dal Toé Casagrande, Matthew Richard Coop, and Nilo Cesar Consoli; 132 (11), 1505-8 (2006).

Cox, S. E.
Installation of Horizontal Wells in Landfilled Waste Using Directional Drilling — S. E. Cox, R. P. Beaven, W. Powrie, and D. J. Cole; 132 (7), 869-78 (2006).

Daniel, Chris R.
Closure to "Review of Standard Penetration Test Short Rod Corrections" by Chris R. Daniel, John A. Howie, R. Scott Jackson, and Brian Walker — Chris R. Daniel, John A. Howie, R. Scott Jackson, and Brian Walker; 132 (12), 1637-40 (2006).

Daniel, David E.
Slug Test Analysis in Vertical Cutoff Walls. I:

Analysis Methods — Hangseok Choi and David E. Daniel; 132 (4), 429-38 (2006).
Slug Test Analysis in Vertical Cutoff Walls. II: Applications — Hangseok Choi and David E. Daniel; 132 (4), 439-47 (2006).

Danziger, Bernadete R.
Discussion of "Review of Standard Penetration Test Short Rod Corrections" by Chris R. Daniel, John A. Howie, R. Scott Jackson, and Brian Walker — Fernando A. B. Danziger, Bernadete R. Danziger, and Erinaldo H. Cavalcante; 132 (12), 1634-7 (2006).

Danziger, Fernando A. B.
Discussion of "Review of Standard Penetration Test Short Rod Corrections" by Chris R. Daniel, John A. Howie, R. Scott Jackson, and Brian Walker — Fernando A. B. Danziger, Bernadete R. Danziger, and Erinaldo H. Cavalcante; 132 (12), 1634-7 (2006).

Dapp, Steven
Predicting End Bearing Capacity of Post-Grouted Drilled Shaft in Cohesionless Soils — Gray Mullins, Danny Winters, and Steven Dapp; 132 (4), 478-87 (2006).

Dasari, G. R.
Laboratory Study of Liquefaction due to Wave–Seabed Interaction — B. Chowdhury, G. R. Dasari, and T. Nogami; 132 (7), 842-51 (2006).

Davidson, Richard R.
Closure to "Stability of Long Trenches in Sand Supported by Bentonite-Water Slurry" by George M. Filz, Tiffany Adams, and Richard R. Davidson — George M. Filz, Tiffany Adams, and Richard R. Davidson; 132 (5), 666-7 (2006).

Davis, Atwood F.
Field Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Atwood F. Davis, Steven C. Sands, Michael Carnivale, III, Joseph Wartman, and Patricia M. Gallagher; 132 (5), 577-90 (2006).

Décourt, Luciano
Discussion of "Estimation of Bearing Capacity of Circular Footings on Sands Based on Cone Penetration Test" by Junhwan Lee and Rodrigo Salgado — Luciano Décourt; 132 (11), 1511-3 (2006).
Discussion of "Review of Standard Penetration Test Short Rod Corrections" by Chris R. Daniel, John A. Howie, R. Scott Jackson, and Brian Walker — Luciano Décourt; 132 (12), 1633-4 (2006).

DeJong, Jason T.
Microbially Induced Cementation to Control Sand Response to Undrained Shear — Jason T. DeJong, Michael B. Fritzges, and Klaus Nüsslein; 132 (11), 1381-92 (2006).

Delfosse-Ribay, Estelle
Factors Affecting the Creep Behavior of Grouted Sand — Estelle Delfosse-Ribay, Irini Djeran-Maigre, Richard Cabrillac, and Daniel Gouvenot; 132 (4), 488-500 (2006).

Dell' Avanzi, Eduardo
Discussion of "Rate of Capillary Rise in Soil" by N. Lu and W. J. Likos — Eduardo Dell' Avanzi; 132 (2), 278-80 (2006).

de Mendonca, Marcos Barreto
Column Test Studies of Ochre Biofilm Formation in Geotextile Filters — Marcos Barreto de Mendonca and Maurício Ehrlich; 132 (10), 1284-92 (2006).

Demirkan, M. Melih
Field Evaluation of a Leachate Collection System Constructed with Scrap Tires — Ahmet H. Aydilek, Edward Tristram Madden, and M. Melih Demirkan; 132 (8), 990-1000 (2006).

Der Kiureghian, Armen
Closure to "Standard Penetration Test-Based Probabilistic and Deterministic Assessment of Seismic Soil Liquefaction Potential" by K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder Jr., Robert E. Kayen, and Robert E. S. Moss — K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder, Jr., Robert E. Kayen, and Robb E. S. Moss; 132 (5), 667-9 (2006).
CPT-Based Probabilistic and Deterministic Assessment of In Situ Seismic Soil Liquefaction Potential — R. E. S. Moss, R. B. Seed, R. E. Kayen, J. P. Stewart, A. Der Kiureghian, and K. O. Cetin; 132 (8), 1032-51 (2006).

Desai, Chandra S.
DSC Model for Soil and Interface Including Liquefaction and Prediction of Centrifuge Test — Shashank K. Pradhan and Chandra S. Desai; 132 (2), 214-22 (2006).

de Sanctis, Luca
Bearing Capacity of Piled Rafts on Soft Clay Soils — Luca de Sanctis and Alessandro Mandolini; 132 (12), 1600-10 (2006).

Deschamps, Rick
Limitations in the Back-Analysis of Strength from Failures — Rick Deschamps and Greg Yankey; 132 (4), 532-6 (2006).

de Sousa Coutinho, António G. F.
Data Reduction of Horizontal Load Full-Scale Tests on Bored Concrete Piles and Pile Groups — António G. F. de Sousa Coutinho; 132 (6), 752-69 (2006).

Dietz, Matthew S.
Postpeak Strength of Interfaces in a Stress-Dilatancy Framework — Matthew S. Dietz and Martin L. Lings; 132 (11), 1474-84 (2006).

Ding, Duowen
Nonlinear Stress-Strain Relationship of Soil Reinforced with Flexible Geofibers — Duowen Ding and S. Keith Hargrove; 132 (6), 791-4 (2006).

Dixon, D.
Thermohydromechanical Modeling of a Full-Scale Tunnel Sealing Clay Bulkhead — R. Guo, D. Dixon, and J. Martino; 132 (1), 12-23 (2006).

Djeran-Maigre, Irini
Factors Affecting the Creep Behavior of Grouted Sand — Estelle Delfosse-Ribay, Irini Djeran-Maigre, Richard Cabrillac, and Daniel Gouvenot; 132 (4), 488-500 (2006).

Dodds, Jake
Particle Shape Effects on Packing Density, Stiffness, and Strength: Natural and Crushed Sands — Gye-Chun Cho, Jake Dodds, and J. Carlos Santamarina; 132 (5), 591-602 (2006).

Duncan, J. Michael
Drained and Undrained Strength Interpretation for Low-Plasticity Silts — Thomas L. Brandon, Andrew T. Rose, and J. Michael Duncan; 132 (2), 250-7 (2006).

Durgunoğlu, H. Turan
Closure to "High-Modulus Columns for Liquefaction Mitigation" by James R. Martin II, C. Guney Olgun, James K. Mitchell, and H. Turan Durgunoğlu — James R. Martin, II, C. Guney Olgun, James K. Mitchell, and H. Turan Durgunoğlu; 132 (7), 950-3 (2006).
Closure to "Liquefaction-Induced Lateral Spreading at Izmit Bay during the Kocaeli (Izmit)-Turkey Earthquake" by K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoğlu, W. Lettis, and M. Tolga Yilmaz — Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoğlu, W. Lettis, and M. Tolga Yılmaz; 132 (7), 956-9 (2006).

Durgunoglu, Turan
Closure to "Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey" by Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar — Jonathan D. Bray, Rodolfo B. Sancio, Thaleia Travasarou, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 132 (4), 541-7 (2006).

Dyer, Tom
Effect of Structure on the Geotechnical Properties of Bauxite Residue — Tim Newson, Tom Dyer, Chris Adam, and Sandra Sharp; 132 (2), 143-51 (2006).

Eberhardsteiner, Josef
Loading of a Gravel-Buried Steel Pipe Subjected to Rockfall — Bernhard Pichler, Christian Hellmich, Herbert A. Mang, and Josef Eberhardsteiner; 132 (11), 1465-73 (2006).

Edil, Tuncer B.
Errata for "Hydraulic Conductivity and Swell of Nonprehydrated Geosynthetic Clay Liners Permeated with Multispecies Inorganic Solutions" by D. Kolstad, C. Benson, and T. Edil — Dale C. Kolstad, Craig H. Benson, and Tuncer B. Edil; 132 (7), 962 (2006).

Egbert, Jeffery J.
Pile Spacing Effects on Lateral Pile Group Behavior: Load Tests — Kyle M. Rollins, Ryan J. Olsen, Jeffery J. Egbert, Derek H. Jensen, Kimball G. Olsen, and Brian H. Garrett; 132 (10), 1262-71 (2006).
Pile Spacing Effects on Lateral Pile Group Behavior: Analysis — Kyle M. Rollins, Kimball G. Olsen, Derek H. Jensen, Brian H. Garrett, Ryan J. Olsen, and Jeffery J. Egbert; 132 (10), 1272-83 (2006).

Ehrlich, Maurício
Column Test Studies of Ochre Biofilm Formation in Geotextile Filters — Marcos Barreto de Mendonca and Maurício Ehrlich; 132 (10), 1284-92 (2006).

Elsworth, Derek
Pore Pressure Response Following Undrained uCPT Sounding in a Dilating Soil — Derek Elsworth, Dae Sung Lee, Roman Hryciw, and Seungcheol Shin; 132 (11), 1485-95 (2006).

Elton, David J.
Discussion of "Design Method for Geogrid-Reinforced Unpaved Roads. I: Development of Design Method" by J. P. Giroud and Jie Han — Michael R. Simac, David J. Elton, and Stephan M. Gale; 132 (4), 547-9 (2006).

Esaki, Tetsuro
GIS-Based Implementation of Three-Dimensional Limit Equilibrium Approach of Slope Stability — Mowen Xie, Tetsuro Esaki, and Meifeng Cai; 132 (5), 656-60 (2006).
Evans, Jeffrey C.
Membrane Behavior of Two Backfills from Field-Constructed Soil-Bentonite Cutoff Walls — John T. Henning, Jeffrey C. Evans, and Charles D. Shackelford; 132 (10), 1243-9 (2006).
Fang, Sunny Ye
First-Order Reliability Method for Probabilistic Liquefaction Triggering Analysis Using CPT — C. Hsein Juang, Sunny Ye Fang, and Eng Hui Khor; 132 (3), 337-50 (2006).
Feng, Tao-Wei
Closure to "Using a Small Ring and a Fall-Cone to Determine the Plastic Limit" by Tao-Wei Feng — Tao-Wei Feng; 132 (2), 278 (2006).
Ferrero, Víctor
Resistivity Survey of the Subsurface Conditions in the Estuary of the Rio de la Plata — Víctor Rinaldi, Martín Guichon, Víctor Ferrero, Carlos Serrano, and Norberto Ponti; 132 (1), 72-9 (2006).
Filz, George M.
Closure to "Stability of Long Trenches in Sand Supported by Bentonite-Water Slurry" by George M. Filz, Tiffany Adams, and Richard R. Davidson — George M. Filz, Tiffany Adams, and Richard R. Davidson; 132 (5), 666-7 (2006).
Closure to "Measuring the Hydraulic Conductivity of Soil–Bentonite Backfill" by Jeremy P. Britton, George M. Filz, and Wayne E. Herring — Jeremy P. Britton and George M. Filz; 132 (6), 812-4 (2006).
Finno, Richard J.
Closure to "Three-Dimensional Responses of a Tied-Back Excavation through Clay" by Richard J. Finno and Jill F. Roboski — Richard J. Finno and Jill F. Roboski; 132 (10), 1370 (2006).
Fox, Patrick J.
Discussion of "Stability of Long Trenches in Sand Supported by Bentonite-Water Slurry" by George M. Filz, Tiffany Adams, and Richard R. Davidson — Patrick J. Fox; 132 (5), 666 (2006).
Discussion of "Analysis of a Large Database of GCL Internal Shear Strength Results" by Jorge G. Zornberg, John S. McCartney, and Robert H. Swan, Jr. — Patrick J. Fox; 132 (10), 1373-6 (2006).
Foye, K. C.
Assessment of Variable Uncertainties for Reliability-Based Design of Foundations — K. C. Foye, R. Salgado, and B. Scott; 132 (9), 1197-207 (2006).
Resistance Factors for Use in Shallow Foundation LRFD — K. C. Foye, R. Salgado, and B. Scott; 132 (9), 1208-18 (2006).
Fredlund, Delwyn G.
Unsaturated Soil Mechanics in Engineering Practice — Delwyn G. Fredlund; 132 (3), 286-321 (2006).
Fritz, Wolfgang U.
Effect of Gas on Pore Pressures in Wet Landfills — Scott M. Merry, Wolfgang U. Fritz, Muniram Budhu, and Krzysztof Jesionek; 132 (5), 553-61 (2006).
Fritzges, Michael B.
Microbially Induced Cementation to Control Sand Response to Undrained Shear — Jason T. DeJong, Michael B. Fritzges, and Klaus Nüsslein; 132 (11), 1381-92 (2006).
Fu, Hai-Feng
Construction of Concrete-Faced Rockfill Dams with Weak Rocks — Hao-Feng Xing, Xiao-Nan Gong, Xiao-Guang Zhou, and Hai-Feng Fu; 132 (6), 778-85 (2006).
Fukuoka, Hiroshi
How Reliable is the Plasticity Index for Estimating the Liquefaction Potential of Clayey Sands? — Ivan B. Gratchev, Kyoji Sassa, and Hiroshi Fukuoka; 132 (1), 124-7 (2006).
Gabr, M. A.
Field Study to Investigate WIDE Technology for TCE Extraction — K. A. Warren, M. A. Gabr, and J. D. Quaranta; 132 (9), 1111-20 (2006).
Gale, Stephan M.
Discussion of "Design Method for Geogrid-Reinforced Unpaved Roads. I: Development of Design Method" by J. P. Giroud and Jie Han — Michael R. Simac, David J. Elton, and Stephan M. Gale; 132 (4), 547-9 (2006).
Gallagher, Patricia M.
Laboratory Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Patricia M. Gallagher, Joseph Wartman, Yigang Liu, and Michael Carnivale, III; 132 (5), 562-76 (2006).
Field Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Atwood F. Davis, Steven C. Sands, Michael Carnivale, III, Joseph Wartman, and Patricia M. Gallagher; 132 (5), 577-90 (2006).
Garrett, Brian H.
Pile Spacing Effects on Lateral Pile Group Behavior: Load Tests — Kyle M. Rollins, Ryan J. Olsen, Jeffery J. Egbert, Derek H. Jensen, Kimball G. Olsen, and Brian H. Garrett; 132 (10), 1262-71 (2006).
Pile Spacing Effects on Lateral Pile Group Behavior: Analysis — Kyle M. Rollins, Kimball G. Olsen, Derek H. Jensen, Brian H. Garrett, Ryan J. Olsen, and Jeffery J. Egbert; 132 (10), 1272-83 (2006).
Gassman, Sarah L.
Accounting for Soil Aging When Assessing Liquefaction Potential — Evangelia Leon, Sarah L. Gassman, and Pradeep Talwani; 132 (3), 363-77 (2006).
Gee, Glendon W.
Field Performance of a Compacted Clay Landfill Final Cover at a Humid Site — William H. Albright, Craig H. Benson, Glendon W. Gee, Tarek Abichou, Eric V. McDonald, Scott W. Tyler, and Steven A. Rock; 132 (11), 1393-403 (2006).
Gerber, Travis M.
Closure to "Measured and Computed Lateral Response of a Pile Group in Sand" by Kyle M. Rollins, J. Dusty Lane, and Travis M. Gerber — Kyle M. Rollins, J. Dusty Lane, and Travis M. Gerber; 132 (9), 1241 (2006).
Germaine, John T.
Laboratory Simulation of Field Sampling: Comparison With Ideal Sampling and Field Data — Marika Santagata, Joseph V. Sinfield, and John T. Germaine; 132 (3), 351-62 (2006).
Ghaboussi, Jamshid
Novel Approach to Integration of Numerical Modeling and Field Observations for Deep Excavations — Youssef M. A. Hashash, Camilo Marulanda, Jamshid Ghaboussi, and Sungmoon Jung; 132 (8), 1019-31 (2006).
Ghahramani, A.
Prediction of Soil–Water Characteristic Curve Using Genetic Programming — A. Johari, G. Habibagahi, and A. Ghahramani; 132 (5), 661-5 (2006).
Ghionna, Vito Nicola
Liquefaction Resistance of Undisturbed and Reconstituted Samples of a Natural Coarse Sand from Undrained Cyclic Triaxial Tests — Vito Nicola Ghionna and Daniela Porcino; 132 (2), 194-202 (2006).
Giroud, J. P.
Closure to "Design Method for Geogrid-Reinforced Unpaved Roads. I: Development of Design Method" by J. P. Giroud and Jie Han — J. P. Giroud and Jie Han; 132 (4), 549-51 (2006).
Gong, Xiao-Nan
Construction of Concrete-Faced Rockfill Dams with Weak Rocks — Hao-Feng Xing, Xiao-Nan Gong, Xiao-Guang Zhou, and Hai-Feng Fu; 132 (6), 778-85 (2006).
Goodings, D. J.
Practical Model of Frost Heave in Clay — S. J. Han and D. J. Goodings; 132 (1), 92-101 (2006).
Gourves, Roland
In Field Soil Characterization: Approach Based on Texture Image Analysis — Pierre Breul and Roland Gourves; 132 (1), 102-7 (2006).
Gouvenot, Daniel
Factors Affecting the Creep Behavior of Grouted Sand — Estelle Delfosse-Ribay, Irini Djeran-Maigre, Richard Cabrillac, and Daniel Gouvenot; 132 (4), 488-500 (2006).
Gratchev, Ivan B.
How Reliable is the Plasticity Index for Estimating the Liquefaction Potential of Clayey Sands? — Ivan B. Gratchev, Kyoji Sassa, and Hiroshi Fukuoka; 132 (1), 124-7 (2006).
Greco, Venanzio R.
Active Thrust Due to Backfill Subject to Lines of Surcharge — Venanzio R. Greco; 132 (2), 269-71 (2006).
Griffin, Erin P.
Electronic Nose–Membrane Interface Probe for Geoenvironmental Site Characterization — Pradeep U. Kurup, Bobby Issac, and Erin P. Griffin; 132 (9), 1133-42 (2006).
Grino, L.
Experimental Evaluation of Engineering Behavior of Soft Bangkok Clay under Elevated Temperature — H. M. Abuel-Naga, D. T. Bergado, G. V. Ramana, L. Grino, P. Rujivipat, and Y. Thet; 132 (7), 902-10 (2006).
Grismala, Ralph
Closure to "Ultimate Lateral Resistance to Piles in Cohesionless Soils" by Lianyang Zhang, Francisco Silva, and Ralph Grismala — Lianyang Zhang, Francisco Silva, and Ralph Grismala; 132 (8), 1109-10 (2006).
Grubb, Dennis G.
Laboratory Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Patricia M. Gallagher, Joseph Wartman, Yigang Liu, and Michael Carnivale, III; 132 (5), 562-76 (2006).
Field Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Atwood F. Davis, Steven C. Sands, Michael Carnivale, III,

Joseph Wartman, and Patricia M. Gallagher; 132 (5), 577-90 (2006).

Gruver, D.

Closure to "Field Performance and Analysis of Large-Diameter High-Density Polyethylene Pipe under Deep Soil Fill" by S. M. Sargand, T. Masada, B. Tarawneh, and D. Gruver — S. M. Sargand, T. Masada, B. Tarawneh, and D. Gruver; 132 (7), 960-1 (2006).

Gudina, S.

Physical Response of Geomembrane Wrinkles Overlying Compacted Clay — S. Gudina and R. W. I. Brachman; 132 (10), 1346-53 (2006).

Guichon, Martín

Resistivity Survey of the Subsurface Conditions in the Estuary of the Rio de la Plata — Víctor Rinaldi, Martín Guichon, Víctor Ferrero, Carlos Serrano, and Norberto Ponti; 132 (1), 72-9 (2006).

Guler, Murat

Analysis of Factors Affecting Strain Distribution in Geosynthetics — M. Emin Kutay, Murat Guler, and Ahmet H. Aydilek; 132 (1), 1-11 (2006).

Guo, P. J.

Closure to "Lateral Pipe-Soil Interaction in Sand with Reference to Scale Effect" by P. J. Guo and D. F. E. Stolle — P. J. Guo and D. F. E. Stolle; 132 (10), 1372 (2006).

Guo, R.

Thermohydromechanical Modeling of a Full-Scale Tunnel Sealing Clay Bulkhead — R. Guo, D. Dixon, and J. Martino; 132 (1), 12-23 (2006).

Gupta, Ramesh C.

Errata for "Discussion of 'Unsaturated Constitutive Surfaces from Pressuremeter Tests' by Fernando Schnaid, Luis Artur Kratz de Oliveira, and Wai Ying Yuk Gehling" — Ramesh C. Gupta; 132 (3), 427-8 (2006).

Gutiérrez, Alvaro

Determination of Atterberg Limits: Uncertainty and Implications — Alvaro Gutiérrez; 132 (3), 420-4 (2006).

Habibagahi, G.

Prediction of Soil–Water Characteristic Curve Using Genetic Programming — A. Johari, G. Habibagahi, and A. Ghahramani; 132 (5), 661-5 (2006).

Haehnel, R.

Seasonal Deterioration of Unsurfaced Roads — S. Shoop, R. Haehnel, V. Janoo, D. Harjes, and R. Liston; 132 (7), 852-60 (2006).

Hamada, Masanori

Soil–Pile Response to Blast-Induced Lateral Spreading. I: Field Test — Scott A. Ashford, Teerawut Juirnarongrit, Takahiro Sugano, and Masanori Hamada; 132 (2), 152-62 (2006).

Han, Jie

Closure to "Design Method for Geogrid-Reinforced Unpaved Roads. I: Development of Design Method" by J. P. Giroud and Jie Han — J. P. Giroud and Jie Han; 132 (4), 549-51 (2006).

Experimental Study of Macro- and Microbehavior of Natural Diatomite — Zhenshun Hong, Yoshitaka Tateishi, and Jie Han; 132 (5), 603-10 (2006).

General Analytical Framework for Design of Flexible Reinforced Earth Structures — Jie Han and Dov Leshchinsky; 132 (11), 1427-35 (2006).

Han, S. J.

Practical Model of Frost Heave in Clay — S. J. Han and D. J. Goodings; 132 (1), 92-101 (2006).

Handy, Richard L.

Stress Zones Near Displacement Piers: I. Plastic and Liquefied Behavior — R. L. Handy and David J. White; 132 (1), 54-62 (2006).

Stress Zones near Displacement Piers: II. Radial Cracking and Wedging — R. L. Handy and David J. White; 132 (1), 63-71 (2006).

Discussion of "Secondary Compression" by G. Mesri and B. Vardhanabhuti — Richard L. Handy; 132 (6), 815-6 (2006).

Harder, Leslie F., Jr.

Closure to "Standard Penetration Test-Based Probabilistic and Deterministic Assessment of Seismic Soil Liquefaction Potential" by K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder Jr., Robert E. Kayen, and Robert E. S. Moss — K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder Jr., Robert E. Kayen, and Robb E. S. Moss; 132 (5), 667-9 (2006).

Hargrove, S. Keith

Nonlinear Stress-Strain Relationship of Soil Reinforced with Flexible Geofibers — Duowen Ding and S. Keith Hargrove; 132 (6), 791-4 (2006).

Harjes, D.

Seasonal Deterioration of Unsurfaced Roads — S. Shoop, R. Haehnel, V. Janoo, D. Harjes, and R. Liston; 132 (7), 852-60 (2006).

Hashash, Youssef M. A.

Novel Approach to Integration of Numerical Modeling and Field Observations for Deep Excavations — Youssef M. A. Hashash, Camilo Marulanda, Jamshid Ghaboussi, and Sungmoon Jung; 132 (8), 1019-31 (2006).

Hatami, Kianoosh

Numerical Model for Reinforced Soil Segmental Walls under Surcharge Loading — Kianoosh Hatami and Richard J. Bathurst; 132 (6), 673-84 (2006).

Hellmich, Christian

Loading of a Gravel-Buried Steel Pipe Subjected to Rockfall — Bernhard Pichler, Christian Hellmich, Herbert A. Mang, and Josef Eberhardsteiner; 132 (11), 1465-73 (2006).

Henning, John T.

Membrane Behavior of Two Backfills from Field-Constructed Soil-Bentonite Cutoff Walls — John T. Henning, Jeffrey C. Evans, and Charles D. Shackelford; 132 (10), 1243-9 (2006).

Herrera, Rodrigo

Influence of Torque on Lateral Capacity of Drilled Shafts in Sands — Zhihong Hu, Michael McVay, David Bloomquist, Rodrigo Herrera, and Peter Lai; 132 (4), 456-64 (2006).

Hicher, P.-Y.

Anisotropic Nonlinear Elastic Model for Particulate Materials — P.-Y. Hicher and C. S. Chang; 132 (8), 1052-61 (2006).

Higgins, Rebecca B.

Liquefaction Hazard Mapping—Statistical and Spatial Characterization of Susceptible Units — Laurie G. Baise, Rebecca B. Higgins, and Charles M. Brankman; 132 (6), 705-15 (2006).

Higuchi, Toru

Liquefaction, Cyclic Mobility, and Failure of Silt — Adrian F. L. Hyde, Toru Higuchi, and Kazuya Yasuhara; 132 (6), 716-35 (2006).

Hong, Zhenshun

Comparison in Undrained Shear Strength between Undisturbed and Remolded Ariake Clays — Zhenshun Hong, Songyu Liu, Shuilong Shen, and Takehito Negami; 132 (2), 272-5 (2006).

Experimental Study of Macro- and Microbehavior of Natural Diatomite — Zhenshun Hong, Yoshitaka Tateishi, and Jie Han; 132 (5), 603-10 (2006).

Howie, John A.

Closure to "Review of Standard Penetration Test Short Rod Corrections" by Chris R. Daniel, John A. Howie, R. Scott Jackson, and Brian Walker — Chris R. Daniel, John A. Howie, R. Scott Jackson, and Brian Walker; 132 (12), 1637-40 (2006).

Hoyos, Laureano R.

Small-Strain Shear Moduli of Chemically Stabilized Sulfate-Bearing Cohesive Soils — Anand J. Puppala, Rupesh Kadam, Raja S. Madhyannapu, and Laureano R. Hoyos; 132 (3), 322-36 (2006).

Hryciw, Roman

Pore Pressure Response Following Undrained uCPT Sounding in a Dilating Soil — Derek Elsworth, Dae Sung Lee, Roman Hryciw, and Seungcheol Shin; 132 (11), 1485-95 (2006).

Hsieh, Ming-Jyh

Closure to "Discriminant Model for Evaluating Soil Liquefaction Potential Using Cone Penetration Test Data" by Sheng-Yao Lai, Sung-Chi Hsu, and Ming-Jyh Hsieh — Sheng-Yao Lai, Sung-Chi Hsu, and Ming-Jyh Hsieh; 132 (5), 670-2 (2006).

Hsiung, Yun-Mei

Analytical Solution for Piles Supporting Combined Lateral Loads — Yun-Mei Hsiung, Shi-Shuenn Chen, and Yi-Chuan Chou; 132 (10), 1315-24 (2006).

Hsu, Chu-Chung

Threshold Shear Strain for Cyclic Pore-Water Pressure in Cohesive Soils — Chu-Chung Hsu and Mladen Vucetic; 132 (10), 1325-35 (2006).

Hsu, Sung-Chi

Material Spatial Variability and Slope Stability for Weak Rock Masses — Sung-Chi Hsu and Priscilla P. Nelson; 132 (2), 183-93 (2006).

Closure to "Discriminant Model for Evaluating Soil Liquefaction Potential Using Cone Penetration Test Data" by Sheng-Yao Lai, Sung-Chi Hsu, and Ming-Jyh Hsieh — Sheng-Yao Lai, Sung-Chi Hsu, and Ming-Jyh Hsieh; 132 (5), 670-2 (2006).

Hu, Zhihong

Influence of Torque on Lateral Capacity of Drilled Shafts in Sands — Zhihong Hu, Michael McVay, David Bloomquist, Rodrigo Herrera, and Peter Lai; 132 (4), 456-64 (2006).

Hyde, Adrian F. L.

Online Earthquake Response Test for Stratified Layers of Clay and Sand — Naoki Takahashi, Masayuki Hyodo, Adrian F. L. Hyde, Yoichi Yamamoto, and Shinya Kimura; 132 (5), 611-21 (2006).

Liquefaction, Cyclic Mobility, and Failure of Silt — Adrian F. L. Hyde, Toru Higuchi, and Kazuya Yasuhara; 132 (6), 716-35 (2006).

Hyodo, Masayuki

Online Earthquake Response Test for Stratified

Layers of Clay and Sand — Naoki Takahashi, Masayuki Hyodo, Adrian F. L. Hyde, Yoichi Yamamoto, and Shinya Kimura; 132 (5), 611-21 (2006).

Idriss, I. M.

Liquefaction Susceptibility Criteria for Silts and Clays — Ross W. Boulanger and I. M. Idriss; 132 (11), 1413-26 (2006).

Indraratna, Buddhima

Vertical Drain Consolidation with Parabolic Distribution of Permeability in Smear Zone — Rohan Walker and Buddhima Indraratna; 132 (7), 937-41 (2006).

Laboratory Evaluation of Smear Zone and Correlation between Permeability and Moisture Content — Iyathurai Sathananthan and Buddhima Indraratna; 132 (7), 942-5 (2006).

Enhanced Criterion for Base Soil Retention in Embankment Dam Filters — Buddhima Indraratna and Ashok K. Raut; 132 (12), 1621-7 (2006).

Ishida, Eisuke

Development of Real-Time Safety Control System for Urban Gas Supply Network — Yoshihisa Shimizu, Fumio Yamazaki, Susumu Yasuda, Ikuo Towhata, Takanobu Suzuki, Ryoji Isoyama, Eisuke Ishida, Iwao Suetomi, Kenichi Koganemaru, and Wataru Nakayama; 132 (2), 237-49 (2006).

Ishihara, Masanori

Degree of Saturation and Liquefaction Resistances of Sand Improved with Sand Compaction Pile — Mitsu Okamura, Masanori Ishihara, and Keiichi Tamura; 132 (2), 258-64 (2006).

Ishimaru, Makoto

Closure to "Possibility of Postliquefaction Flow Failure due to Seepage" by Noriaki Sento, Motoki Kazama, Ryosuke Uzuoka, Hirofumi Ohmura, and Makoto Ishimaru — Noriaki Sento, Motoki Kazama, Ryosuke Uzuoka, Hirofumi Ohmura, and Makoto Ishimaru; 132 (3), 426 (2006).

Ismail, Mostafa A.

Monotonic and Cyclic Behavior of Two Calcareous Soils of Different Origins — Shambhu S. Sharma and Mostafa A. Ismail; 132 (12), 1581-91 (2006).

Isoyama, Ryoji

Development of Real-Time Safety Control System for Urban Gas Supply Network — Yoshihisa Shimizu, Fumio Yamazaki, Susumu Yasuda, Ikuo Towhata, Takanobu Suzuki, Ryoji Isoyama, Eisuke Ishida, Iwao Suetomi, Kenichi Koganemaru, and Wataru Nakayama; 132 (2), 237-49 (2006).

Issac, Bobby

Electronic Nose–Membrane Interface Probe for Geoenvironmental Site Characterization — Pradeep U. Kurup, Bobby Issac, and Erin P. Griffin; 132 (9), 1133-42 (2006).

Jackson, R. Scott

Closure to "Review of Standard Penetration Test Short Rod Corrections" by Chris R. Daniel, John A. Howie, R. Scott Jackson, and Brian Walker — Chris R. Daniel, John A. Howie, R. Scott Jackson, and Brian Walker; 132 (12), 1637-40 (2006).

Janoo, V.

Seasonal Deterioration of Unsurfaced Roads — S. Shoop, R. Haehnel, V. Janoo, D. Harjes, and R. Liston; 132 (7), 852-60 (2006).

Javanmardi, Farrokh

Structural Stability of Concrete Gravity Dams Strengthened by Rockfill Buttressing: Hydrostatic Load — Pierre Léger and Farrokh Javanmardi; 132 (12), 1592-9 (2006).

Jefferis, Stephan

Effect of Wet–Dry Cycles and Cation Exchange on Gas Permeability of Geosynthetic Clay Liners — Abdelmalek Bouazza, Thaveesak Vangpaisal, and Stephan Jefferis; 132 (8), 1011-8 (2006).

Jensen, Derek H.

Pile Spacing Effects on Lateral Pile Group Behavior: Load Tests — Kyle M. Rollins, Ryan J. Olsen, Jeffery J. Egbert, Derek H. Jensen, Kimball G. Olsen, and Brian H. Garrett; 132 (10), 1262-71 (2006).

Pile Spacing Effects on Lateral Pile Group Behavior: Analysis — Kyle M. Rollins, Kimball G. Olsen, Derek H. Jensen, Brian H. Garrett, Ryan J. Olsen, and Jeffery J. Egbert; 132 (10), 1272-83 (2006).

Jesionek, Krzysztof

Effect of Gas on Pore Pressures in Wet Landfills — Scott M. Merry, Wolfgang U. Fritz, Muniram Budhu, and Krzysztof Jesionek; 132 (5), 553-61 (2006).

Johari, A.

Prediction of Soil–Water Characteristic Curve Using Genetic Programming — A. Johari, G. Habibagahi, and A. Ghahramani; 132 (5), 661-5 (2006).

Ju, Shen-Haw

Reduction of Vibrations due to Foundation Slabs — Shen-Haw Ju and Hung-Ta Lin; 132 (4), 511-20 (2006).

Juang, C. Hsein

First-Order Reliability Method for Probabilistic Liquefaction Triggering Analysis Using CPT — C. Hsein Juang, Sunny Ye Fang, and Eng Hui Khor; 132 (3), 337-50 (2006).

Juirnarongrit, Teerawut

Soil–Pile Response to Blast-Induced Lateral Spreading. I: Field Test — Scott A. Ashford, Teerawut Juirnarongrit, Takahiro Sugano, and Masanori Hamada; 132 (2), 152-62 (2006).

Soil-Pile Response to Blast-Induced Lateral Spreading. II: Analysis and Assessment of the p–y Method — Teerawut Juirnarongrit and Scott A. Ashford; 132 (2), 163-72 (2006).

Juneau, O.

Limit-State Curve of Base-Course Material and Its Relevance for Resilient Modulus Testing — J. M. Konrad and O. Juneau; 132 (2), 173-82 (2006).

Jung, Hye-Young

Case History of Geosynthetic Reinforced Segmental Retaining Wall Failure — Chungsik Yoo and Hye-Young Jung; 132 (12), 1538-48 (2006).

Jung, Sungmoon

Novel Approach to Integration of Numerical Modeling and Field Observations for Deep Excavations — Youssef M. A. Hashash, Camilo Marulanda, Jamshid Ghaboussi, and Sungmoon Jung; 132 (8), 1019-31 (2006).

Kadam, Rupesh

Small-Strain Shear Moduli of Chemically Stabilized Sulfate-Bearing Cohesive Soils — Anand J. Puppala, Rupesh Kadam, Raja S. Madhyannapu, and Laureano R. Hoyos; 132 (3), 322-36 (2006).

Kakuturu, Sai

Evaluation of the Parameters Influencing Self-Healing in Earth Dams — Sai Kakuturu and Lakshmi N. Reddi; 132 (7), 879-89 (2006).

Mechanistic Model for Self-Healing of Core Cracks in Earth Dams — Sai Kakuturu and Lakshmi N. Reddi; 132 (7), 890-901 (2006).

Karadayilar, T.

Closure to "Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey" by Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar — Jonathan D. Bray, Rodolfo B. Sancio, Thaleia Travasarou, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 132 (4), 541-7 (2006).

Kavazanjian, Edward, Jr.

Seismic Response of a Composite Landfill Cover — Neven Matasovic and Edward Kavazanjian, Jr.; 132 (4), 448-55 (2006).

Unit Weight of Municipal Solid Waste — Dimitrios Zekkos, Jonathan D. Bray, Edward Kavazanjian, Jr., Neven Matasovic, Ellen M. Rathje, Michael F. Riemer, and Kenneth H. Stokoe, II; 132 (10), 1250-61 (2006).

Kawabata, Toshinori

Behavior of Buried Flexible Pipe under High Fills and Design Implications — Toshinori Kawabata, Hoe I. Ling, Yoshiyuki Mohri, and Daisuke Shoda; 132 (10), 1354-9 (2006).

Kaya, Abidin

Comparison of Methods for Determining Specific Surface Area of Soils — Yeliz Yukselen and Abidin Kaya; 132 (7), 931-6 (2006).

Kayen, Robert E.

Closure to "Standard Penetration Test-Based Probabilistic and Deterministic Assessment of Seismic Soil Liquefaction Potential" by K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder Jr., Robert E. Kayen, and Robert E. S. Moss — K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder, Jr., Robert E. Kayen, and Robb E. S. Moss; 132 (5), 667-9 (2006).

CPT-Based Probabilistic and Deterministic Assessment of In Situ Seismic Soil Liquefaction Potential — R. E. S. Moss, R. B. Seed, R. E. Kayen, J. P. Stewart, A. Der Kiureghian, and K. O. Cetin; 132 (8), 1032-51 (2006).

Kazama, Motoki

Closure to "Possibility of Postliquefaction Flow Failure due to Seepage" by Noriaki Sento, Motoki Kazama, Ryosuke Uzuoka, Hirofumi Ohmura, and Makoto Ishimaru — Noriaki Sento, Motoki Kazama, Ryosuke Uzuoka, Hirofumi Ohmura, and Makoto Ishimaru; 132 (3), 426 (2006).

Khor, Eng Hui

First-Order Reliability Method for Probabilistic Liquefaction Triggering Analysis Using CPT — C. Hsein Juang, Sunny Ye Fang, and Eng Hui Khor; 132 (3), 337-50 (2006).

Kim, Kyungsik

Closure to "Design Loading on Deeply Buried Box Culverts" by Kyungsik Kim and Chai H. Yoo —

Kyungsik Kim and Chai H. Yoo; 132 (8), 1108 (2006).

Kimura, Shinya

Online Earthquake Response Test for Stratified Layers of Clay and Sand — Naoki Takahashi, Masayuki Hyodo, Adrian F. L. Hyde, Yoichi Yamamoto, and Shinya Kimura; 132 (5), 611-21 (2006).

Kleeman, Peter W.

Closure to "Modeling Expansive Soil Movements beneath Structures" by Mark J. Masia, Yuri Z. Totoev, and Peter W. Kleeman — Mark J. Masia, Yuri Z. Totoev, and Peter W. Kleeman; 132 (1), 128 (2006).

Kodikara, J.

Discussion of "Using a Small Ring and a Fall-Cone to Determine the Plastic Limit" by Tao-Wei Feng — J. Kodikara, H. N. Seneviratne, and C. V. Wijayakulasooryia; 132 (2), 276-8 (2006).

Discussion of "Rate of Capillary Rise in Soil" by N. Lu and W. J. Likos — J. Kodikara; 132 (2), 280 (2006).

Koerner, Robert M.

Discussion of "Analysis of a Large Database of GCL Internal Shear Strength Results" by Jorge G. Zornberg, John S. McCartney, and Robert H. Swan Jr. — Robert M. Koerner; 132 (10), 1373 (2006).

Koganemaru, Kenichi

Development of Real-Time Safety Control System for Urban Gas Supply Network — Yoshihisa Shimizu, Fumio Yamazaki, Susumu Yasuda, Ikuo Towhata, Takanobu Suzuki, Ryoji Isoyama, Eisuke Ishida, Iwao Suetomi, Kenichi Koganemaru, and Wataru Nakayama; 132 (2), 237-49 (2006).

Kolstad, Dale C.

Errata for "Hydraulic Conductivity and Swell of Nonprehydrated Geosynthetic Clay Liners Permeated with Multispecies Inorganic Solutions" by D. Kolstad, C. Benson, and T. Edil — Dale C. Kolstad, Craig H. Benson, and Tuncer B. Edil; 132 (7), 962 (2006).

Konrad, J. M.

Limit-State Curve of Base-Course Material and Its Relevance for Resilient Modulus Testing — J. M. Konrad and O. Juneau; 132 (2), 173-82 (2006).

Kulasingam, R.

Shear Localization Due to Liquefaction-Induced Void Redistribution in a Layered Infinite Slope — Erik J. Malvick, Bruce L. Kutter, Ross W. Boulanger, and R. Kulasingam; 132 (10), 1293-303 (2006).

Kurup, Pradeep U.

Electronic Nose–Membrane Interface Probe for Geoenvironmental Site Characterization — Pradeep U. Kurup, Bobby Issac, and Erin P. Griffin; 132 (9), 1133-42 (2006).

Kutay, M. Emin

Analysis of Factors Affecting Strain Distribution in Geosynthetics — M. Emin Kutay, Murat Guler, and Ahmet H. Aydilek; 132 (1), 1-11 (2006).

Kutter, Bruce L.

Shear Localization Due to Liquefaction-Induced Void Redistribution in a Layered Infinite Slope — Erik J. Malvick, Bruce L. Kutter, Ross W. Boulanger, and R. Kulasingam; 132 (10), 1293-303 (2006).

Labuz, Joseph F.

Performance of a Cantilever Retaining Wall — Joseph G. Bentler and Joseph F. Labuz; 132 (8), 1062-70 (2006).

Lai, Carlo G.

ONDA: Computer Code for Nonlinear Seismic Response Analyses of Soil Deposits — Diego C. F. Lo Presti, Carlo G. Lai, and Ignazio Puci; 132 (2), 223-36 (2006).

Lai, Peter

Influence of Torque on Lateral Capacity of Drilled Shafts in Sands — Zhihong Hu, Michael McVay, David Bloomquist, Rodrigo Herrera, and Peter Lai; 132 (4), 456-64 (2006).

Lai, Sheng-Yao

Closure to "Discriminant Model for Evaluating Soil Liquefaction Potential Using Cone Penetration Test Data" by Sheng-Yao Lai, Sung-Chi Hsu, and Ming-Jyh Hsieh — Sheng-Yao Lai, Sung-Chi Hsu, and Ming-Jyh Hsieh; 132 (5), 670-2 (2006).

Logistic Regression Model for Evaluating Soil Liquefaction Probability Using CPT Data — Sheng-Yao Lai, Wen-Jong Chang, and Ping-Sien Lin; 132 (6), 694-704 (2006).

Lane, J. Dusty

Closure to "Measured and Computed Lateral Response of a Pile Group in Sand" by Kyle M. Rollins, J. Dusty Lane, and Travis M. Gerber — Kyle M. Rollins, J. Dusty Lane, and Travis M. Gerber; 132 (9), 1241 (2006).

Larkin, Tam

Reliability of Shallow Foundations Subjected to Multidirectional Seismic Loading — Tam Larkin; 132 (6), 685-93 (2006).

Lee, Dae Sung

Pore Pressure Response Following Undrained uCPT Sounding in a Dilating Soil — Derek Elsworth, Dae Sung Lee, Roman Hryciw, and Seungcheol Shin; 132 (11), 1485-95 (2006).

Lee, Junhwan

Closure to "Estimation of Bearing Capacity of Circular Footings on Sands Based on Cone Penetration Test" by Junhwan Lee and Rodrigo Salgado — Junhwan Lee and Rodrigo Salgado; 132 (11), 1515-8 (2006).

Lee, Kevin Z. Z.

Allowable Bearing Pressures of Bridge Sills on GRS Abutments with Flexible Facing — Jonathan T. H. Wu, Kevin Z. Z. Lee, and Thang Pham; 132 (7), 830-41 (2006).

Lee, P. K. K.

Observed Performance of Long Steel H-Piles Jacked into Sandy Soils — J. Yang, L. G. Tham, P. K. K. Lee, and F. Yu; 132 (1), 24-35 (2006).

Léger, Pierre

Structural Stability of Concrete Gravity Dams Strengthened by Rockfill Buttressing: Hydrostatic Load — Pierre Léger and Farrokh Javanmardi; 132 (12), 1592-9 (2006).

Lehane, B. M.

Behavior of Axially Loaded Pile Groups Driven in Clayey Silt — B. A. McCabe and B. M. Lehane; 132 (3), 401-10 (2006).

Leon, Evangelia

Accounting for Soil Aging When Assessing Liquefaction Potential — Evangelia Leon, Sarah L. Gassman, and Pradeep Talwani; 132 (3), 363-77 (2006).

Leong, Eng-Choon

Shear Strength and Pore-Water Pressure Characteristics during Constant Water Content Triaxial Tests — Trinh Minh Thu, Harianto Rahardjo, and Eng-Choon Leong; 132 (3), 411-9 (2006).

Leshchinsky, Dov

General Analytical Framework for Design of Flexible Reinforced Earth Structures — Jie Han and Dov Leshchinsky; 132 (11), 1427-35 (2006).

Lettis, W.

Closure to "Liquefaction-Induced Lateral Spreading at Izmit Bay during the Kocaeli (Izmit)-Turkey Earthquake" by K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoğlu, W. Lettis, and M. Tolga Yilmaz — Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoğlu, W. Lettis, and M. Tolga Yılmaz; 132 (7), 956-9 (2006).

Leung, C. E.

Pile Behavior due to Excavation-Induced Soil Movement in Clay. I: Stable Wall — D. E. L. Ong, C. E. Leung, and Y. K. Chow; 132 (1), 36-44 (2006).

Leung, C. F.

Pile Behavior Due to Excavation-Induced Soil Movement in Clay. II: Collapsed Wall — C. F. Leung, D. E. L. Ong, and Y. K. Chow; 132 (1), 45-53 (2006).

Li, D. Q.

Impact of Routine Quality Assurance on Reliability of Bored Piles — L. M. Zhang, D. Q. Li, and W. H. Tang; 132 (5), 622-30 (2006).

Li, Yanfeng

BCD: A Soil Modulus Device for Compaction Control — Jean-Louis Briaud, Yanfeng Li, and Keunyoung Rhee; 132 (1), 108-15 (2006).

Liang, Robert

Quality Control Method for Pile Driving — Robert Liang and Luo Yang; 132 (8), 1098-104 (2006).

Numerical Solution for Laterally Loaded Piles in a Two-Layer Soil Profile — Ke Yang and Robert Liang; 132 (11), 1436-43 (2006).

Liang, Shih-Hsun

Stress-Controlled Filtration with Compressible Particles — Julio R. Valdes and Shih-Hsun Liang; 132 (7), 861-8 (2006).

Liao, Jen-Cheng

Lateral Response Evaluation of Single Piles Using Inclinometer Data — San-Shyan Lin and Jen-Cheng Liao; 132 (12), 1566-73 (2006).

Liau, Chi-Chou

Factors Affecting Portable Falling Weight Deflectometer Measurements — Deng-Fong Lin, Chi-Chou Liau, and Jyh-Dong Lin; 132 (6), 804-8 (2006).

Likos, William J.

Suction Stress Characteristic Curve for Unsaturated Soil — Ning Lu and William J. Likos; 132 (2), 131-42 (2006).

Closure to "Rate of Capillary Rise in Soil" by N. Lu and W. J. Likos — Ning Lu and William J. Likos; 132 (2), 280-1 (2006).

Lin, Deng-Fong

Factors Affecting Portable Falling Weight Deflectometer Measurements — Deng-Fong Lin, Chi-Chou Liau, and Jyh-Dong Lin; 132 (6), 804-8 (2006).

Lin, Hung-Ta
Reduction of Vibrations due to Foundation Slabs — Shen-Haw Ju and Hung-Ta Lin; 132 (4), 511-20 (2006).
Lin, Jyh-Dong
Factors Affecting Portable Falling Weight Deflectometer Measurements — Deng-Fong Lin, Chi-Chou Liau, and Jyh-Dong Lin; 132 (6), 804-8 (2006).
Lin, Ping-Sien
Logistic Regression Model for Evaluating Soil Liquefaction Probability Using CPT Data — Sheng-Yao Lai, Wen-Jong Chang, and Ping-Sien Lin; 132 (6), 694-704 (2006).
Lin, San-Shyan
Lateral Response Evaluation of Single Piles Using Inclinometer Data — San-Shyan Lin and Jen-Cheng Liao; 132 (12), 1566-73 (2006).
Ling, Hoe I.
Behavior of Buried Flexible Pipe under High Fills and Design Implications — Toshinori Kawabata, Hoe I. Ling, Yoshiyuki Mohri, and Daisuke Shoda; 132 (10), 1354-9 (2006).
Lings, Martin L.
Postpeak Strength of Interfaces in a Stress-Dilatancy Framework — Matthew S. Dietz and Martin L. Lings; 132 (11), 1474-84 (2006).
Liston, R.
Seasonal Deterioration of Unsurfaced Roads — S. Shoop, R. Haehnel, V. Janoo, D. Harjes, and R. Liston; 132 (7), 852-60 (2006).
Liu, Chia-Nan
Mapping Liquefaction Potential Considering Spatial Correlations of CPT Measurements — Chia-Nan Liu and Chien-Hsun Chen; 132 (9), 1178-87 (2006).
Liu, Ning
Influence of Nonplastic Fines on Shear Wave Velocity-Based Assessment of Liquefaction — Ning Liu and James K. Mitchell; 132 (8), 1091-7 (2006).
Liu, Songyu
Comparison in Undrained Shear Strength between Undisturbed and Remolded Ariake Clays — Zhenshun Hong, Songyu Liu, Shuilong Shen, and Takehito Negami; 132 (2), 272-5 (2006).
Liu, Xiaoli
Design Considerations for Lysimeters Used to Evaluate Alternative Earthen Final Covers — Tarek Abichou, Xiaoli Liu, and Kamal Tawfiq; 132 (12), 1519-25 (2006).
Liu, Yigang
Laboratory Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Patricia M. Gallagher, Joseph Wartman, Yigang Liu, and Michael Carnivale, III; 132 (5), 562-76 (2006).
Lobo-Guerrero, Sebastian
Application of Weibull Statistics to the Tensile Strength of Rock Aggregates — Sebastian Lobo-Guerrero and Luis E. Vallejo; 132 (6), 786-90 (2006).
Lo Presti, Diego C. F.
ONDA: Computer Code for Nonlinear Seismic Response Analyses of Soil Deposits — Diego C. F. Lo Presti, Carlo G. Lai, and Ignazio Puci; 132 (2), 223-36 (2006).
Low, B. K.
Probabilistic Stability Analyses of Embankments Based on Finite-Element Method — B. Xu and B. K. Low; 132 (11), 1444-54 (2006).
Lu, Ning
Suction Stress Characteristic Curve for Unsaturated Soil — Ning Lu and William J. Likos; 132 (2), 131-42 (2006).
Closure to "Rate of Capillary Rise in Soil" by N. Lu and W. J. Likos — Ning Lu and William J. Likos; 132 (2), 280-1 (2006).
Luebbers, Michael
Discussion of "Standard Penetration Test-Based Probabilistic and Deterministic Assessment of Seismic Soil Liquefaction Potential" by K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder Jr., Robert E. Kayen, and Robert E. S. Moss — Michael Luebbers; 132 (5), 667 (2006).
Lutenegger, A. J.
Bearing Capacity of Square and Circular Footings on a Finite Layer of Granular Soil Underlain by a Rigid Base — A. B. Cerato and A. J. Lutenegger; 132 (11), 1496-501 (2006).
Madden, Edward Tristram
Field Evaluation of a Leachate Collection System Constructed with Scrap Tires — Ahmet H. Aydilek, Edward Tristram Madden, and M. Melih Demirkan; 132 (8), 990-1000 (2006).
Madhyannapu, Raja S.
Small-Strain Shear Moduli of Chemically Stabilized Sulfate-Bearing Cohesive Soils — Anand J. Puppala, Rupesh Kadam, Raja S. Madhyannapu, and Laureano R. Hoyos; 132 (3), 322-36 (2006).
Malvick, Erik J.
Shear Localization Due to Liquefaction-Induced Void Redistribution in a Layered Infinite Slope — Erik J. Malvick, Bruce L. Kutter, Ross W. Boulanger, and R. Kulasingam; 132 (10), 1293-303 (2006).
Mandolini, Alessandro
Bearing Capacity of Piled Rafts on Soft Clay Soils — Luca de Sanctis and Alessandro Mandolini; 132 (12), 1600-10 (2006).
Mang, Herbert A.
Loading of a Gravel-Buried Steel Pipe Subjected to Rockfall — Bernhard Pichler, Christian Hellmich, Herbert A. Mang, and Josef Eberhardsteiner; 132 (11), 1465-73 (2006).
Maqsoud, A.
Predictive Model for the Water Retention Curve of Deformable Clayey Soils — M. Mbonimpa, M. Aubertin, A. Maqsoud, and B. Bussière; 132 (9), 1121-32 (2006).
Martin, James R., II
Closure to "High-Modulus Columns for Liquefaction Mitigation" by James R. Martin II, C. Guney Olgun, James K. Mitchell, and H. Turan Durgunoğlu — James R. Martin, II, C. Guney Olgun, James K. Mitchell, and H. Turan Durgunoğlu; 132 (7), 950-3 (2006).
Martino, J.
Thermohydromechanical Modeling of a Full-Scale Tunnel Sealing Clay Bulkhead — R. Guo, D. Dixon, and J. Martino; 132 (1), 12-23 (2006).
Marulanda, Camilo
Novel Approach to Integration of Numerical Modeling and Field Observations for Deep Excavations — Youssef M. A. Hashash, Camilo Marulanda, Jamshid Ghaboussi, and Sungmoon Jung; 132 (8), 1019-31 (2006).
Masada, T.
Closure to "Field Performance and Analysis of Large-Diameter High-Density Polyethylene Pipe under Deep Soil Fill" by S. M. Sargand, T. Masada, B. Tarawneh, and D. Gruver — S. M. Sargand, T. Masada, B. Tarawneh, and D. Gruver; 132 (7), 960-1 (2006).
Masia, Mark J.
Closure to "Modeling Expansive Soil Movements beneath Structures" by Mark J. Masia, Yuri Z. Totoev, and Peter W. Kleeman — Mark J. Masia, Yuri Z. Totoev, and Peter W. Kleeman; 132 (1), 128 (2006).
Matasovic, Neven
Seismic Response of a Composite Landfill Cover — Neven Matasovic and Edward Kavazanjian, Jr.; 132 (4), 448-55 (2006).
Unit Weight of Municipal Solid Waste — Dimitrios Zekkos, Jonathan D. Bray, Edward Kavazanjian, Jr., Neven Matasovic, Ellen M. Rathje, Michael F. Riemer, and Kenneth H. Stokoe, II; 132 (10), 1250-61 (2006).
Mbonimpa, M.
Predictive Model for the Water Retention Curve of Deformable Clayey Soils — M. Mbonimpa, M. Aubertin, A. Maqsoud, and B. Bussière; 132 (9), 1121-32 (2006).
McCabe, B. A.
Behavior of Axially Loaded Pile Groups Driven in Clayey Silt — B. A. McCabe and B. M. Lehane; 132 (3), 401-10 (2006).
McCartney, John S.
Closure to "Analysis of a Large Database of GCL Internal Shear Strength Results" by Jorge G. Zornberg, John S. McCartney, and Robert H. Swan Jr. — Jorge G. Zornberg, John S. McCartney, and Robert H. Swan, Jr.; 132 (10), 1376-9 (2006).
McDonald, Eric V.
Field Performance of a Compacted Clay Landfill Final Cover at a Humid Site — William H. Albright, Craig H. Benson, Glendon W. Gee, Tarek Abichou, Eric V. McDonald, Scott W. Tyler, and Steven A. Rock; 132 (11), 1393-403 (2006).
McGinn, A. J.
Lessons Learned for Ground Movements and Soil Stabilization from the Boston Central Artery — T. D. O'Rourke and A. J. McGinn; 132 (8), 966-89 (2006).
McVay, Michael
Influence of Torque on Lateral Capacity of Drilled Shafts in Sands — Zhihong Hu, Michael McVay, David Bloomquist, Rodrigo Herrera, and Peter Lai; 132 (4), 456-64 (2006).
Merry, Scott M.
Effect of Gas on Pore Pressures in Wet Landfills — Scott M. Merry, Wolfgang U. Fritz, Muniram Budhu, and Krzysztof Jesionek; 132 (5), 553-61 (2006).
Mesri, G.
Closure to "Secondary Compression" by G. Mesri and B. Vardhanabhuti — G. Mesri and B. Vardhanabhuti; 132 (6), 817-8 (2006).
Mitchell, James K.
Closure to "High-Modulus Columns for Liquefaction Mitigation" by James R. Martin II, C. Guney Olgun, James K. Mitchell, and H. Turan Durgunoğlu — James R. Martin, II, C. Guney Olgun, James K. Mitchell, and H. Turan Durgunoğlu; 132 (7), 950-3 (2006).

Influence of Nonplastic Fines on Shear Wave Velocity-Based Assessment of Liquefaction — Ning Liu and James K. Mitchell; 132 (8), 1091-7 (2006).

Mohamedzein, Yahia E.-A.

Discussion of "Field Performance and Analysis of Large-Diameter High-Density Polyethylene Pipe under Deep Soil Fill" by S. M. Sargand, T. Masada, B. Tarawneh, and D. Gruver — Yahia E.-A. Mohamedzein; 132 (7), 960 (2006).

Mohri, Yoshiyuki

Behavior of Buried Flexible Pipe under High Fills and Design Implications — Toshinori Kawabata, Hoe I. Ling, Yoshiyuki Mohri, and Daisuke Shoda; 132 (10), 1354-9 (2006).

Moran, Kathryn

Correlation between Cyclic Resistance Ratios of Intact and Reconstituted Offshore Saturated Sands and Silts with the Same Shear Wave Velocity — Jian-Hua Wang, Kathryn Moran, and Christopher D. P. Baxter; 132 (12), 1574-80 (2006).

Moss, Robb E. S.

Normalizing the CPT for Overburden Stress — R. E. S. Moss, R. B. Seed, and R. S. Olsen; 132 (3), 378-87 (2006).

Closure to "Standard Penetration Test-Based Probabilistic and Deterministic Assessment of Seismic Soil Liquefaction Potential" by K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder Jr., Robert E. Kayen, and Robert E. S. Moss — K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder, Jr., Robert E. Kayen, and Robb E. S. Moss; 132 (5), 667-9 (2006).

CPT-Based Probabilistic and Deterministic Assessment of In Situ Seismic Soil Liquefaction Potential — R. E. S. Moss, R. B. Seed, R. E. Kayen, J. P. Stewart, A. Der Kiureghian, and K. O. Cetin; 132 (8), 1032-51 (2006).

Mukunoki, Toshifumi

Compatibility with Jet A-1 of a GCL Subjected to Freeze–Thaw Cycles — R. Kerry Rowe, Toshifumi Mukunoki, and Richard J. Bathurst; 132 (12), 1526-37 (2006).

Mullins, Gray

Predicting End Bearing Capacity of Post-Grouted Drilled Shaft in Cohesionless Soils — Gray Mullins, Danny Winters, and Steven Dapp; 132 (4), 478-87 (2006).

Muralikrishna, G.

Investigation of Foundation Vibrations Resting on a Layered Soil System — D. K. Baidya, G. Muralikrishna, and P. K. Pradhan; 132 (1), 116-23 (2006).

Nakayama, Wataru

Development of Real-Time Safety Control System for Urban Gas Supply Network — Yoshihisa Shimizu, Fumio Yamazaki, Susumu Yasuda, Ikuo Towhata, Takanobu Suzuki, Ryoji Isoyama, Eisuke Ishida, Iwao Suetomi, Kenichi Koganemaru, and Wataru Nakayama; 132 (2), 237-49 (2006).

Nanakorn, Pruettha

Coupled Heat-Deformation-Flow Analysis for Clayey Soil — Krishna Murari Neaupane and Pruettha Nanakorn; 132 (4), 521-5 (2006).

Neaupane, Krishna Murari

Coupled Heat-Deformation-Flow Analysis for Clayey Soil — Krishna Murari Neaupane and Pruettha Nanakorn; 132 (4), 521-5 (2006).

Negami, Takehito

Comparison in Undrained Shear Strength between Undisturbed and Remolded Ariake Clays — Zhenshun Hong, Songyu Liu, Shuilong Shen, and Takehito Negami; 132 (2), 272-5 (2006).

Nelson, Priscilla P.

Material Spatial Variability and Slope Stability for Weak Rock Masses — Sung-Chi Hsu and Priscilla P. Nelson; 132 (2), 183-93 (2006).

Newson, Tim

Effect of Structure on the Geotechnical Properties of Bauxite Residue — Tim Newson, Tom Dyer, Chris Adam, and Sandra Sharp; 132 (2), 143-51 (2006).

Discussion of "Design Loading on Deeply Buried Box Culverts" by Kyungsik Kim and Chai H. Yoo — Tim Newson and Kevin Stone; 132 (8), 1106-8 (2006).

Ng, C. W. W.

Termination Criteria for Jacked Pile Construction and Load Transfer in Weathered Soils — L. M. Zhang, C. W. W. Ng, F. Chan, and H. W. Pang; 132 (7), 819-29 (2006).

Nogami, T.

Laboratory Study of Liquefaction due to Wave–Seabed Interaction — B. Chowdhury, G. R. Dasari, and T. Nogami; 132 (7), 842-51 (2006).

Norris, Gary

Discussion of "Response of 0.6 m Cast-in-Steel-Shell Pile in Liquefied Soil under Lateral Loading" by Thomas J. Weaver, Scott A. Ashford, and Kyle M. Rollins — Mohamed Ashour and Gary Norris; 132 (9), 1238 (2006).

Discussion of "Lateral Resistance of a Full-Scale Pile Group in Liquefied Sand" by Kyle M. Rollins, Travis M. Gerber, J. Dusty Lane, and Scott A. Ashford — Mohamed Ashour and Gary Norris; 132 (9), 1240 (2006).

Discussion of "Measured and Computed Lateral Response of a Pile Group in Sand" by Kyle M. Rollins, J. Dusty Lane, and Travis M. Gerber — Mohamed Ashour and Gary Norris; 132 (9), 1241 (2006).

Nova-Roessig, Lili

Centrifuge Model Studies of the Seismic Response of Reinforced Soil Slopes — Lili Nova-Roessig and Nicholas Sitar; 132 (3), 388-400 (2006).

Nüsslein, Klaus

Microbially Induced Cementation to Control Sand Response to Undrained Shear — Jason T. DeJong, Michael B. Fritzges, and Klaus Nüsslein; 132 (11), 1381-92 (2006).

Nwaiwu, Charles M. O.

Design of Compacted Lateritic Soil Liners and Covers — Kolawole J. Osinubi and Charles M. O. Nwaiwu; 132 (2), 203-13 (2006).

Ohmura, Hirofumi

Closure to "Possibility of Postliquefaction Flow Failure due to Seepage" by Noriaki Sento, Motoki Kazama, Ryosuke Uzuoka, Hirofumi Ohmura, and Makoto Ishimaru — Noriaki Sento, Motoki Kazama, Ryosuke Uzuoka, Hirofumi Ohmura, and Makoto Ishimaru; 132 (3), 426 (2006).

Okamura, Mitsu

Degree of Saturation and Liquefaction Resistances of Sand Improved with Sand Compaction Pile — Mitsu Okamura, Masanori Ishihara, and Keiichi Tamura; 132 (2), 258-64 (2006).

Olalla, C.

Discussion of "Nonlinear Mohr Envelopes Based on Triaxial Data" by R. Baker — A. Serrano and C. Olalla; 132 (1), 128-9 (2006).

Olgun, C. Guney

Closure to "High-Modulus Columns for Liquefaction Mitigation" by James R. Martin II, C. Guney Olgun, James K. Mitchell, and H. Turan Durgunoğlu — James R. Martin, II, C. Guney Olgun, James K. Mitchell, and H. Turan Durgunoğlu; 132 (7), 950-3 (2006).

Olsen, Kimball G.

Pile Spacing Effects on Lateral Pile Group Behavior: Load Tests — Kyle M. Rollins, Ryan J. Olsen, Jeffery J. Egbert, Derek H. Jensen, Kimball G. Olsen, and Brian H. Garrett; 132 (10), 1262-71 (2006).

Pile Spacing Effects on Lateral Pile Group Behavior: Analysis — Kyle M. Rollins, Kimball G. Olsen, Derek H. Jensen, Brian H. Garrett, Ryan J. Olsen, and Jeffery J. Egbert; 132 (10), 1272-83 (2006).

Olsen, R. S.

Normalizing the CPT for Overburden Stress — R. E. S. Moss, R. B. Seed, and R. S. Olsen; 132 (3), 378-87 (2006).

Olsen, Ryan J.

Pile Spacing Effects on Lateral Pile Group Behavior: Load Tests — Kyle M. Rollins, Ryan J. Olsen, Jeffery J. Egbert, Derek H. Jensen, Kimball G. Olsen, and Brian H. Garrett; 132 (10), 1262-71 (2006).

Pile Spacing Effects on Lateral Pile Group Behavior: Analysis — Kyle M. Rollins, Kimball G. Olsen, Derek H. Jensen, Brian H. Garrett, Ryan J. Olsen, and Jeffery J. Egbert; 132 (10), 1272-83 (2006).

Onalp, Akin

Closure to "Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey" by Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar — Jonathan D. Bray, Rodolfo B. Sancio, Thaleia Travasarou, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 132 (4), 541-7 (2006).

Ong, D. E. L.

Pile Behavior due to Excavation-Induced Soil Movement in Clay. I: Stable Wall — D. E. L. Ong, C. E. Leung, and Y. K. Chow; 132 (1), 36-44 (2006).

Pile Behavior Due to Excavation-Induced Soil Movement in Clay. II: Collapsed Wall — C. F. Leung, D. E. L. Ong, and Y. K. Chow; 132 (1), 45-53 (2006).

O'Rourke, T. D.

Lessons Learned for Ground Movements and Soil Stabilization from the Boston Central Artery — T. D. O'Rourke and A. J. McGinn; 132 (8), 966-89 (2006).

Osinubi, Kolawole J.

Design of Compacted Lateritic Soil Liners and Covers — Kolawole J. Osinubi and Charles M. O. Nwaiwu; 132 (2), 203-13 (2006).

Osman, Ashraf S.
Ground Movement Predictions for Braced Excavations in Undrained Clay — Ashraf S. Osman and Malcolm D. Bolton; 132 (4), 465-77 (2006).
Oweis, Issa S.
Estimate of Landfill Settlements Due to Mechanical and Decompositional Processes — Issa S. Oweis; 132 (5), 644-50 (2006).
Ozbey, M. Cem
Site-Specific Validation of Random Vibration Theory-Based Seismic Site Response Analysis — Ellen M. Rathje and M. Cem Ozbey; 132 (7), 911-22 (2006).
Oztoprak, Sadik
Discussion of "Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey" by Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar — S. Feyza Cinicioglu, Ilknur Bozbey, and Sadik Oztoprak; 132 (4), 539-41 (2006).
Pamukcu, Sibel
Thermoelastic Enhancement of Damping of Sand Using Synthetic Ground Rubber — Sibel Pamukcu and Suat Akbulut; 132 (4), 501-10 (2006).
Pang, H. W.
Termination Criteria for Jacked Pile Construction and Load Transfer in Weathered Soils — L. M. Zhang, C. W. W. Ng, F. Chan, and H. W. Pang; 132 (7), 819-29 (2006).
Pathak, S. R.
Discussion of "Liquefaction-Induced Lateral Spreading at Izmit Bay during the Kocaeli (Izmit)—Turkey Earthquake" by K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoğlu, W. Lettis, and M. Tolga Yilmaz — S. R. Pathak and D. R. Phatak; 132 (7), 955-6 (2006).
Peek, Ralf
Discussion of "Lateral Pipe-Soil Interaction in Sand with Reference to Scale Effect" by P. J. Guo and D. F. E. Stolle — Ralf Peek; 132 (10), 1371-2 (2006).
Pestana, Juan M.
Small-Strain Behavior of Granular Soils. I: Model for Cemented and Uncemented Sands and Gravels — Juan M. Pestana and Lynn A. Salvati; 132 (8), 1071-81 (2006).
Small-Strain Behavior of Granular Soils. II: Seismic Response Analyses and Model Evaluation — Lynn A. Salvati and Juan M. Pestana; 132 (8), 1082-90 (2006).
Pham, Thang
Allowable Bearing Pressures of Bridge Sills on GRS Abutments with Flexible Facing — Jonathan T. H. Wu, Kevin Z. Z. Lee, and Thang Pham; 132 (7), 830-41 (2006).
Phatak, D. R.
Discussion of "Liquefaction-Induced Lateral Spreading at Izmit Bay during the Kocaeli (Izmit)—Turkey Earthquake" by K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoğlu, W. Lettis, and M. Tolga Yilmaz — S. R. Pathak and D. R. Phatak; 132 (7), 955-6 (2006).
Pichler, Bernhard
Loading of a Gravel-Buried Steel Pipe Subjected to Rockfall — Bernhard Pichler, Christian Hellmich, Herbert A. Mang, and Josef Eberhardsteiner; 132 (11), 1465-73 (2006).
Podgorney, R. K.
Evaluating the Long-Term Performance of Geosynthetic Clay Liners Exposed to Freeze-Thaw — R. K. Podgorney and J. E. Bennett; 132 (2), 265-8 (2006).
Ponti, Norberto
Resistivity Survey of the Subsurface Conditions in the Estuary of the Rio de la Plata — Víctor Rinaldi, Martín Guichon, Víctor Ferrero, Carlos Serrano, and Norberto Ponti; 132 (1), 72-9 (2006).
Porcino, Daniela
Liquefaction Resistance of Undisturbed and Reconstituted Samples of a Natural Coarse Sand from Undrained Cyclic Triaxial Tests — Vito Nicola Ghionna and Daniela Porcino; 132 (2), 194-202 (2006).
Poulos, Harry G.
Raked Piles—Virtues and Drawbacks — Harry G. Poulos; 132 (6), 795-803 (2006).
Powrie, W.
Installation of Horizontal Wells in Landfilled Waste Using Directional Drilling — S. E. Cox, R. P. Beaven, W. Powrie, and D. J. Cole; 132 (7), 869-78 (2006).
Pradhan, P. K.
Investigation of Foundation Vibrations Resting on a Layered Soil System — D. K. Baidya, G. Muralikrishna, and P. K. Pradhan; 132 (1), 116-23 (2006).
Pradhan, Shashank K.
DSC Model for Soil and Interface Including Liquefaction and Prediction of Centrifuge Test — Shashank K. Pradhan and Chandra S. Desai; 132 (2), 214-22 (2006).
Puci, Ignazio
ONDA: Computer Code for Nonlinear Seismic Response Analyses of Soil Deposits — Diego C. F. Lo Presti, Carlo G. Lai, and Ignazio Puci; 132 (2), 223-36 (2006).
Punthutaecha, Koonnamas
Soil-Water Characteristic Curves of Stabilized Expansive Soils — Anand J. Puppala, Koonnamas Punthutaecha, and Sai K. Vanapalli; 132 (6), 736-51 (2006).
Puppala, Anand J.
Small-Strain Shear Moduli of Chemically Stabilized Sulfate-Bearing Cohesive Soils — Anand J. Puppala, Rupesh Kadam, Raja S. Madhyannapu, and Laureano R. Hoyos; 132 (3), 322-36 (2006).
Soil-Water Characteristic Curves of Stabilized Expansive Soils — Anand J. Puppala, Koonnamas Punthutaecha, and Sai K. Vanapalli; 132 (6), 736-51 (2006).
Quaranta, J. D.
Field Study to Investigate WIDE Technology for TCE Extraction — K. A. Warren, M. A. Gabr, and J. D. Quaranta; 132 (9), 1111-20 (2006).
Rahardjo, Harianto
Shear Strength and Pore-Water Pressure Characteristics during Constant Water Content Triaxial Tests — Trinh Minh Thu, Harianto Rahardjo, and Eng-Choon Leong; 132 (3), 411-9 (2006).
Rahbar, Nima
Parametric Study of One-Dimensional Solute Transport in Deformable Porous Media — Akram N. Alshawabkeh and Nima Rahbar; 132 (8), 1001-10 (2006).
Ramana, G. V.
Experimental Evaluation of Engineering Behavior of Soft Bangkok Clay under Elevated Temperature — H. M. Abuel-Naga, D. T. Bergado, G. V. Ramana, L. Grino, P. Rujivipat, and Y. Thet; 132 (7), 902-10 (2006).
Randolph, Mark F.
Effect of Penetration Rate on Penetrometer Resistance in Clay — Shin Fun Chung, Mark F. Randolph, and James A. Schneider; 132 (9), 1188-96 (2006).
Rathje, Ellen M.
Site-Specific Validation of Random Vibration Theory-Based Seismic Site Response Analysis — Ellen M. Rathje and M. Cem Ozbey; 132 (7), 911-22 (2006).
Unit Weight of Municipal Solid Waste — Dimitrios Zekkos, Jonathan D. Bray, Edward Kavazanjian, Jr., Neven Matasovic, Ellen M. Rathje, Michael F. Riemer, and Kenneth H. Stokoe, II; 132 (10), 1250-61 (2006).
Raut, Ashok K.
Enhanced Criterion for Base Soil Retention in Embankment Dam Filters — Buddhima Indraratna and Ashok K. Raut; 132 (12), 1621-7 (2006).
Reddi, Lakshmi N.
Evaluation of the Parameters Influencing Self-Healing in Earth Dams — Sai Kakuturu and Lakshmi N. Reddi; 132 (7), 879-89 (2006).
Mechanistic Model for Self-Healing of Core Cracks in Earth Dams — Sai Kakuturu and Lakshmi N. Reddi; 132 (7), 890-901 (2006).
Redding, A. Z.
Coupled Mechanical and Chemical Behavior of Bentonite Engineered with a Controlled Organic Phase — S. E. Burns, S. L. Bartelt-Hunt, J. A. Smith, and A. Z. Redding; 132 (11), 1404-12 (2006).
Rha, ChangSoon
A Robust Macroelement Model for Soil–Pile Interaction under Cyclic Loads — Ertugrul Taciroglu, ChangSoon Rha, and John W. Wallace; 132 (10), 1304-14 (2006).
Rhee, Keunyoung
BCD: A Soil Modulus Device for Compaction Control — Jean-Louis Briaud, Yanfeng Li, and Keunyoung Rhee; 132 (1), 108-15 (2006).
Riemer, Michael F.
Unit Weight of Municipal Solid Waste — Dimitrios Zekkos, Jonathan D. Bray, Edward Kavazanjian, Jr., Neven Matasovic, Ellen M. Rathje, Michael F. Riemer, and Kenneth H. Stokoe, II; 132 (10), 1250-61 (2006).
Rinaldi, Víctor
Resistivity Survey of the Subsurface Conditions in the Estuary of the Rio de la Plata — Víctor Rinaldi, Martín Guichon, Víctor Ferrero, Carlos Serrano, and Norberto Ponti; 132 (1), 72-9 (2006).
Rippe, Arlan H.
Introduction: Dr. Delwyn Fredlund—41st Terzaghi Lecturer — Arlan H. Rippe; 132 (3), 284-5 (2006).
Introduction of Thomas D. O'Rourke, Recipient of the 2005 Ralph B. Peck Award — Arlan H.

Rippe; 132 (8), 963-4 (2006).

Roboski, Jill F.

Closure to "Three-Dimensional Responses of a Tied-Back Excavation through Clay" by Richard J. Finno and Jill F. Roboski — Richard J. Finno and Jill F. Roboski; 132 (10), 1370 (2006).

Rock, Steven A.

Field Performance of a Compacted Clay Landfill Final Cover at a Humid Site — William H. Albright, Craig H. Benson, Glendon W. Gee, Tarek Abichou, Eric V. McDonald, Scott W. Tyler, and Steven A. Rock; 132 (11), 1393-403 (2006).

Rodriguez-Marek, Adrian

Seismic Site Response for Near-Fault Forward Directivity Ground Motions — Adrian Rodriguez-Marek and Jonathan D. Bray; 132 (12), 1611-20 (2006).

Rodríguez-Roa, Fernando

Discussion of "Estimation of Bearing Capacity of Circular Footings on Sands Based on Cone Penetration Test" by Junhwan Lee and Rodrigo Salgado — Fernando Rodríguez-Roa; 132 (11), 1513-5 (2006).

Rollins, Kyle M.

Cyclic Lateral Load Behavior of a Pile Cap and Backfill — Kyle M. Rollins and Ryan T. Cole; 132 (9), 1143-53 (2006).

Passive Earth Pressure Mobilization during Cyclic Loading — Ryan T. Cole and Kyle M. Rollins; 132 (9), 1154-64 (2006).

Closure to "Response of 0.6 m Cast-in-Steel-Shell Pile in Liquefied Soil under Lateral Loading" by Thomas J. Weaver, S. A. Ashford, and Kyle M. Rollins — Thomas J. Weaver, S. A. Ashford, and Kyle M. Rollins; 132 (9), 1239 (2006).

Closure to "Measured and Computed Lateral Response of a Pile Group in Sand" by Kyle M. Rollins, J. Dusty Lane, and Travis M. Gerber — Kyle M. Rollins, J. Dusty Lane, and Travis M. Gerber; 132 (9), 1241 (2006).

Pile Spacing Effects on Lateral Pile Group Behavior: Load Tests — Kyle M. Rollins, Ryan J. Olsen, Jeffery J. Egbert, Derek H. Jensen, Kimball G. Olsen, and Brian H. Garrett; 132 (10), 1262-71 (2006).

Pile Spacing Effects on Lateral Pile Group Behavior: Analysis — Kyle M. Rollins, Kimball G. Olsen, Derek H. Jensen, Brian H. Garrett, Ryan J. Olsen, and Jeffery J. Egbert; 132 (10), 1272-83 (2006).

Rose, Andrew T.

Drained and Undrained Strength Interpretation for Low-Plasticity Silts — Thomas L. Brandon, Andrew T. Rose, and J. Michael Duncan; 132 (2), 250-7 (2006).

Rowe, R. Kerry

Compatibility with Jet A-1 of a GCL Subjected to Freeze–Thaw Cycles — R. Kerry Rowe, Toshifumi Mukunoki, and Richard J. Bathurst; 132 (12), 1526-37 (2006).

Roy, Debasis

Discussion of "Discriminant Model for Evaluating Soil Liquefaction Potential Using Cone Penetration Test Data" by Sheng-Yao Lai, Sung-Chi Hsu, and Ming-Jyh Hsieh — Debasis Roy; 132 (5), 669-70 (2006).

Rujivipat, P.

Experimental Evaluation of Engineering Behavior of Soft Bangkok Clay under Elevated Temperature — H. M. Abuel-Naga, D. T. Bergado, G. V. Ramana, L. Grino, P. Rujivipat, and Y. Thet; 132 (7), 902-10 (2006).

Sadık Bakır, B.

Discussion of "Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey" by Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar — B. Sadık Bakır and M. Tolga Yılmaz; 132 (4), 537-9 (2006).

Sağlam, Selman

Discussion of "Liquefaction-Induced Lateral Spreading at Izmit Bay during the Kocaeli (Izmit)-Turkey Earthquake" by K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoğlu, W. Lettis, and M. Tolga Yılmaz — B. Sadık Bakır and Selman Sağlam; 132 (7), 953-5 (2006).

Salgado, Rodrigo

Closure to "Estimation of Bearing Capacity of Circular Footings on Sands Based on Cone Penetration Test" by Junhwan Lee and Rodrigo Salgado — Junhwan Lee and Rodrigo Salgado; 132 (11), 1515-8 (2006).

Assessment of Variable Uncertainties for Reliability-Based Design of Foundations — K. C. Foye, R. Salgado, and B. Scott; 132 (9), 1197-207 (2006).

Resistance Factors for Use in Shallow Foundation LRFD — K. C. Foye, R. Salgado, and B. Scott; 132 (9), 1208-18 (2006).

Salvati, Lynn A.

Small-Strain Behavior of Granular Soils. I: Model for Cemented and Uncemented Sands and Gravels — Juan M. Pestana and Lynn A. Salvati; 132 (8), 1071-81 (2006).

Small-Strain Behavior of Granular Soils. II: Seismic Response Analyses and Model Evaluation — Lynn A. Salvati and Juan M. Pestana; 132 (8), 1082-90 (2006).

Discussion of "Stress Diffusion Experiment in Sand" by John H. Schmertmann — LeQuang AnhDan and Lynn A. Salvati; 132 (8), 1105 (2006).

Sancio, Rodolfo B.

Closure to "Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey" by Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar — Jonathan D. Bray, Rodolfo B. Sancio, Thaleia Travasarou, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 132 (4), 541-7 (2006).

Assessment of the Liquefaction Susceptibility of Fine-Grained Soils — Jonathan D. Bray and Rodolfo B. Sancio; 132 (9), 1165-77 (2006).

Sands, Steven C.

Field Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Atwood F. Davis, Steven C. Sands, Michael Carnivale, III, Joseph Wartman, and Patricia M. Gallagher; 132 (5), 577-90 (2006).

Santagata, Marika

Laboratory Simulation of Field Sampling: Comparison With Ideal Sampling and Field Data — Marika Santagata, Joseph V. Sinfield, and John T. Germaine; 132 (3), 351-62 (2006).

Santamarina, J. Carlos

Particle Shape Effects on Packing Density, Stiffness, and Strength: Natural and Crushed Sands — Gye-Chun Cho, Jake Dodds, and J. Carlos Santamarina; 132 (5), 591-602 (2006).

Sargand, S. M.

Closure to "Field Performance and Analysis of Large-Diameter High-Density Polyethylene Pipe under Deep Soil Fill" by S. M. Sargand, T. Masada, B. Tarawneh, and D. Gruver — S. M. Sargand, T. Masada, B. Tarawneh, and D. Gruver; 132 (7), 960-1 (2006).

Sassa, Kyoji

How Reliable is the Plasticity Index for Estimating the Liquefaction Potential of Clayey Sands? — Ivan B. Gratchev, Kyoji Sassa, and Hiroshi Fukuoka; 132 (1), 124-7 (2006).

Sathananthan, Iyathurai

Laboratory Evaluation of Smear Zone and Correlation between Permeability and Moisture Content — Iyathurai Sathananthan and Buddhima Indraratna; 132 (7), 942-5 (2006).

Sawwaf, Mostafa El

Lateral Resistance of Single Pile Located Near Geosynthetic Reinforced Slope — Mostafa El Sawwaf; 132 (10), 1336-45 (2006).

Schanz, Tom

Discussion of "Parameters Affecting Soil–Water Characteristic Curves of Fine-Grained Soils" by Vikas K. S. Thakur, S. Sreedeep, and Devendra N. Singh — Setianto Samingan Agus and Tom Schanz; 132 (11), 1509-10 (2006).

Schmertmann, John H.

Closure to "Stress Diffusion Experiment in Sand" by John H. Schmertmann — John H. Schmertmann; 132 (8), 1105-6 (2006).

Discussion of "Ultimate Lateral Resistance to Piles in Cohesionless Soils" by Linyang Zhang, Francisco Silva, and Ralph Grismala — John H. Schmertmann; 132 (8), 1108-9 (2006).

Estimating Slope Stability Reduction due to Rain Infiltration Mounding — John H. Schmertmann; 132 (9), 1219-28 (2006).

Schneider, James A.

Effect of Penetration Rate on Penetrometer Resistance in Clay — Shin Fun Chung, Mark F. Randolph, and James A. Schneider; 132 (9), 1188-96 (2006).

Scott, B.

Assessment of Variable Uncertainties for Reliability-Based Design of Foundations — K. C. Foye, R. Salgado, and B. Scott; 132 (9), 1197-207 (2006).

Resistance Factors for Use in Shallow Foundation LRFD — K. C. Foye, R. Salgado, and B. Scott; 132 (9), 1208-18 (2006).

Seed, Raymond B.

Normalizing the CPT for Overburden Stress — R. E. S. Moss, R. B. Seed, and R. S. Olsen; 132 (3), 378-87 (2006).

Closure to "Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey" by Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart,

Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar — Jonathan D. Bray, Rodolfo B. Sancio, Thaleia Travasarou, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 132 (4), 541-7 (2006).

Closure to "Standard Penetration Test-Based Probabilistic and Deterministic Assessment of Seismic Soil Liquefaction Potential" by K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder Jr., Robert E. Kayen, and Robert E. S. Moss — K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder, Jr., Robert E. Kayen, and Robb E. S. Moss; 132 (5), 667-9 (2006).

Closure to "Liquefaction-Induced Lateral Spreading at Izmit Bay during the Kocaeli (Izmit)-Turkey Earthquake" by K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoğlu, W. Lettis, and M. Tolga Yilmaz — Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoğlu, W. Lettis, and M. Tolga Yılmaz; 132 (7), 956-9 (2006).

CPT-Based Probabilistic and Deterministic Assessment of In Situ Seismic Soil Liquefaction Potential — R. E. S. Moss, R. B. Seed, R. E. Kayen, J. P. Stewart, A. Der Kiureghian, and K. O. Cetin; 132 (8), 1032-51 (2006).

Seneviratne, H. N.

Discussion of "Using a Small Ring and a Fall-Cone to Determine the Plastic Limit" by Tao-Wei Feng — J. Kodikara, H. N. Seneviratne, and C. V. Wijayakulasooryia; 132 (2), 276-8 (2006).

Sento, Noriaki

Closure to "Possibility of Postliquefaction Flow Failure due to Seepage" by Noriaki Sento, Motoki Kazama, Ryosuke Uzuoka, Hirofumi Ohmura, and Makoto Ishimaru — Noriaki Sento, Motoki Kazama, Ryosuke Uzuoka, Hirofumi Ohmura, and Makoto Ishimaru; 132 (3), 426 (2006).

Serrano, A.

Discussion of "Nonlinear Mohr Envelopes Based on Triaxial Data" by R. Baker — A. Serrano and C. Olalla; 132 (1), 128-9 (2006).

Serrano, Carlos

Resistivity Survey of the Subsurface Conditions in the Estuary of the Rio de la Plata — Víctor Rinaldi, Martín Guichon, Víctor Ferrero, Carlos Serrano, and Norberto Ponti; 132 (1), 72-9 (2006).

Shackelford, Charles D.

Membrane Behavior of Two Backfills from Field-Constructed Soil-Bentonite Cutoff Walls — John T. Henning, Jeffrey C. Evans, and Charles D. Shackelford; 132 (10), 1243-9 (2006).

Sharma, Shambhu S.

Monotonic and Cyclic Behavior of Two Calcareous Soils of Different Origins — Shambhu S. Sharma and Mostafa A. Ismail; 132 (12), 1581-91 (2006).

Sharp, Sandra

Effect of Structure on the Geotechnical Properties of Bauxite Residue — Tim Newson, Tom Dyer, Chris Adam, and Sandra Sharp; 132 (2), 143-51 (2006).

Shen, Shuilong

Comparison in Undrained Shear Strength between Undisturbed and Remolded Ariake Clays — Zhenshun Hong, Songyu Liu, Shuilong Shen, and Takehito Negami; 132 (2), 272-5 (2006).

Shi, H.

Interpretation of Impact Penetration Measurements in Soft Clays — C. P. Aubeny and H. Shi; 132 (6), 770-7 (2006).

Shi, Jun-Yang

Simplified Model for Vertical Vibrations of Surface Foundations — Shi-Shuenn Chen and Jun-Yang Shi; 132 (5), 651-5 (2006).

Shimizu, Yoshihisa

Development of Real-Time Safety Control System for Urban Gas Supply Network — Yoshihisa Shimizu, Fumio Yamazaki, Susumu Yasuda, Ikuo Towhata, Takanobu Suzuki, Ryoji Isoyama, Eisuke Ishida, Iwao Suetomi, Kenichi Koganemaru, and Wataru Nakayama; 132 (2), 237-49 (2006).

Shin, Seungcheol

Pore Pressure Response Following Undrained uCPT Sounding in a Dilating Soil — Derek Elsworth, Dae Sung Lee, Roman Hryciw, and Seungcheol Shin; 132 (11), 1485-95 (2006).

Shoda, Daisuke

Behavior of Buried Flexible Pipe under High Fills and Design Implications — Toshinori Kawabata, Hoe I. Ling, Yoshiyuki Mohri, and Daisuke Shoda; 132 (10), 1354-9 (2006).

Shoop, S.

Seasonal Deterioration of Unsurfaced Roads — S. Shoop, R. Haehnel, V. Janoo, D. Harjes, and R. Liston; 132 (7), 852-60 (2006).

Silva, Francisco

Closure to "Ultimate Lateral Resistance to Piles in Cohesionless Soils" by Lianyang Zhang, Francisco Silva, and Ralph Grismala — Lianyang Zhang, Francisco Silva, and Ralph Grismala; 132 (8), 1109-10 (2006).

Simac, Michael R.

Discussion of "Design Method for Geogrid-Reinforced Unpaved Roads. I: Development of Design Method" by J. P. Giroud and Jie Han — Michael R. Simac, David J. Elton, and Stephan M. Gale; 132 (4), 547-9 (2006).

Sinfield, Joseph V.

Laboratory Simulation of Field Sampling: Comparison With Ideal Sampling and Field Data — Marika Santagata, Joseph V. Sinfield, and John T. Germaine; 132 (3), 351-62 (2006).

Singh, Devendra N.

Closure to "Parameters Affecting Soil–Water Characteristic Curves of Fine-Grained Soils" by Vikas K. S. Thakur, S. Sreedeep, and Devendra N. Singh — Vikas K. S. Thakur, S. Sreedeep, and Devendra N. Singh; 132 (11), 1510-1 (2006).

Sitar, Nicholas

Centrifuge Model Studies of the Seismic Response of Reinforced Soil Slopes — Lili Nova-Roessig and Nicholas Sitar; 132 (3), 388-400 (2006).

Smith, J. A.

Coupled Mechanical and Chemical Behavior of Bentonite Engineered with a Controlled Organic Phase — S. E. Burns, S. L. Bartelt-Hunt, J. A. Smith, and A. Z. Redding; 132 (11), 1404-12 (2006).

Sreedeep, S.

Closure to "Parameters Affecting Soil–Water Characteristic Curves of Fine-Grained Soils" by Vikas K. S. Thakur, S. Sreedeep, and Devendra N. Singh — Vikas K. S. Thakur, S. Sreedeep, and Devendra N. Singh; 132 (11), 1510-1 (2006).

Stewart, Jonathan P.

Closure to "Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey" by Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar — Jonathan D. Bray, Rodolfo B. Sancio, Thaleia Travasarou, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 132 (4), 541-7 (2006).

Closure to "Liquefaction-Induced Lateral Spreading at Izmit Bay during the Kocaeli (Izmit)-Turkey Earthquake" by K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoğlu, W. Lettis, and M. Tolga Yilmaz — Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoğlu, W. Lettis, and M. Tolga Yılmaz; 132 (7), 956-9 (2006).

CPT-Based Probabilistic and Deterministic Assessment of In Situ Seismic Soil Liquefaction Potential — R. E. S. Moss, R. B. Seed, R. E. Kayen, J. P. Stewart, A. Der Kiureghian, and K. O. Cetin; 132 (8), 1032-51 (2006).

Liquefaction-Induced Lateral Spreading in Near-Fault Regions during the 1999 Chi-Chi, Taiwan Earthquake — Daniel B. Chu, Jonathan P. Stewart, T. Leslie Youd, and B. L. Chu; 132 (12), 1549-65 (2006).

Stokoe, Kenneth H., II

Unit Weight of Municipal Solid Waste — Dimitrios Zekkos, Jonathan D. Bray, Edward Kavazanjian, Jr., Neven Matasovic, Ellen M. Rathje, Michael F. Riemer, and Kenneth H. Stokoe, II; 132 (10), 1250-61 (2006).

Stolle, D. F. E.

Closure to "Lateral Pipe-Soil Interaction in Sand with Reference to Scale Effect" by P. J. Guo and D. F. E. Stolle — P. J. Guo and D. F. E. Stolle; 132 (10), 1372 (2006).

Stone, Kevin

Discussion of "Design Loading on Deeply Buried Box Culverts" by Kyungsik Kim and Chai H. Yoo — Tim Newson and Kevin Stone; 132 (8), 1106-8 (2006).

Suetomi, Iwao

Development of Real-Time Safety Control System for Urban Gas Supply Network — Yoshihisa Shimizu, Fumio Yamazaki, Susumu Yasuda, Ikuo Towhata, Takanobu Suzuki, Ryoji Isoyama, Eisuke Ishida, Iwao Suetomi, Kenichi Koganemaru, and Wataru Nakayama; 132 (2), 237-49 (2006).

Sugano, Takahiro

Soil–Pile Response to Blast-Induced Lateral Spreading. I: Field Test — Scott A. Ashford, Teerawut Juirnarongrit, Takahiro Sugano, and Masanori Hamada; 132 (2), 152-62 (2006).

Suzuki, Takanobu

Development of Real-Time Safety Control System

for Urban Gas Supply Network — Yoshihisa Shimizu, Fumio Yamazaki, Susumu Yasuda, Ikuo Towhata, Takanobu Suzuki, Ryoji Isoyama, Eisuke Ishida, Iwao Suetomi, Kenichi Koganemaru, and Wataru Nakayama; 132 (2), 237-49 (2006).

Swan, Robert H., Jr.

Closure to "Analysis of a Large Database of GCL Internal Shear Strength Results" by Jorge G. Zornberg, John S. McCartney, and Robert H. Swan Jr. — Jorge G. Zornberg, John S. McCartney, and Robert H. Swan, Jr.; 132 (10), 1376-9 (2006).

Taciroglu, Ertugrul

A Robust Macroelement Model for Soil–Pile Interaction under Cyclic Loads — Ertugrul Taciroglu, ChangSoon Rha, and John W. Wallace; 132 (10), 1304-14 (2006).

Takahashi, Naoki

Online Earthquake Response Test for Stratified Layers of Clay and Sand — Naoki Takahashi, Masayuki Hyodo, Adrian F. L. Hyde, Yoichi Yamamoto, and Shinya Kimura; 132 (5), 611-21 (2006).

Talwani, Pradeep

Accounting for Soil Aging When Assessing Liquefaction Potential — Evangelia Leon, Sarah L. Gassman, and Pradeep Talwani; 132 (3), 363-77 (2006).

Tamura, Keiichi

Degree of Saturation and Liquefaction Resistances of Sand Improved with Sand Compaction Pile — Mitsu Okamura, Masanori Ishihara, and Keiichi Tamura; 132 (2), 258-64 (2006).

Tang, W. H.

Impact of Routine Quality Assurance on Reliability of Bored Piles — L. M. Zhang, D. Q. Li, and W. H. Tang; 132 (5), 622-30 (2006).

Tarawneh, B.

Closure to "Field Performance and Analysis of Large-Diameter High-Density Polyethylene Pipe under Deep Soil Fill" by S. M. Sargand, T. Masada, B. Tarawneh, and D. Gruver — S. M. Sargand, T. Masada, B. Tarawneh, and D. Gruver; 132 (7), 960-1 (2006).

Tateishi, Yoshitaka

Experimental Study of Macro- and Microbehavior of Natural Diatomite — Zhenshun Hong, Yoshitaka Tateishi, and Jie Han; 132 (5), 603-10 (2006).

Tawfiq, Kamal

Design Considerations for Lysimeters Used to Evaluate Alternative Earthen Final Covers — Tarek Abichou, Xiaoli Liu, and Kamal Tawfiq; 132 (12), 1519-25 (2006).

Thakur, Vikas K. S.

Closure to "Parameters Affecting Soil–Water Characteristic Curves of Fine-Grained Soils" by Vikas K. S. Thakur, S. Sreedeep, and Devendra N. Singh — Vikas K. S. Thakur, S. Sreedeep, and Devendra N. Singh; 132 (11), 1510-1 (2006).

Tham, L. G.

Observed Performance of Long Steel H-Piles Jacked into Sandy Soils — J. Yang, L. G. Tham, P. K. K. Lee, and F. Yu; 132 (1), 24-35 (2006).

Thet, Y.

Experimental Evaluation of Engineering Behavior of Soft Bangkok Clay under Elevated Temperature — H. M. Abuel-Naga, D. T. Bergado, G. V. Ramana, L. Grino, P. Rujivipat, and Y. Thet; 132 (7), 902-10 (2006).

Thomson, P. R.

In Situ Pore Pressure Responses of Native Peat and Soil under Train Load: A Case Study — R. C. K. Wong, P. R. Thomson, and E. S. C. Choi; 132 (10), 1360-9 (2006).

Thu, Trinh Minh

Shear Strength and Pore-Water Pressure Characteristics during Constant Water Content Triaxial Tests — Trinh Minh Thu, Harianto Rahardjo, and Eng-Choon Leong; 132 (3), 411-9 (2006).

Tokimatsu, Kohji

Closure to "Standard Penetration Test-Based Probabilistic and Deterministic Assessment of Seismic Soil Liquefaction Potential" by K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder Jr., Robert E. Kayen, and Robert E. S. Moss — K. Onder Cetin, Raymond B. Seed, Armen Der Kiureghian, Kohji Tokimatsu, Leslie F. Harder, Jr., Robert E. Kayen, and Robb E. S. Moss; 132 (5), 667-9 (2006).

Totoev, Yuri Z.

Closure to "Modeling Expansive Soil Movements beneath Structures" by Mark J. Masia, Yuri Z. Totoev, and Peter W. Kleeman — Mark J. Masia, Yuri Z. Totoev, and Peter W. Kleeman; 132 (1), 128 (2006).

Towhata, Ikuo

Development of Real-Time Safety Control System for Urban Gas Supply Network — Yoshihisa Shimizu, Fumio Yamazaki, Susumu Yasuda, Ikuo Towhata, Takanobu Suzuki, Ryoji Isoyama, Eisuke Ishida, Iwao Suetomi, Kenichi Koganemaru, and Wataru Nakayama; 132 (2), 237-49 (2006).

Travasarou, Thaleia

Closure to "Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey" by Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar — Jonathan D. Bray, Rodolfo B. Sancio, Thaleia Travasarou, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 132 (4), 541-7 (2006).

Tyler, Scott W.

Field Performance of a Compacted Clay Landfill Final Cover at a Humid Site — William H. Albright, Craig H. Benson, Glendon W. Gee, Tarek Abichou, Eric V. McDonald, Scott W. Tyler, and Steven A. Rock; 132 (11), 1393-403 (2006).

Uzuoka, Ryosuke

Closure to "Possibility of Postliquefaction Flow Failure due to Seepage" by Noriaki Sento, Motoki Kazama, Ryosuke Uzuoka, Hirofumi Ohmura, and Makoto Ishimaru — Noriaki Sento, Motoki Kazama, Ryosuke Uzuoka, Hirofumi Ohmura, and Makoto Ishimaru; 132 (3), 426 (2006).

Valdes, Julio R.

Stress-Controlled Filtration with Compressible Particles — Julio R. Valdes and Shih-Hsun Liang; 132 (7), 861-8 (2006).

Vallejo, Luis E.

Application of Weibull Statistics to the Tensile Strength of Rock Aggregates — Sebastian Lobo-Guerrero and Luis E. Vallejo; 132 (6), 786-90 (2006).

Vanapalli, Sai K.

Soil-Water Characteristic Curves of Stabilized Expansive Soils — Anand J. Puppala, Koonnamas Punthutaecha, and Sai K. Vanapalli; 132 (6), 736-51 (2006).

Vangpaisal, Thaveesak

Effect of Wet–Dry Cycles and Cation Exchange on Gas Permeability of Geosynthetic Clay Liners — Abdelmalek Bouazza, Thaveesak Vangpaisal, and Stephan Jefferis; 132 (8), 1011-8 (2006).

Vardhanabhuti, B.

Closure to "Secondary Compression" by G. Mesri and B. Vardhanabhuti — G. Mesri and B. Vardhanabhuti; 132 (6), 817-8 (2006).

Vucetic, Mladen

Threshold Shear Strain for Cyclic Pore-Water Pressure in Cohesive Soils — Chu-Chung Hsu and Mladen Vucetic; 132 (10), 1325-35 (2006).

Walker, Brian

Closure to "Review of Standard Penetration Test Short Rod Corrections" by Chris R. Daniel, John A. Howie, R. Scott Jackson, and Brian Walker — Chris R. Daniel, John A. Howie, R. Scott Jackson, and Brian Walker; 132 (12), 1637-40 (2006).

Walker, Rohan

Vertical Drain Consolidation with Parabolic Distribution of Permeability in Smear Zone — Rohan Walker and Buddhima Indraratna; 132 (7), 937-41 (2006).

Wallace, John W.

A Robust Macroelement Model for Soil–Pile Interaction under Cyclic Loads — Ertugrul Taciroglu, ChangSoon Rha, and John W. Wallace; 132 (10), 1304-14 (2006).

Wang, Jian-Hua

Correlation between Cyclic Resistance Ratios of Intact and Reconstituted Offshore Saturated Sands and Silts with the Same Shear Wave Velocity — Jian-Hua Wang, Kathryn Moran, and Christopher D. P. Baxter; 132 (12), 1574-80 (2006).

Wang, Y. H.

Laboratory Studies of Two Common Saprolitic Soils in Hong Kong — Y. H. Wang and W. M. Yan; 132 (7), 923-30 (2006).

Warren, K. A.

Field Study to Investigate WIDE Technology for TCE Extraction — K. A. Warren, M. A. Gabr, and J. D. Quaranta; 132 (9), 1111-20 (2006).

Wartman, Joseph

Laboratory Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Patricia M. Gallagher, Joseph Wartman, Yigang Liu, and Michael Carnivale, III; 132 (5), 562-76 (2006).

Field Evaluation of Crushed Glass–Dredged Material Blends — Dennis G. Grubb, Atwood F. Davis, Steven C. Sands, Michael Carnivale, III, Joseph Wartman, and Patricia M. Gallagher; 132 (5), 577-90 (2006).

Weaver, Thomas J.

Closure to "Response of 0.6 m Cast-in-Steel-Shell Pile in Liquefied Soil under Lateral Loading" by Thomas J. Weaver, S. A. Ashford, and Kyle M. Rollins — Thomas J. Weaver, S. A. Ashford, and Kyle M. Rollins; 132 (9), 1239 (2006).

White, David J.

Stress Zones Near Displacement Piers: I. Plastic

and Liquefied Behavior — R. L. Handy and David J. White; 132 (1), 54-62 (2006).
Stress Zones near Displacement Piers: II. Radial Cracking and Wedging — R. L. Handy and David J. White; 132 (1), 63-71 (2006).

Wijayakulasooryia, C. V.
Discussion of "Using a Small Ring and a Fall-Cone to Determine the Plastic Limit" by Tao-Wei Feng — J. Kodikara, H. N. Seneviratne, and C. V. Wijayakulasooryia; 132 (2), 276-8 (2006).

Winters, Danny
Predicting End Bearing Capacity of Post-Grouted Drilled Shaft in Cohesionless Soils — Gray Mullins, Danny Winters, and Steven Dapp; 132 (4), 478-87 (2006).

Wong, R. C. K.
In Situ Pore Pressure Responses of Native Peat and Soil under Train Load: A Case Study — R. C. K. Wong, P. R. Thomson, and E. S. C. Choi; 132 (10), 1360-9 (2006).

Wu, Jonathan T. H.
Allowable Bearing Pressures of Bridge Sills on GRS Abutments with Flexible Facing — Jonathan T. H. Wu, Kevin Z. Z. Lee, and Thang Pham; 132 (7), 830-41 (2006).

Xie, Mowen
GIS-Based Implementation of Three-Dimensional Limit Equilibrium Approach of Slope Stability — Mowen Xie, Tetsuro Esaki, and Meifeng Cai; 132 (5), 656-60 (2006).

Xing, Hao-Feng
Construction of Concrete-Faced Rockfill Dams with Weak Rocks — Hao-Feng Xing, Xiao-Nan Gong, Xiao-Guang Zhou, and Hai-Feng Fu; 132 (6), 778-85 (2006).

Xu, B.
Probabilistic Stability Analyses of Embankments Based on Finite-Element Method — B. Xu and B. K. Low; 132 (11), 1444-54 (2006).

Yamamoto, Yoichi
Online Earthquake Response Test for Stratified Layers of Clay and Sand — Naoki Takahashi, Masayuki Hyodo, Adrian F. L. Hyde, Yoichi Yamamoto, and Shinya Kimura; 132 (5), 611-21 (2006).

Yamazaki, Fumio
Development of Real-Time Safety Control System for Urban Gas Supply Network — Yoshihisa Shimizu, Fumio Yamazaki, Susumu Yasuda, Ikuo Towhata, Takanobu Suzuki, Ryoji Isoyama, Eisuke Ishida, Iwao Suetomi, Kenichi Koganemaru, and Wataru Nakayama; 132 (2), 237-49 (2006).

Yan, W. M.
Laboratory Studies of Two Common Saprolitic Soils in Hong Kong — Y. H. Wang and W. M. Yan; 132 (7), 923-30 (2006).

Yang, J.
Observed Performance of Long Steel H-Piles Jacked into Sandy Soils — J. Yang, L. G. Tham, P. K. K. Lee, and F. Yu; 132 (1), 24-35 (2006).
Frequency-Dependent Amplification of Unsaturated Surface Soil Layer — J. Yang; 132 (4), 526-31 (2006).
Influence Zone for End Bearing of Piles in Sand — J. Yang; 132 (9), 1229-37 (2006).

Yang, Ke
Numerical Solution for Laterally Loaded Piles in a Two-Layer Soil Profile — Ke Yang and Robert Liang; 132 (11), 1436-43 (2006).

Yang, Luo
Quality Control Method for Pile Driving — Robert Liang and Luo Yang; 132 (8), 1098-104 (2006).

Yankey, Greg
Limitations in the Back-Analysis of Strength from Failures — Rick Deschamps and Greg Yankey; 132 (4), 532-6 (2006).

Yasuda, Susumu
Development of Real-Time Safety Control System for Urban Gas Supply Network — Yoshihisa Shimizu, Fumio Yamazaki, Susumu Yasuda, Ikuo Towhata, Takanobu Suzuki, Ryoji Isoyama, Eisuke Ishida, Iwao Suetomi, Kenichi Koganemaru, and Wataru Nakayama; 132 (2), 237-49 (2006).

Yasuhara, Kazuya
Liquefaction, Cyclic Mobility, and Failure of Silt — Adrian F. L. Hyde, Toru Higuchi, and Kazuya Yasuhara; 132 (6), 716-35 (2006).

Yılmaz, M. Tolga
Discussion of "Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey" by Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar — B. Sadık Bakır and M. Tolga Yılmaz; 132 (4), 537-9 (2006).
Discussion of "High-Modulus Columns for Liquefaction Mitigation" by James R. Martin II, C. Guney Olgun, James K. Mitchell, and H. Turan Durgunoğlu — B. Sadık Bakır and M. Tolga Yılmaz; 132 (7), 946-7 (2006).
Closure to "Liquefaction-Induced Lateral Spreading at Izmit Bay during the Kocaeli (Izmit)-Turkey Earthquake" by K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoğlu, W. Lettis, and M. Tolga Yilmaz — Onder Cetin, T.Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoğlu, W. Lettis, and M. Tolga Yılmaz; 132 (7), 956-9 (2006).

Yoo, Chai H.
Closure to "Design Loading on Deeply Buried Box Culverts" by Kyungsik Kim and Chai H. Yoo — Kyungsik Kim and Chai H. Yoo; 132 (8), 1108 (2006).

Yoo, Chungsik
Case History of Geosynthetic Reinforced Segmental Retaining Wall Failure — Chungsik Yoo and Hye-Young Jung; 132 (12), 1538-48 (2006).

Youd, T. Leslie
Closure to "Subsurface Characterization at Ground Failure Sites in Adapazari, Turkey" by Jonathan D. Bray, Rodolfo B. Sancio, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar — Jonathan D. Bray, Rodolfo B. Sancio, Thaleia Travasarou, Turan Durgunoglu, Akin Onalp, T. Leslie Youd, Jonathan P. Stewart, Raymond B. Seed, Onder K. Cetin, Ertan Bol, M. B. Baturay, C. Christensen, and T. Karadayilar; 132 (4), 541-7 (2006).
Closure to "Liquefaction-Induced Lateral Spreading at Izmit Bay during the Kocaeli (Izmit)-Turkey Earthquake" by K. Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoğlu, W. Lettis, and M. Tolga Yilmaz — Onder Cetin, T. Leslie Youd, Raymond B. Seed, Jonathan D. Bray, Jonathan P. Stewart, H. Turan Durgunoğlu, W. Lettis, and M. Tolga Yılmaz; 132 (7), 956-9 (2006).
Liquefaction-Induced Lateral Spreading in Near-Fault Regions during the 1999 Chi-Chi, Taiwan Earthquake — Daniel B. Chu, Jonathan P. Stewart, T. Leslie Youd, and B. L. Chu; 132 (12), 1549-65 (2006).

Young-Su, Kim
Use of Artificial Neural Networks in the Prediction of Liquefaction Resistance of Sands — Kim Young-Su and Kim Byung-Tak; 132 (11), 1502-4 (2006).

Yu, F.
Observed Performance of Long Steel H-Piles Jacked into Sandy Soils — J. Yang, L. G. Tham, P. K. K. Lee, and F. Yu; 132 (1), 24-35 (2006).

Yukselen, Yeliz
Comparison of Methods for Determining Specific Surface Area of Soils — Yeliz Yukselen and Abidin Kaya; 132 (7), 931-6 (2006).

Zekkos, Dimitrios
Unit Weight of Municipal Solid Waste — Dimitrios Zekkos, Jonathan D. Bray, Edward Kavazanjian, Jr., Neven Matasovic, Ellen M. Rathje, Michael F. Riemer, and Kenneth H. Stokoe, II; 132 (10), 1250-61 (2006).

Zhang, Jim X.
Degradation of Sands due to Combined Sinusoidal Loading — M. Sherif Aggour and Jim X. Zhang; 132 (12), 1628-32 (2006).

Zhang, L. M.
Impact of Routine Quality Assurance on Reliability of Bored Piles — L. M. Zhang, D. Q. Li, and W. H. Tang; 132 (5), 622-30 (2006).
Termination Criteria for Jacked Pile Construction and Load Transfer in Weathered Soils — L. M. Zhang, C. W. W. Ng, F. Chan, and H. W. Pang; 132 (7), 819-29 (2006).

Zhang, Lianyang
Closure to "Ultimate Lateral Resistance to Piles in Cohesionless Soils" by Lianyang Zhang, Francisco Silva, and Ralph Grismala — Lianyang Zhang, Francisco Silva, and Ralph Grismala; 132 (8), 1109-10 (2006).

Zhou, Xiao-Guang
Construction of Concrete-Faced Rockfill Dams with Weak Rocks — Hao-Feng Xing, Xiao-Nan Gong, Xiao-Guang Zhou, and Hai-Feng Fu; 132 (6), 778-85 (2006).

Zornberg, Jorge G.
Closure to "Analysis of a Large Database of GCL Internal Shear Strength Results" by Jorge G. Zornberg, John S. McCartney, and Robert H. Swan Jr. — Jorge G. Zornberg, John S. McCartney, and Robert H. Swan, Jr.; 132 (10), 1376-9 (2006).